

Literatuuroverzicht tot 30-04-2020

1. **Attitudes of critical care medicine professionals concerning distribution of intensive care resources. The Society of Critical Care Medicine Ethics Committee.** Critical care medicine. 1994;22(2):358-62. <http://dx.doi.org/10.1097/00003246-199402000-00031>.
2. **Singapore Health and Biomedical Congress, SHBC 2013.** Annals of the Academy of Medicine Singapore. 2013;42:S1.
3. **Abstracts of the AAGBI Annual Congress.** Anaesthesia. 2017;72.
4. **American Burn Association 50th Annual Meeting.** Journal of Burn Care and Research. 2018;39.
5. **Acute Kidney Injury and Subsequent Frailty Status in Survivors of Critical Illness: A Secondary Analysis.** Abdel-Kader K, Girard TD, Brummel NE, Saunders CT, Blume JD, Clark AJ, et al. Critical care medicine. 2018;46(5):e380-e8. <http://dx.doi.org/10.1097/CCM.0000000000003003>.
6. **Anti-aging factor, serum alpha-Klotho, as a marker of acute physiological stress, and a predictor of ICU mortality, in patients with septic shock.** Abdelmalik PA, Stevens RD, Singh S, Skinner J, Carhuapoma JR, Noel S, et al. J Crit Care. 2018;44:323-30. <http://dx.doi.org/10.1016/j.jcrc.2017.11.023>. Epub 2017 Nov 16.
7. **Validation of the clinical frailty score (CFS) in French language.** Abraham P, Courvoisier DS, Annweiler C, Lenoir C, Millien T, Dalmaz F, et al. BMC geriatrics. 2019;19(1):322.
8. **Assessment of the Predictive Value of the Modified Frailty Index for Clavien-Dindo Grade IV Critical Care Complications in Major Head and Neck Cancer Operations.** Abt NB, Richmon JD, Koch WM, Eisele DW, Agrawal N. JAMA otolaryngology-- head & neck surgery. 2016;142(7):658-64. <http://dx.doi.org/10.1001/jamaoto.2016.0707>.
9. **Frailty index: Intensive care unit complications in head and neck oncologic regional and free flap reconstruction.** Abt NB, Xie Y, Puram SV, Richmon JD, Varvares MA. Head & neck. 2017;39(8):1578-85. <http://dx.doi.org/10.1002/hed.24790>. Epub 2017 Apr 27.
10. **The Effects of Frailty in Patients Undergoing Elective Cardiac Surgery.** Ad N, Holmes SD, Halpin L, Shuman DJ, Miller CE, Lamont D. Journal of cardiac surgery. 2016;31(4):187-94. <http://dx.doi.org/10.1111/jocs.12699>. Epub 2016 Feb 2.
11. **Critical care of the hematopoietic stem cell transplant recipient.** Afessa B, Azoulay E. Critical care clinics. 2010;26(1):133-50. <http://dx.doi.org/10.1016/j.ccc.2009.09.001>.
12. **Use of Remote Monitoring Is Associated with Lower Risk of Adverse Outcomes among Patients with Implanted Cardiac Defibrillators.** Akar JG, Bao H, Jones PW, Wang Y, Varosy PD, Masoudi FA, et al. Circulation: Arrhythmia and Electrophysiology. 2015;8(5):1173-80.
13. **Psoas Muscle Area Measured with Computed Tomography at Admission to Intensive Care Unit: Prediction of In-Hospital Mortality in Patients with Pulmonary Embolism.** Akkoc I, Toptas M, Yalcin M, Demir E, Toptas Y. BioMed Research International. 2020;2020.
14. **[Gastos hospitalarios por neumonia neumococcica invasora en adultos en un hospital general en Chile].** Alarcon A, Lagos I, Fica A. Revista chilena de infectologia : organo oficial de la Sociedad Chilena de Infectologia. 2016;33(4):389-94. <http://dx.doi.org/10.4067/S0716-10182016000400003>.
15. **The Edmonton Frail Scale Improves the Prediction of 30-Day Mortality in Elderly Patients Undergoing Cardiac Surgery: A Prospective Observational Study.** Amabili P, Wozolek A, Noirot I, Roediger L, Senard M,

Donneau AF, et al. *J Cardiothorac Vasc Anesth*. 2019;33(4):945-52. <http://dx.doi.org/10.1053/j.jvca.2018.05.038>. Epub 2018 May 27.

16. **Medical necessity of routine admission of children with mild traumatic brain injury to the intensive care unit.** Ament JD, Greenan KN, Tertulien P, Galante JM, Nishijima DK, Zwienerberg M. *Journal of neurosurgery Pediatrics*. 2017;19(6):668-74. <http://dx.doi.org/10.3171/2017.2.PEDS16419>. Epub 2017 Apr 7.

17. **Frailty assessment and risk prediction by GRACE score in older patients with acute myocardial infarction.** Anand A, Cudmore S, Robertson S, Stephen J, Haga K, Weir CJ, et al. *BMC geriatrics*. 2020;20(1):102.

18. **The Importance of Frailty in the Assessment of Influenza Vaccine Effectiveness Against Influenza-Related Hospitalization in Elderly People.** Andrew MK, Shinde V, Ye L, Hatchette T, Haguinet F, Dos Santos G, et al. *The Journal of infectious diseases*. 2017;216(4):405-14. <http://dx.doi.org/10.1093/infdis/jix282>.

19. **Triage disposition of patients with acute myocardial infarction--ACSIS 2000.** Arbel JE, Porath A, Cohen E, Gilutz H, Garty M. *The Israel Medical Association journal : IMAJ*. 2003;5(11):786-90.

20. **Outcomes in older patients requiring comprehensive allied health care prior to discharge from the emergency department.** Arendts G, Fitzhardinge S, Pronk K, Hutton M. *EMA - Emergency Medicine Australasia*. 2013;25(2):127-31.

21. **Gender and age differences in nurses' triage decisions using vignette patients.** Arslanian-Engoren C. *Nursing research*. 2001;50(1):61-6. <http://dx.doi.org/10.1097/00006199-200101000-00009>.

22. **Impact of frailty in surgical emergencies. A comparison of four frailty scales.** Arteaga AS, Aguilar LT, Gonzalez JT, Boza AS, Munoz-Cruzado VD, Ciuro FP, et al. *European journal of trauma and emergency surgery : official publication of the European Trauma Society*. 2020. <http://dx.doi.org/10.1007/s00068-020-01314-3>.

23. **Emergency General Surgery in Older Adults: A Review.** Aucoin S, Mclsaac DI. *Anesthesiology Clinics*. 2019;37(3):493-505.

24. **Management of chronic heart failure in the older population.** Azad N, Lemay G. *Journal of Geriatric Cardiology*. 2014;11(4):329-37.

25. **Acute respiratory failure in immunocompromised adults.** Azoulay E, Mokart D, Kouatchet A, Demoule A, Lemiale V. *The Lancet Respiratory medicine*. 2019;7(2):173-86. [http://dx.doi.org/10.1016/S2213-2600\(18\)30345-X](http://dx.doi.org/10.1016/S2213-2600(18)30345-X). Epub 2018 Dec 7.

26. **Compliance with triage to intensive care recommendations.** Azoulay E, Pochard F, Chevret S, Vinsonneau C, Garrouste M, Cohen Y, et al. *Critical care medicine*. 2001;29(11):2132-6. <http://dx.doi.org/10.1097/00003246-200111000-00014>.

27. **30-day mortality in frail patients undergoing cardiac surgery: the results of the frailty in cardiac surgery (FICS) copenhagen study.** Bäck C, Hornum M, Olsen PS, Møller CH. *Scandinavian Cardiovascular Journal*. 2019;53(6):348-54.

28. **A prospective multicenter cohort study of frailty in younger critically ill patients.** Bagshaw M, Majumdar SR, Rolfson DB, Ibrahim Q, McDermid RC, Stelfox HT. *Crit Care*. 2016;20(1):175. <http://dx.doi.org/10.1186/s13054-016-1338-x>.

29. **Selection and Receipt of Kidney Replacement in Critically Ill Older Patients with AKI.** Bagshaw SM, Adhikari NKJ, Burns KEA, Friedrich JO, Bouchard J, Lamontagne F, et al. *Clinical journal of the American Society of Nephrology : CJASN*. 2019;14(4):496-505. <http://dx.doi.org/10.2215/CJN.05530518>. Epub 2019 Mar 21.

30. **The role of frailty in outcomes from critical illness.** Bagshaw SM, McDermid RC. *Current opinion in critical care.* 2013;19(5):496-503. <http://dx.doi.org/10.1097/MCC.0b013e328364d570>.
31. **Long-term association between frailty and health-related quality of life among survivors of critical illness: a prospective multicenter cohort study.** Bagshaw SM, Stelfox HT, Johnson JA, McDermid RC, Rolfson DB, Tsuyuki RT, et al. *Critical care medicine.* 2015;43(5):973-82. <http://dx.doi.org/10.1097/CCM.0000000000000860>.
32. **Association between frailty and short- and long-term outcomes among critically ill patients: a multicentre prospective cohort study.** Bagshaw SM, Stelfox HT, McDermid RC, Rolfson DB, Tsuyuki RT, Baig N, et al. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne.* 2014;186(2):E95-102. <http://dx.doi.org/10.1503/cmaj.130639>. Epub 2013 Nov 25.
33. **Association between strained capacity and mortality among patients admitted to intensive care: A path-analysis modeling strategy.** Bagshaw SM, Wang X, Zygun DA, Zuege D, Dodek P, Garland A, et al. *J Crit Care.* 2018;43:81-7. <http://dx.doi.org/10.1016/j.jcrc.2017.08.032>. Epub 2017 Aug 24.
34. **Measuring and predicting long-term outcomes in older survivors of critical illness.** Baldwin MR. *Minerva anesthesiologica.* 2015;81(6):650-61.
35. **A prognostic model for 6-month mortality in elderly survivors of critical illness.** Baldwin MR, Narain WR, Wunsch H, Schluger NW, Cooke JT, Maurer MS, et al. *Chest.* 2013;143(4):910-9. <http://dx.doi.org/10.1378/chest.12-1668>.
36. **The feasibility of measuring frailty to predict disability and mortality in older medical intensive care unit survivors.** Baldwin MR, Reid MC, Westlake AA, Rowe JW, Granieri EC, Wunsch H, et al. *J Crit Care.* 2014;29(3):401-8. <http://dx.doi.org/10.1016/j.jcrc.2013.12.019>. Epub 2014 Jan 6.
37. **Refining Low Physical Activity Measurement Improves Frailty Assessment in Advanced Lung Disease and Survivors of Critical Illness.** Baldwin MR, Singer JP, Huang D, Sell J, Gonzalez WC, Pollack LR, et al. *Annals of the American Thoracic Society.* 2017;14(8):1270-9. <http://dx.doi.org/10.1513/AnnalsATS.201612-1008OC>.
38. **Elderly patients presenting to a Level I trauma center with Physician Orders for a Life-Sustaining Treatment form: A propensity-matched analysis.** Ballou JH, Dewey EN, Zonies DH. *The journal of trauma and acute care surgery.* 2019;87(1):153-60. <http://dx.doi.org/10.1097/TA.0000000000002321>.
39. **A mathematical model for simulating daily bed occupancy in an intensive care unit.** Barado J, Guergue JM, Esparza L, Azcarate C, Mallor F, Ochoa S. *Critical care medicine.* 2012;40(4):1098-104. <http://dx.doi.org/10.1097/CCM.0b013e3182374828>.
40. **Using simulation to isolate physician variation in intensive care unit admission decision making for critically ill elders with end-stage cancer: a pilot feasibility study.** Barnato AE, Hsu HE, Bryce CL, Lave JR, Emlet LL, Angus DC, et al. *Critical care medicine.* 2008;36(12):3156-63. <http://dx.doi.org/10.1097/CCM.0b013e31818f40d2>.
41. **Sarcopenia Index Is a Simple Objective Screening Tool for Malnutrition in the Critically Ill.** Barreto EF, Kanderi T, DiCecco SR, Lopez-Ruiz A, Poyant JO, Mara KC, et al. *Journal of Parenteral and Enteral Nutrition.* 2019;43(6):780-8.
42. **Paediatric use of intensive care.** Barry PW, Hocking MD. *Arch Dis Child.* 1994;70(5):391-4. <http://dx.doi.org/10.1136/adc.70.5.391>.
43. **Impact of late preterm and early term infants on Canadian neonatal intensive care units.** Bassil KL, Shah PS, Shah V, Ye XY, Lee SK, Jefferies AL. *American journal of perinatology.* 2014;31(4):269-78. <http://dx.doi.org/10.1055/s-0033-1347364>. Epub 2013 May 31.

44. **Undercorrection of hypernatremia is frequent and associated with mortality.** Bataille S, Baralla C, Torro D, Buffat C, Berland Y, Alazia M, et al. *BMC Nephrol.* 2014;15:37. <http://dx.doi.org/10.1186/1471-2369-15-37>.
45. **Low tissue oxygen saturation at emergency center triage is predictive of intensive care unit admission.** Bazerbashi H, Merriman KW, Toale KM, Chافتari P, Cruz Carreras MT, Henderson JD, et al. *J Crit Care.* 2014;29(5):775-9. <http://dx.doi.org/10.1016/j.jcrc.2014.05.006>. Epub 2014 May 27.
46. **Boarding admitted children in the emergency department impacts inpatient outcomes.** Bekmezian A, Chung PJ. *Pediatric emergency care.* 2012;28(3):236-42. <http://dx.doi.org/10.1097/PEC.0b013e3182494b94>.
47. **A prospective before-and-after trial of a medical emergency team.** Bellomo R, Goldsmith D, Uchino S, Buckmaster J, Hart GK, Opdam H, et al. *The Medical journal of Australia.* 2003;179(6):283-7.
48. **Association of nursing overtime, nurse staffing and unit occupancy with medical incidents and outcomes of very preterm infants.** Beltempo M, Lacroix G, Cabot M, Blais R, Piedboeuf B. *Journal of perinatology : official journal of the California Perinatal Association.* 2018;38(2):175-80. <http://dx.doi.org/10.1038/jp.2017.146>. Epub 2017 Sep 21.
49. **Sepsis in frail patient.** Beltrame A, Malfatto EN, Anselmo M. *Italian Journal of Medicine.* 2016;10(4):349-53.
50. **Maternal morbidity and pregnancy outcome in a cohort of mothers transferred out of perinatal centres during a national census.** Bennett CC, Lal MK, Field DJ, Wilkinson AR. *BJOG : an international journal of obstetrics and gynaecology.* 2002;109(6):663-6. <http://dx.doi.org/10.1111/j.1471-0528.2002.01401.x>.
51. **Understanding the Association Between Frailty and Cardiac Surgical Outcomes.** Bergquist CS, Jackson EA, Thompson MP, Cabrera L, Paone G, DeLucia A, et al. *Annals of Thoracic Surgery.* 2018;106(5):1326-32.
52. **Intraabdominal Infections in Older Adults.** Berlin A, Johanning JM. *Clinics in Geriatric Medicine.* 2016;32(3):493-507.
53. **End-of-life matters in chronic renal failure.** Berman N. *Current opinion in supportive and palliative care.* 2014;8(4):371-7. <http://dx.doi.org/10.1097/SPC.0000000000000097>.
54. **What do patterns of noise in a teaching hospital and nursing home suggest?** Bharathan T, Glodan D, Ramesh A, Vardhini B, Baccash E, Kiselev P, et al. *Noise & health.* 2007;9(35):31-4. <http://dx.doi.org/10.4103/1463-1741.36977>.
55. **Rehabilitation of the geriatric surgical patient: predicting needs and optimizing outcomes.** Biffi WL, Biffi SE. *The Surgical clinics of North America.* 2015;95(1):173-90. <http://dx.doi.org/10.1016/j.suc.2014.09.004>. Epub 2014 Oct 18.
56. **National Early Warning Score (NEWS) as an emergency department predictor of disease severity and 90-day survival in the acutely dyspneic patient - a prospective observational study.** Bilben B, Grandal L, Sovik S. *Scandinavian journal of trauma, resuscitation and emergency medicine.* 2016;24:80. <http://dx.doi.org/10.1186/s13049-016-0273-9>.
57. **Who benefits from Intensive Care in the field?** Birch K. *Journal of the Royal Army Medical Corps.* 2009;155(2):122-4. <http://dx.doi.org/10.1136/jramc-155-02-09>.
58. **Thirty-Day Mortality and Survival in Elderly Patients Undergoing Neurosurgery.** Bligh ER, Al-Tamimi Y, Sinha P, Smith D. *Neurosurgery.* 2019;84(5):E270-E1.
59. **Utility of predictive tools for risk stratification of elderly individuals with all-cause acute respiratory infection.** Bloom AS, Suchindran S, Steinbrink J, McClain MT. *Infection.* 2019;47(4):617-27.

<http://dx.doi.org/10.1007/s15010-019-01299-1>. Epub 2019 Mar 30.

60. **Injury patterns among pedestrians using assistive mobility devices.** Bogert JN, Salomone JP, Goslar PW, Weinberg JA. *Injury*. 2019;50(1):16-9.
61. **Adherence to Referral Criteria at Admission and Patient Management at a Specialized Burns Centre: The Case of the Red Cross War Memorial Children's Hospital in Cape Town, South Africa.** Boissin C, Hasselberg M, Kronblad E, Kim SM, Wallis L, Rode H, et al. *International journal of environmental research and public health*. 2017;14(7). <http://dx.doi.org/10.3390/ijerph14070732>.
62. **Inpatient costs and blood transfusion rates of sarcopenic patients following thoracolumbar spine surgery.** Bokshan SL, Han A, DePasse JM, Marcaccio SE, Eltorai AEM, Daniels AH. *Journal of neurosurgery Spine*. 2017;27(6):676-80. <http://dx.doi.org/10.3171/2017.5.SPINE17171>. Epub 2017 Oct 6.
63. **A clinical decision rule for triage of children under 5 years of age with hydrocarbon (kerosene) aspiration in developing countries.** Bond GR, Pieche S, Sonicki Z, Gamaluddin H, El Guindi M, Sakr M, et al. *Clinical toxicology (Philadelphia, Pa)*. 2008;46(3):222-9. <http://dx.doi.org/10.1080/15563650701801218>.
64. **Analysis of indications for intensive care unit admission. Clinical efficacy assessment project: American College of Physicians.** Bone RC, McElwee NE, Eubanks DH, Gluck EH. *Chest*. 1993;104(6):1806-11. <http://dx.doi.org/10.1378/chest.104.6.1806>.
65. **Age is just a number – and so is frailty: Strategies to inform resource allocation during the COVID-19 pandemic.** Boreskie KF, Boreskie PE, Melady D. *CJEM*. 2020:1-5.
66. **[Clinical characteristics, management, and prognosis of patients with acute myocardial infarction not admitted to the coronary care unit. Usefulness of an intermediate care unit as the initial admission site].** Bosch X, Perez J, Ferrer E, Ortiz J, Perez-Alba JC, Heras M, et al. *Revista espanola de cardiologia*. 2003;56(3):262-70. [http://dx.doi.org/10.1016/s0300-8932\(03\)76862-6](http://dx.doi.org/10.1016/s0300-8932(03)76862-6).
67. **Prehospital triage of patients suffering severe dyspnoea using N-terminal pro-brain natriuretic peptide, the PreBNP trial: a randomised controlled clinical trial.** Botker MT, Jorgensen MT, Stengaard C, Seidenfaden SC, Tarpgaard M, Granfeldt A, et al. *European heart journal Acute cardiovascular care*. 2018;7(4):302-10. <http://dx.doi.org/10.1177/2048872617709985>. Epub 2017 May 11.
68. **Variability of intensive care admission decisions for the very elderly.** Boumendil A, Angus DC, Guitonneau AL, Menn AM, Ginsburg C, Takun K, et al. *PLoS One*. 2012;7(4):e34387. <http://dx.doi.org/10.1371/journal.pone.0034387>. Epub 2012 Apr 11.
69. **Determinants and outcomes associated with decisions to deny intensive care unit admission in Tunisian ICU.** Bouneb R, Mellouli M, Dardouri M, Soltane HB, Chouchene I, Boussarsar M. *The Pan African medical journal*. 2018;29:176. <http://dx.doi.org/10.11604/pamj.2018.29.176.13099>. eCollection 2018.
70. **Caring the elderly diabetic patient with respect to concepts of successful aging and frailty.** Bourdel-Marchasson I, Berrut G. *Diabetes and Metabolism*. 2005;31:5S13-5S9.
71. **Non-traditional mortality predictors for geriatric intensive care unit patients.** Bozkurt D, Kilavuz A, Caferov N, Köse T, Akçiçek F. *Turk Geriatri Dergisi*. 2018;21(3):323-32.
72. **Development of quality indicators for monitoring outcomes of frail elderly hospitalised in acute care health settings: study protocol.** Brand CA, Martin-Khan M, Wright O, Jones RN, Morris JN, Travers CM, et al. *BMC health services research*. 2011;11:281. <http://dx.doi.org/10.1186/1472-6963-11-281>.
73. **Dementia in the acute hospital: the prevalence and clinical outcomes of acutely unwell patients with**

- dementia.** Briggs R, Dyer A, Nabeel S, Collins R, Doherty J, Coughlan T, et al. *Qjm.* 2017;110(1):33-7. <http://dx.doi.org/10.1093/qjmed/hcw114>. Epub 2016 Aug 2.
74. **Evidence-Based Care of Geriatric Trauma Patients.** Brooks SE, Peetz AB. *The Surgical clinics of North America.* 2017;97(5):1157-74. <http://dx.doi.org/10.1016/j.suc.2017.06.006>.
75. **Heat emergencies.** Bross MH, Nash BT, Jr., Carlton FB, Jr. *Am Fam Physician.* 1994;50(2):389-96, 98.
76. **Blue calls--time for a change?** Brown R, Warwick J. *Emergency medicine journal : EMJ.* 2001;18(4):289-92. <http://dx.doi.org/10.1136/emj.18.4.289>.
77. **Underweight, Markers of Cachexia, and Mortality in Acute Myocardial Infarction: A Prospective Cohort Study of Elderly Medicare Beneficiaries.** Buchholz EM, Krumholz HA, Krumholz HM. *PLoS Medicine.* 2016;13(4).
78. **[Diagnosis, clinical presentation and triage criteria of emergency patients admitted for chest pain: prospective study of 278 cases].** Buclin T, Van Melle G, Haller E, Yersin B, Berger JP. *Schweizerische medizinische Wochenschrift.* 1988;118(50):1921-5.
79. **Re-admission to Level 2 unit after hip-fracture surgery - Risk factors, reasons and outcome.** Buecking B, Eschbach D, Koutras C, Kratz T, Balzer-Geldsetzer M, Dodel R, et al. *Injury.* 2013;44(12):1919-25. <http://dx.doi.org/10.1016/j.injury.2013.05.012>. Epub 2013 Jun 18.
80. **The Report-AGE project: a permanent epidemiological observatory to identify clinical and biological markers of health outcomes in elderly hospitalized patients in Italy.** Bustacchini S, Abbatecola AM, Bonfigli AR, Chiatti C, Corsonello A, Di Stefano G, et al. *Aging clinical and experimental research.* 2015;27(6):893-901. <http://dx.doi.org/10.1007/s40520-015-0350-3>. Epub 2015 Mar 26.
81. **The changing face of cardiac surgery: practice patterns and outcomes 2001-2010.** Buth KJ, Gainer RA, Legare JF, Hirsch GM. *The Canadian journal of cardiology.* 2014;30(2):224-30. <http://dx.doi.org/10.1016/j.cjca.2013.10.020>. Epub 2013 Nov 6.
82. **Testosterone Deficiency in Men: Systematic Review and Standard Operating Procedures for Diagnosis and Treatment.** Buvat J, Maggi M, Guay A, Torres LO. *Journal of Sexual Medicine.* 2013;10(1):245-84.
83. **The prevalence, risk factors and prognostic implications of dysphagia in elderly patients undergoing hip fracture surgery in Korea.** Byun SE, Kwon KB, Kim SH, Lim SJ. *BMC geriatrics.* 2019;19(1):356. <http://dx.doi.org/10.1186/s12877-019-1382-x>.
84. **Risk factors and prognostic implications of aspiration pneumonia in older hip fracture patients: A multicenter retrospective analysis.** Byun SE, Shon HC, Kim JW, Kim HK, Sim Y. *Geriatrics & gerontology international.* 2019;19(2):119-23. <http://dx.doi.org/10.1111/ggi.13559>. Epub 2018 Dec 16.
85. **Evaluation and management of geriatric trauma: an Eastern Association for the Surgery of Trauma practice management guideline.** Calland JF, Ingraham AM, Martin N, Marshall GT, Schulman CI, Stapleton T, et al. *The journal of trauma and acute care surgery.* 2012;73(5):S345-50. <http://dx.doi.org/10.1097/TA.0b013e318270191f>.
86. **The frailty in elderly patients receiving cardiac interventional procedures (FRASER) program: rational and design of a multicenter prospective study.** Campo G, Pavasini R, Maietti E, Tonet E, Cimaglia P, Scillitani G, et al. *Aging Clinical and Experimental Research.* 2017;29(5):895-903.
87. **Efficacy of a tool to predict short-term mortality in older people presenting at emergency departments: Protocol for a multi-centre cohort study.** Cardona M, Lewis ET, Turner RM, Alkhouri H, Asha S, Mackenzie J, et al. *Archives of gerontology and geriatrics.* 2018;76:169-74.

<http://dx.doi.org/10.1016/j.archger.2018.02.014>. Epub 2018 Mar 6.

88. **Development of a tool for defining and identifying the dying patient in hospital: Criteria for Screening and Triaging to Appropriate aLternative care (CriSTAL).** Cardona-Morrell M, Hillman K. *BMJ supportive & palliative care*. 2015;5(1):78-90. <http://dx.doi.org/10.1136/bmjspcare-2014-000770>. Epub 2015 Jan 5.
89. **Impact of hypoglycemia in hospitalized patients.** Carey M, Boucai L, Zonszein J. *Current diabetes reports*. 2013;13(1):107-13. <http://dx.doi.org/10.1007/s11892-012-0336-x>.
90. **Frailty and Predictors of Discharge Disposition in the Acute and Critical Care Surgery Patient: A Comparison of Three Frailty Scoring Instruments.** Carpenter E, Mahmooth Z, Elwood D, Lin E, Foster M, Haack C, et al. *The American surgeon*. 2019;85(9):e504-e7.
91. **Emergent aortic surgery in octogenarians: Is the advanced age a contraindication?** Castaño M, Gualis J, Martínez-Comendador JM, Martín E, Maiorano P, Castillo L. *Journal of Thoracic Disease*. 2017;9:S498-S507.
92. **Radical cystectomy in frail octogenarians in thoracic continuous spinal anesthesia and analgesia: a pilot study.** Castellani D, Starnari R, Faloia L, Stronati M, Venezia A, Gasparri L, et al. *Therapeutic Advances in Urology*. 2018;10(11):343-9.
93. **How to define the therapeutic limits.** Cester A, Maselli M, Bolzetta F. *Monaldi Archives for Chest Disease*. 2017;87(2):36-7.
94. **Physiological-social score (PMEWS) vs. CURB-65 to triage pandemic influenza: a comparative validation study using community-acquired pneumonia as a proxy.** Challen K, Bright J, Bentley A, Walter D. *BMC health services research*. 2007;7:33. <http://dx.doi.org/10.1186/1472-6963-7-33>.
95. **Both pre-frailty and frailty increase healthcare utilization and adverse health outcomes in patients with type 2 diabetes mellitus.** Chao CT, Wang J, Chien KL. *Cardiovascular diabetology*. 2018;17(1):130. <http://dx.doi.org/10.1186/s12933-018-0772-2>.
96. **Both pre-frailty and frailty increase healthcare utilization and adverse health outcomes in patients with type 2 diabetes mellitus 11 Medical and Health Sciences 1103 Clinical Sciences.** Chao CT, Wang J, Chien KL, Tsai HB, Chiang CK, Huang JW, et al. *Cardiovascular Diabetology*. 2018;17(1).
97. **Perioperative adverse events following surgery for primary bone tumors of the spine and en bloc resection for metastases.** Charest-Morin R, Flexman AM, Srinivas S, Fisher CG, Street JT, Boyd MC, et al. *Journal of Neurosurgery: Spine*. 2020;32(1):98-105.
98. **End of Life, Withdrawal, and Palliative Care Utilization among Patients Receiving Maintenance Hemodialysis Therapy.** Chen JC, Thorsteinsdottir B, Vaughan LE, Feely MA, Albright RC, Onuigbo M, et al. *Clinical journal of the American Society of Nephrology : CJASN*. 2018;13(8):1172-9. <http://dx.doi.org/10.2215/CJN.00590118>. Epub 2018 Jul 19.
99. **Canadian Study of Health and Aging Clinical Frailty Scale: Does It Predict Adverse Outcomes among Geriatric Trauma Patients?** Cheung A, Haas B, Ringer TJ, McFarlan A, Wong CL. *Journal of the American College of Surgeons*. 2017;225(5):658-65.e3.
100. **Patterns of intensive care unit admissions in patients hospitalized for heart failure: insights from the RO-AHFS registry.** Chioncel O, Ambrosy AP, Filipescu D, Bubenek S, Vinereanu D, Petris A, et al. *Journal of cardiovascular medicine (Hagerstown, Md)*. 2015;16(5):331-40. <http://dx.doi.org/10.2459/JCM.0000000000000030>.
101. **Nurse staffing and patient mortality in intensive care units.** Cho SH, Hwang JH, Kim J. *Nursing research*. 2008;57(5):322-30. <http://dx.doi.org/10.1097/01.NNR.0000313498.17777.71>.

102. **Comparison of multidimensional frailty score, grip strength, and gait speed in older surgical patients.** Choi JY, Kim KI, Choi Y, Ahn SH, Kang E, Oh HK, et al. *Journal of cachexia, sarcopenia and muscle*. 2020;11(2):432-40. <http://dx.doi.org/10.1002/jcsm.12509>. Epub 2020 Jan 8.
103. **Prediction of Postoperative Complications Using Multidimensional Frailty Score in Older Female Cancer Patients with American Society of Anesthesiologists Physical Status Class 1 or 2.** Choi JY, Yoon SJ, Kim SW, Jung HW, Kim KI, Kang E, et al. *Journal of the American College of Surgeons*. 2015;221(3):652-60.e2. <http://dx.doi.org/10.1016/j.jamcollsurg.2015.06.011>. Epub 2015 Jun 20.
104. **High occupancy increases the risk of early death or readmission after transfer from intensive care.** Chrusch CA, Olafson KP, McMillan PM, Roberts DE, Gray PR. *Critical care medicine*. 2009;37(10):2753-8. <http://dx.doi.org/10.1097/CCM.0b013e3181a57b0c>.
105. **Community-acquired pneumonia in critically ill very old patients: a growing problem.** Cilloniz C, Dominedo C, Pericas JM, Rodríguez-Hurtado D, Torres A. *European respiratory review : an official journal of the European Respiratory Society*. 2020;29(155). <http://dx.doi.org/10.1183/16000617.0126-2019>. Print 2020 Mar 31.
106. **Interventions for preventing delirium in older people in institutional long-term care.** Clegg A, Siddiqi N, Heaven A, Young J, Holt R. *Cochrane Database of Systematic Reviews*. 2014;2014(1).
107. **Sleep disorders and their impacts on healthy, dependent, and frail older adults.** Cochen V, Arbus C, Soto ME, Villars H, Tiberge M, Montemayor T, et al. *Journal of Nutrition, Health and Aging*. 2009;13(4):322-9.
108. **A review of 2000 consecutive ICU admissions.** Cohen A, Bodenham A, Webster N. *Anaesthesia*. 1993;48(2):106-10. <http://dx.doi.org/10.1111/j.1365-2044.1993.tb06845.x>.
109. **The impact of do-not-resuscitate order on triage decisions to a medical intensive care unit.** Cohen RI, Lisker GN, Eichorn A, Multz AS, Silver A. *J Crit Care*. 2009;24(2):311-5. <http://dx.doi.org/10.1016/j.jcrc.2008.01.007>. Epub 2008 Apr 18.
110. **Epidemiology and risk factors for mortality in bloodstream infection by CP-Kp, ESBL-E, Candida and CDI: A single center retrospective study.** Corcione S, Angilletta R, Raviolo S, Filippini C, Fossati L, Di Perri G, et al. *European journal of internal medicine*. 2018;48:44-9. <http://dx.doi.org/10.1016/j.ejim.2017.10.015>. Epub 2017 Oct 31.
111. **Frailty and emergency surgery in the elderly: protocol of a prospective, multicenter study in Italy for evaluating perioperative outcome (The FRAILESEL Study).** Costa G, Massa G. *Updates in surgery*. 2018;70(1):97-104. <http://dx.doi.org/10.1007/s13304-018-0511-y>. Epub 2018 Jan 30.
112. **Patients admitted via the emergency department to the intensive care unit: An observational cohort study.** Crilly J, Sweeny A, O'Dwyer J, Richards B, Green D, Marshall AP. *Emergency medicine Australasia : EMA*. 2019;31(2):225-33. <http://dx.doi.org/10.1111/1742-6723.13123>. Epub 2018 Jul 11.
113. **Too frail for surgery? A frailty index in major colorectal surgery.** Crozier-Shaw G, Joyce WP. *ANZ J Surg*. 2018;88(12):1302-5. <http://dx.doi.org/10.1111/ans.14792>. Epub 2018 Sep 11.
114. **Using the Multidimensional Prognostic Index (MPI) to improve cost-effectiveness of interventions in multimorbid frail older persons: results and final recommendations from the MPI_AGE European Project.** Cruz-Jentoft AJ, Daragjati J, Fratiglioni L, Maggi S, Mangoni AA, Mattace-Raso F, et al. *Aging Clinical and Experimental Research*. 2020.
115. **Geriatric assessment improves prediction of surgical outcomes in older adults undergoing pancreaticoduodenectomy: a prospective cohort study.** Dale W, Hemmerich J, Kamm A, Posner MC, Matthews JB, Rothman R, et al. *Annals of surgery*. 2014;259(5):960-5. <http://dx.doi.org/10.1097/SLA.0000000000000226>.

116. **Reduction in mortality after inappropriate early discharge from intensive care unit: logistic regression triage model.** Daly K, Beale R, Chang RW. *Bmj*. 2001;322(7297):1274-6. <http://dx.doi.org/10.1136/bmj.322.7297.1274>.
117. **[Multidimensional geriatric assessment before transcatheter aortic valve implantation in frail elderly patients with one-year follow-up. Cardio-geriatrician collaboration benefits?].** Damier E, Chidlovskii E, Bertrand B, Dang VM, Vanzetto G, Couturier P. *Annales de cardiologie et d'angeiologie*. 2016;65(4):250-4. <http://dx.doi.org/10.1016/j.ancard.2016.05.001>. Epub 2016 Jul 15.
118. **Older Adults in the Cardiac Intensive Care Unit: Factoring Geriatric Syndromes in the Management, Prognosis, and Process of Care: A Scientific Statement From the American Heart Association.** Damluji AA, Forman DE, van Diepen S, Alexander KP, Page RL, 2nd, Hummel SL, et al. *Circulation*. 2020;141(2):e6-e32. <http://dx.doi.org/10.1161/CIR.0000000000000741>. Epub 2019 Dec 9.
119. **Early Postoperative Outcomes of Normal Pressure Hydrocephalus: Results of a Service Evaluation.** D'Antona L, Blamey SC, Craven CL, Sewell D, Manohara S, Leemans M, et al. *Journal of neurosurgical anesthesiology*. 2019. <http://dx.doi.org/10.1097/ANA.0000000000000668>.
120. **Frailty in very old critically ill patients in Australia and New Zealand: a population-based cohort study.** Darvall JN, Bellomo R, Paul E, Subramaniam A, Santamaria JD, Bagshaw SM, et al. *The Medical journal of Australia*. 2019;211(7):318-23. <http://dx.doi.org/10.5694/mja2.50329>. Epub 2019 Sep 5.
121. **Retrospective frailty determination in critical illness from a review of the intensive care unit clinical record.** Darvall JN, Boonstra T, Norman J, Murphy D, Bailey M, Iwashyna TJ, et al. *Anaesthesia and Intensive Care*. 2019;47(4):343-8.
122. **Protocol for a prospective observational study to develop a frailty index for use in perioperative and critical care.** Darvall JN, Braat S, Story DA, Greentree K, Bose T, Loth J, et al. *BMJ Open*. 2019;9(1):e024682. <http://dx.doi.org/10.1136/bmjopen-2018-024682>.
123. **Contributors to frailty in critical illness: Multi-dimensional analysis of the Clinical Frailty Scale.** Darvall JN, Greentree K, Braat MS, Story DA, Lim WK. *Journal of Critical Care*. 2019;52:193-9.
124. **Factors affecting ED length-of-stay in surgical critical care patients.** Davis B, Sullivan S, Levine A, Dallara J. *The American journal of emergency medicine*. 1995;13(5):495-500. [http://dx.doi.org/10.1016/0735-6757\(95\)90155-8](http://dx.doi.org/10.1016/0735-6757(95)90155-8).
125. **Hospital bed surge capacity in the event of a mass-casualty incident.** Davis DP, Poste JC, Hicks T, Polk D, Rymer TE, Jacoby I. *Prehospital and disaster medicine*. 2005;20(3):169-76. <http://dx.doi.org/10.1017/s1049023x00002405>.
126. **Performance of illness severity scores to guide disposition of emergency department patients with severe sepsis or septic shock.** de Groot B, de Deckere ER, Flameling R, Sandel MH, Vis A. *European journal of emergency medicine : official journal of the European Society for Emergency Medicine*. 2012;19(5):316-22. <http://dx.doi.org/10.1097/MEJ.0b013e32834d6efb>.
127. **Functional Compromise Cohort Study (FCCS): Sarcopenia is a Strong Predictor of Mortality in the Intensive Care Unit.** de Hoogt PA, Reisinger KW, Tegels JJW, Bosmans J, Tijssen F, Stoot J. *World J Surg*. 2018;42(6):1733-41. <http://dx.doi.org/10.1007/s00268-017-4386-8>.
128. **Framework to decide on withholding intensive care in older patients.** de Jonge E, Mooijaart SP. *Netherlands Journal of Critical Care*. 2019;27(4):150-4.
129. **Cumulative Prognostic Score Predicting Mortality in Patients Older Than 80 Years Admitted to the ICU.** de Lange DW, Brinkman S, Flaatten H, Boumendil A, Morandi A, Andersen FH, et al. *Journal of the American*

Geriatrics Society. 2019;67(6):1263-7. <http://dx.doi.org/10.1111/jgs.15888>. Epub 2019 Apr 12.

130. **Measured versus calculated resting energy expenditure in critically ill adult patients. Do mathematics match the gold standard?** De Waele E, Opsomer T, Honore PM, Diltoer M, Mattens S, Huyghens L, et al. *Minerva anesthesiologica*. 2015;81(3):272-82.
131. **Prognosis of patients with primary malignant brain tumors admitted to the intensive care unit: a two-decade experience.** Decavele M, Weiss N, Rivals I, Prodanovic H, Idbaih A, Mayaux J, et al. *J Neurol*. 2017;264(11):2303-12. <http://dx.doi.org/10.1007/s00415-017-8624-7>. Epub 2017 Oct 9.
132. **[The elderly patient with heart failure at hospital cardiology units].** Del Sindaco D, Pulignano G, Porcu M, Scherillo M, Leggio F, Maggioni AP. *Italian heart journal Supplement : official journal of the Italian Federation of Cardiology*. 2002;3(2):145-53.
133. **Standardized measures of frailty predict hospital length of stay following orthotopic liver transplantation for hepatocellular carcinoma.** DeMaria S, Khromava M, Schiano TD, Lin HM, Kim S. *Clinical Transplantation*. 2019;33(12).
134. **Multidrug-resistant *Pseudomonas aeruginosa* and mortality in mechanically ventilated ICU patients.** Denis JB, Lehingue S, Pauly V, Cassir N, Gainnier M, Léone M, et al. *American Journal of Infection Control*. 2019;47(9):1059-64.
135. **Polypharmacy and management of hypertension in frail elderly.** Detremerie C, De Backer T, Petrovic M. *Tijdschrift voor Geneeskunde*. 2017;73(3):121-30.
136. **Nutrition and hydration in older adults in critical care.** Dimaria-Ghalili RA, Nicolo M. *Critical care nursing clinics of North America*. 2014;26(1):31-45. <http://dx.doi.org/10.1016/j.ccell.2013.10.006>. Epub 2013 Nov 26.
137. **Equity of Access to Critical Care Among Elderly Patients in Scotland: A National Cohort Study.** Docherty AB, Anderson NH, Walsh TS, Lone NI. *Critical care medicine*. 2016;44(1):3-13. <http://dx.doi.org/10.1097/CCM.0000000000001377>.
138. **Construction and internal validation of a new mortality risk score for patients admitted to the intensive care unit.** Dolera-Moreno C, Palazon-Bru A, Colomina-Climent F, Gil-Guillen VF. *Int J Clin Pract*. 2016;70(11):916-22. <http://dx.doi.org/10.1111/ijcp.12851>. Epub 2016 Aug 3.
139. **Older People Who Are Frequent Users of Acute Care: A Symptom of Fragmented Care? A Case Series Report on Patients' Pathways of Care.** Dollard J, Harvey G, Dent E, Trotta L, Williams N, Beilby J, et al. *The Journal of frailty & aging*. 2018;7(3):193-5. <http://dx.doi.org/10.14283/10.14283/jfa.2018.12>.
140. **[Research progress of frailty syndrome in critically ill elderly patients].** Dong J, Sun J, Zeng A, Guo Z. *Zhonghua wei zhong bing ji jiu yi xue*. 2017;29(10):958-60. <http://dx.doi.org/10.3760/cma.j.issn.2095-4352.2017.10.021>.
141. **Predicting the outcome of artificial nutrition by clinical and functional indices.** Donini LM, Savina C, Ricciardi LM, Coletti C, Paolini M, Scavone L, et al. *Nutrition*. 2009;25(1):11-9.
142. **Interaction Between Frailty and Access Site in Older Adults Undergoing Transcatheter Aortic Valve Replacement.** Drudi LM, Ades M, Asgar A, Perrault L, Lauck S, Webb JG, et al. *JACC: Cardiovascular Interventions*. 2018;11(21):2185-92.
143. **Influence of Age on Decision-Making Process to Limit or Withdraw Life-Sustaining Treatment in the Intensive Care Unit - A Single Center Prospective Observational Study.** Ducos G, Mathe O, Balardy L, Lozano S, Kurrek M, Ruiz J, et al. *The Journal of frailty & aging*. 2017;6(3):148-53. <http://dx.doi.org/10.14283/jfa.2017.22>.

144. **[Frailty: Critical term for critical care].** Duems Noriega O. Revista espanola de geriatría y gerontología. 2018;53(6):363-5. <http://dx.doi.org/10.1016/j.regg.2018.05.007>. Epub 2018 Jul 14.
145. **Metropolitan audit of appropriate referrals refused admission to intensive care.** Duke GJ. Anaesthesia and intensive care. 2004;32(5):702-6. <http://dx.doi.org/10.1177/0310057X0403200518>.
146. **Frailty assessment in thoracic surgery.** Dunne MJ, Abah U, Scarci M. Interactive Cardiovascular and Thoracic Surgery. 2014;18(5):667-70.
147. **Review of risk assessment tools to predict morbidity and mortality in elderly surgical patients.** Eamer G, Al-Amoodi MJH, Holroyd-Leduc J, Rolfson DB, Warkentin LM, Khadaroo RG. American Journal of Surgery. 2018;216(3):585-94.
148. **Psoas:lumbar vertebra index: central sarcopenia independently predicts morbidity in elderly trauma patients.** Ebbeling L, Grabo DJ, Shashaty M, Dua R, Sonnad SS, Sims CA, et al. European journal of trauma and emergency surgery : official publication of the European Trauma Society. 2014;40(1):57-65. <http://dx.doi.org/10.1007/s00068-013-0313-3>. Epub 2013 Jul 24.
149. **Combination of the National Early Warning Score (NEWS) and inflammatory biomarkers for early risk stratification in emergency department patients: results of a multinational, observational study.** Eckart A, Hauser SI, Kutz A, Haubitz S, Hausfater P, Amin D, et al. BMJ Open. 2019;9(1):e024636. <http://dx.doi.org/10.1136/bmjopen-2018-024636>.
150. **Implications of ICU triage decisions on patient mortality: a cost-effectiveness analysis.** Edbrooke DL, Minelli C, Mills GH, Iapichino G, Pezzi A, Corbella D, et al. Crit Care. 2011;15(1):R56. <http://dx.doi.org/10.1186/cc10029>. Epub 2011 Feb 9.
151. **Colonization of dental plaques: a reservoir of respiratory pathogens for hospital-acquired pneumonia in institutionalized elders.** El-Solh AA, Pietrantonio C, Bhat A, Okada M, Zambon J, Aquilina A, et al. Chest. 2004;126(5):1575-82. <http://dx.doi.org/10.1378/chest.126.5.1575>.
152. **A novel algorithm for the treatment strategy for advanced epithelial ovarian cancer: consecutive imaging, frailty assessment, and diagnostic laparoscopy.** Eoh KJ, Yoon JW, Lee JY, Nam EJ, Kim S, Kim SW, et al. BMC cancer. 2017;17(1):481. <http://dx.doi.org/10.1186/s12885-017-3476-1>.
153. **The features of infectious diseases departments and anti-infective practices in France and Turkey: a cross-sectional study.** Erdem H, Stahl JP, Inan A, Kilic S, Akova M, Rioux C, et al. European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology. 2014;33(9):1591-9. <http://dx.doi.org/10.1007/s10096-014-2116-9>. Epub 2014 May 1.
154. **Bacterial colonization of newborn infants in a neonatal intensive care unit.** Eriksson M, Melen B, Myrback KE, Winbladh B, Zetterstrom R. Acta paediatrica Scandinavica. 1982;71(5):779-83. <http://dx.doi.org/10.1111/j.1651-2227.1982.tb09519.x>.
155. **Severity assessment in community-acquired pneumonia.** Ewig S, Schafer H, Torres A. The European respiratory journal. 2000;16(6):1193-201. <http://dx.doi.org/10.1034/j.1399-3003.2000.16f27.x>.
156. **Comorbidity and geriatric assessment for older patients with hematologic malignancies: A review of the evidence.** Extermann M, Wedding U. Journal of Geriatric Oncology. 2012;3(1):49-57.
157. **Frailty assessment in the ICU: translation to 'real-world' clinical practice.** Falvey JR, Ferrante LE. Anaesthesia. 2019;74(6):700-3. <http://dx.doi.org/10.1111/anae.14617>. Epub 2019 Mar 11.

158. **Clinical triage decision vs risk scores in predicting the need for endotherapy in upper gastrointestinal bleeding.** Farooq FT, Lee MH, Das A, Dixit R, Wong RC. The American journal of emergency medicine. 2012;30(1):129-34. <http://dx.doi.org/10.1016/j.ajem.2010.11.007>. Epub 2010 Dec 24.
159. **Noninvasive Ventilation Weaning in Acute Hypercapnic Respiratory Failure due to COPD Exacerbation: A Real-Life Observational Study.** Faverio P, Stainer A, De Giacomi F, Messinesi G, Paolini V, Monzani A, et al. Canadian respiratory journal. 2019;2019:3478968. <http://dx.doi.org/10.1155/2019/3478968>. eCollection 2019.
160. **Clinical Decision Support Systems for Triage in the Emergency Department using Intelligent Systems: a Review.** Fernandes M, Vieira SM, Leite F, Palos C, Finkelstein S, Sousa JMC. Artif Intell Med. 2020;102:101762. <http://dx.doi.org/10.1016/j.artmed.2019.101762>. Epub 2019 Nov 17.
161. **Frailty and Associated Outcomes and Resource Utilization Among Older ICU Patients With Suspected Infection.** Fernando SM, Mclsaac DI, Perry JJ, Rochweg B, Bagshaw SM, Thavorn K, et al. Critical care medicine. 2019;47(8):e669-e76. <http://dx.doi.org/10.1097/CCM.0000000000003831>.
162. **Frailty and invasive mechanical ventilation: association with outcomes, extubation failure, and tracheostomy.** Fernando SM, Mclsaac DI, Rochweg B, Bagshaw SM, Muscedere J, Munshi L, et al. Intensive Care Medicine. 2019;45(12):1742-52.
163. **The Combined Effects of Frailty and Cognitive Impairment on Post-ICU Disability among Older ICU Survivors.** Ferrante LE, Murphy TE, Leo-Summers LS, Gahbauer EA, Pisani MA, Gill TM. Am J Respir Crit Care Med. 2019;200(1):107-10. <http://dx.doi.org/10.1164/rccm.201806-1144LE>.
164. **The Association of Frailty With Post-ICU Disability, Nursing Home Admission, and Mortality: A Longitudinal Study.** Ferrante LE, Pisani MA, Murphy TE, Gahbauer EA, Leo-Summers LS, Gill TM. Chest. 2018;153(6):1378-86. <http://dx.doi.org/10.1016/j.chest.2018.03.007>. Epub 2018 Mar 17.
165. **Tailoring Assessments and Prescription in Cardiac Rehabilitation for Older Adults: The Relevance of Geriatric Domains.** Fiatarone Singh MA. Clinics in Geriatric Medicine. 2019;35(4):423-43.
166. **Geriatric co-management leads to safely performed cytoreductive surgery in older women with advanced stage ovarian cancer treated at a tertiary care cancer center.** Filippova OT, Chi DS, Long Roche K, Sonoda Y, Zivanovic O, Gardner GJ, et al. Gynecologic oncology. 2019;154(1):77-82. <http://dx.doi.org/10.1016/j.ygyno.2019.04.683>. Epub 2019 May 8.
167. **Hospitalization decision in patients with community-acquired pneumonia: a prospective cohort study.** Fine MJ, Smith DN, Singer DE. The American journal of medicine. 1990;89(6):713-21. [http://dx.doi.org/10.1016/0002-9343\(90\)90211-u](http://dx.doi.org/10.1016/0002-9343(90)90211-u).
168. **Predicting intensive care and hospital outcome with the Dalhousie Clinical Frailty Scale: a pilot assessment.** Fisher C, Karalapillai DK, Bailey M, Glassford NG, Bellomo R, Jones D. Anaesthesia and intensive care. 2015;43(3):361-8. <http://dx.doi.org/10.1177/0310057X1504300313>.
169. **The status of intensive care medicine research and a future agenda for very old patients in the ICU.** Flaatten H, de Lange DW, Artigas A, Bin D, Moreno R, Christensen S, et al. Intensive Care Med. 2017;43(9):1319-28. <http://dx.doi.org/10.1007/s00134-017-4718-z>. Epub 2017 Feb 25.
170. **The impact of frailty on ICU and 30-day mortality and the level of care in very elderly patients (>= 80 years).** Flaatten H, De Lange DW, Morandi A, Andersen FH, Artigas A, Bertolini G, et al. Intensive Care Med. 2017;43(12):1820-8. <http://dx.doi.org/10.1007/s00134-017-4940-8>. Epub 2017 Sep 21.
171. **The impact of frailty on ICU and 30-day mortality and the level of care in very elderly patients (≥ 80 years).** Flaatten H, De Lange DW, Morandi A, Andersen FH, Artigas A, Bertolini G, et al. Intensive Care Medicine.

2017;43(12):1820-8.

172. **How Does Frailty Affect ICU Outcome?** Flaatten H, Jung C, Vallet H, Guidet B. *Current Anesthesiology Reports*. 2019;9(2):144-50.
173. **Does right ventricle dysfunction represent cardiac frailty in critically ill trauma patients?** Flaubert M, Lauerman MH, Haase D, Fatima S, Galvagno S, Scalea TM, et al. *Trauma (United Kingdom)*. 2020;22(1):18-25.
174. **Helium-oxygen reduces the production of carbon dioxide during weaning from mechanical ventilation.** Flynn G, Mandersloot G, Healy M, Saville M, McAuley DF. *Respiratory research*. 2010;11:117. <http://dx.doi.org/10.1186/1465-9921-11-117>.
175. **Clinical Factors Associated With ICU-Specific Care Following Supratentorial Brain Tumor Resection and Validation of a Risk Prediction Score.** Franko LR, Hollon T, Linzey J, Roark C, Rajajee V, Sheehan K, et al. *Critical care medicine*. 2018;46(8):1302-8. <http://dx.doi.org/10.1097/CCM.0000000000003207>.
176. **Management of hypoglycemia in older adults with type 2 diabetes.** Freeman J. *Postgraduate Medicine*. 2019;131(4):241-50.
177. **The ethical challenge and the futile treatment in the older population admitted to the intensive care unit.** Frezza EE, Squillario DM, Smith TJ. *American journal of medical quality : the official journal of the American College of Medical Quality*. 1998;13(3):121-6. <http://dx.doi.org/10.1177/106286069801300303>.
178. **Digoxin in atrial fibrillation: report from the Stockholm Cohort study of Atrial Fibrillation (SCAF).** Friberg L, Hammar N, Rosenqvist M. *Heart*. 2010;96(4):275-80. <http://dx.doi.org/10.1136/hrt.2009.175786>. Epub 2009 Aug 25.
179. **Age and mortality after injury: is the association linear?** Friese RS, Wynne J, Joseph B, Hashmi A, Diven C, Pandit V, et al. *European journal of trauma and emergency surgery : official publication of the European Trauma Society*. 2014;40(5):567-72. <http://dx.doi.org/10.1007/s00068-014-0380-0>. Epub 2014 Feb 21.
180. **Frailty increases mortality among patients = 80 years old treated in Polish ICUs.** Fronczek J, Polok K, Nowak-Kózka I, Wludarczyk A, Górka J, Czuczwar M, et al. *Anaesthesiology Intensive Therapy*. 2018;50(4):245-51.
181. **Frailty is associated with an increased mortality among patients \geq 80 years old treated in Polish ICUs.** Fronczek J, Polok KJ, Nowak-Kozka I, Wludarczyk A, Gorka J, Czuczwar M, et al. *Anaesthesiology intensive therapy*. 2018;50(4):245-51. <http://dx.doi.org/10.5603/AIT.a2018.0032>. Epub 2018 Sep 22.
182. **Diabetes and Sepsis: Risk, Recurrence, and Ruination.** Frydrych LM, Fattahi F, He K, Ward PA, Delano MJ. *Frontiers in endocrinology*. 2017;8:271. <http://dx.doi.org/10.3389/fendo.2017.00271>. eCollection 2017.
183. **Dose-Response-Time Data Analysis: An Underexploited Trinity.** Gabrielsson J, Andersson R, Jirstrand M, Hjorth S. *Pharmacological reviews*. 2019;71(1):89-122. <http://dx.doi.org/10.1124/pr.118.015750>.
184. **Psoas Muscle Area as a Predictor of Outcomes in Transcatheter Aortic Valve Implantation.** Garg L, Agrawal S, Pew T, Hanzel GS, Abbas AE, Gallagher MJ, et al. *American Journal of Cardiology*. 2017;119(3):457-60.
185. **Triaging patients to the ICU: a pilot study of factors influencing admission decisions and patient outcomes.** Garrouste-Orgeas M, Montuclard L, Timsit JF, Misset B, Christias M, Carlet J. *Intensive Care Med*. 2003;29(5):774-81. <http://dx.doi.org/10.1007/s00134-003-1709-z>. Epub 2003 Apr 2.
186. **Predictors of intensive care unit refusal in French intensive care units: a multiple-center study.** Garrouste-Orgeas M, Montuclard L, Timsit JF, Reignier J, Desmettre T, Karoubi P, et al. *Critical care medicine*. 2005;33(4):750-5. <http://dx.doi.org/10.1097/01.ccm.0000157752.26180.f1>.

187. **Decision-making process, outcome, and 1-year quality of life of octogenarians referred for intensive care unit admission.** Garrouste-Orgeas M, Timsit JF, Montuclard L, Colvez A, Gattolliat O, Philippart F, et al. *Intensive Care Med.* 2006;32(7):1045-51. <http://dx.doi.org/10.1007/s00134-006-0169-7>. Epub 2006 May 9.
188. **Changes in frailty among ICU survivors and associated factors: Results of a one-year prospective cohort study using the Dutch Clinical Frailty Scale.** Geense W, Zegers M, Dieperink P, Vermeulen H, van der Hoeven J, van den Boogaard M. *J Crit Care.* 2020;55:184-93. <http://dx.doi.org/10.1016/j.jcrrc.2019.10.016>. Epub 2019 Nov 5.
189. **[Prevention of delirium in an acute geriatric care unit].** Gentric A, Le Deun P, Estivin S. *La Revue de medecine interne.* 2007;28(9):589-93. <http://dx.doi.org/10.1016/j.revmed.2007.04.004>. Epub 2007 May 15.
190. **Candiduria in haematologic malignancy patients without a urinary catheter: nothing more than a frailty marker?** Georgiadou SP, Tarrand J, Sipsas NV, Kontoyiannis DP. *Mycoses.* 2013;56(3):311-4. <http://dx.doi.org/10.1111/myc.12024>. Epub 2012 Nov 22.
191. **Variation in use of intensive care for adults with diabetic ketoacidosis*.** Gershengorn HB, Iwashyna TJ, Cooke CR, Scales DC, Kahn JM, Wunsch H. *Critical care medicine.* 2012;40(7):2009-15. <http://dx.doi.org/10.1097/CCM.0b013e31824e9eae>.
192. **Predictors of postoperative overall and severe complications after surgical treatment for endometrial cancer: The role of the fragility index.** Giannini A, Di Donato V, Schiavi MC, May J, Panici PB, Congiu MA. *Int J Gynaecol Obstet.* 2020;148(2):174-80. <http://dx.doi.org/10.1002/ijgo.13020>. Epub 2019 Nov 17.
193. **Frailty in Critical Care: Examining Implications for Clinical Practices.** Gibson JA, Crowe S. *Critical care nurse.* 2018;38(3):29-35. <http://dx.doi.org/10.4037/ccn2018336>.
194. **Frailty, Disability, and Ambulatory Blood Pressure in Older Adults.** Gijón-Conde T, Graciani A, López-García E, García-Esquinas E, Laclaustra M, Ruilope LM, et al. *Journal of the American Medical Directors Association.* 2018;19(5):433-8.
195. **Optimising care for patients with cognitive impairment and dementia following hip fracture.** Gill N, Hammond S, Cross J, Smith T, Lambert N, Fox C. *Zeitschrift fur Gerontologie und Geriatrie.* 2017;50:39-43. <http://dx.doi.org/10.1007/s00391-017-1224-4>. Epub 2017 Mar 31.
196. **Elderly trauma: they are different.** Gillies D. *Australian critical care : official journal of the Confederation of Australian Critical Care Nurses.* 1999;12(1):24-30. [http://dx.doi.org/10.1016/s1036-7314\(99\)70509-6](http://dx.doi.org/10.1016/s1036-7314(99)70509-6).
197. **Adverse events experienced while transferring the critically ill patient from the emergency department to the intensive care unit.** Gillman L, Leslie G, Williams T, Fawcett K, Bell R, McGibbon V. *Emergency medicine journal : EMJ.* 2006;23(11):858-61. <http://dx.doi.org/10.1136/emj.2006.037697>.
198. **Twelve month mortality rates and independent living in people aged 65 years or older after isolated hip fracture: A prospective registry-based study.** Giummarra MJ, Ekegren CL, Gong J, Simpson P, Cameron PA, Edwards E, et al. *Injury.* 2020;51(2):420-8. <http://dx.doi.org/10.1016/j.injury.2019.11.034>. Epub 2019 Nov 23.
199. **FRAIL Questionnaire Screening Tool and Short-Term Outcomes in Geriatric Fracture Patients.** Gleason LJ, Benton EA, Alvarez-Nebreda ML, Weaver MJ, Harris MB, Javedan H. *Journal of the American Medical Directors Association.* 2017;18(12):1082-6. <http://dx.doi.org/10.1016/j.jamda.2017.07.005>. Epub 2017 Aug 31.
200. **Comparison of outcomes following transhiatal or Ivor Lewis esophagectomy for esophageal carcinoma.** Gluch L, Smith RC, Bambach CP, Brown AR. *World J Surg.* 1999;23(3):271-5; discussion 5-6. <http://dx.doi.org/10.1007/pl00013184>.

201. **Early mobility in frail and non-frail older adults admitted to the cardiovascular intensive care unit.** Goldfarb M, Afilalo J, Chan A, Herscovici R, Cercek B. *J Crit Care.* 2018;47:9-14. <http://dx.doi.org/10.1016/j.jcrc.2018.05.013>. Epub 2018 May 30.
202. **Difficulties in access and estimates of public beds in intensive care units in the state of Rio de Janeiro.** Goldwasser RS, Lobo MS, de Arruda EF, Angelo SA, Lapa e Silva JR, de Salles AA, et al. *Revista de saude publica.* 2016;50:19. <http://dx.doi.org/10.1590/S1518-8787.2016050005997>. Epub 2016 May 13.
203. **A pilot single-institution predictive model to guide rib fracture management in elderly patients.** Gonzalez KW, Ghneim MH, Kang F, Jupiter DC, Davis ML, Regner JL. *The journal of trauma and acute care surgery.* 2015;78(5):970-5. <http://dx.doi.org/10.1097/TA.0000000000000619>.
204. **Factors influencing decisions to admit or refuse patients entry to a South African tertiary intensive care unit.** Gopalan PD, De Vasconcellos K. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 2019;109(9):645-51. <http://dx.doi.org/10.7196/SAMJ.2019.v109i9.13678>.
205. **Decision-making in ICU - A systematic review of factors considered important by ICU clinician decision makers with regard to ICU triage decisions.** Gopalan PD, Pershad S. *J Crit Care.* 2019;50:99-110. <http://dx.doi.org/10.1016/j.jcrc.2018.11.027>. Epub 2018 Nov 22.
206. **[Functional status as an independent risk factor in elderly patients admitted to an Intensive Care Unit].** Gordo F, Castro C, Torrejon I, Bartolome S, Coca F, Abella A. *Revista espanola de geriatria y gerontologia.* 2018;53(4):213-6. <http://dx.doi.org/10.1016/j.regg.2017.08.002>. Epub 2018 Apr 17.
207. **Machine Learning-Based Prediction of Clinical Outcomes for Children During Emergency Department Triage.** Goto T, Camargo CA, Jr., Faridi MK, Freishtat RJ, Hasegawa K. *JAMA network open.* 2019;2(1):e186937. <http://dx.doi.org/10.1001/jamanetworkopen.2018.6937>.
208. **Hospital costs of colorectal cancer surgery for the oldest old: A Dutch population-based study.** Govaert JA, Govaert MJ, Fiocco M, van Dijk WA, Tollenaar RA, Wouters MW. *J Surg Oncol.* 2016;114(8):1009-15. <http://dx.doi.org/10.1002/jso.24428>. Epub 2016 Oct 25.
209. **Medical influences, surgical outcomes: role of common medications on the risk of perforation from untreated diverticular disease.** Gravante G, Yahia S. *World J Gastroenterol.* 2013;19(36):5947-52. <http://dx.doi.org/10.3748/wjg.v19.i36.5947>.
210. **Comparison of the Between the Flags calling criteria to the MEWS, NEWS and the electronic Cardiac Arrest Risk Triage (eCART) score for the identification of deteriorating ward patients.** Green M, Lander H, Snyder A, Hudson P, Churpek M, Edelson D. *Resuscitation.* 2018;123:86-91. <http://dx.doi.org/10.1016/j.resuscitation.2017.10.028>. Epub 2017 Nov 21.
211. **Patients prone for postoperative delirium: preoperative assessment, perioperative prophylaxis, postoperative treatment.** Guenther U, Riedel L, Radtke FM. *Curr Opin Anaesthesiol.* 2016;29(3):384-90. <http://dx.doi.org/10.1097/ACO.0000000000000327>.
212. **An observational cohort study of triage for critical care provision during pandemic influenza: 'clipboard physicians' or 'evidenced based medicine'?** Guest T, Tantam G, Donlin N, Tantam K, McMillan H, Tillyard A. *Anaesthesia.* 2009;64(11):1199-206. <http://dx.doi.org/10.1111/j.1365-2044.2009.06084.x>.
213. **The contribution of frailty, cognition, activity of daily life and comorbidities on outcome in acutely admitted patients over 80 years in European ICUs: the VIP2 study.** Guidet B, de Lange DW, Boumendil A, Leaver S, Watson X, Boulanger C, et al. *Intensive Care Med.* 2020;46(1):57-69. <http://dx.doi.org/10.1007/s00134-019-05853-1>. Epub 2019 Nov 29.

214. **Withholding or withdrawing of life-sustaining therapy in older adults (>= 80 years) admitted to the intensive care unit.** Guidet B, Flaatten H, Boumendil A, Morandi A, Andersen FH, Artigas A, et al. *Intensive Care Med.* 2018;44(7):1027-38. <http://dx.doi.org/10.1007/s00134-018-5196-7>. Epub 2018 May 17.
215. **Withholding or withdrawing of life-sustaining therapy in older adults (≥ 80 years) admitted to the intensive care unit.** Guidet B, Flaatten H, Boumendil A, Morandi A, Andersen FH, Artigas A, et al. *Intensive Care Medicine.* 2018;44(7):1027-38.
216. **The Durban World Congress Ethics Round Table Conference Report: II. Withholding or withdrawing of treatment in elderly patients admitted to the intensive care unit.** Guidet B, Hodgson E, Feldman C, Paruk F, Lipman J, Koh Y, et al. *J Crit Care.* 2014;29(6):896-901. <http://dx.doi.org/10.1016/j.jcrrc.2014.08.004>. Epub 2014 Aug 10.
217. **Effect of Systematic Intensive Care Unit Triage on Long-term Mortality Among Critically Ill Elderly Patients in France: A Randomized Clinical Trial.** Guidet B, Leblanc G, Simon T, Woimant M, Quenot JP, Ganansia O, et al. *Jama.* 2017;318(15):1450-9. <http://dx.doi.org/10.1001/jama.2017.13889>.
218. **Caring for the critically ill patients over 80: a narrative review.** Guidet B, Vallet H, Boddaert J, de Lange DW, Morandi A, Leblanc G, et al. *Annals of intensive care.* 2018;8(1):114. <http://dx.doi.org/10.1186/s13613-018-0458-7>.
219. **Outcomes of kidney transplant recipients admitted to the intensive care unit: a retrospective study of 200 patients.** Guinault D, Del Bello A, Lavayssiere L, Nogier MB, Cointault O, Congy N, et al. *BMC anesthesiology.* 2019;19(1):130. <http://dx.doi.org/10.1186/s12871-019-0800-0>.
220. **Predictors of death in an Intensive Care Unit: contribution to the palliative approach.** Gulini J, Nascimento E, Moritz RD, Vargas MAO, Matte DL, Cabral RP. *Revista da Escola de Enfermagem da U S P.* 2018;52:e03342. <http://dx.doi.org/10.1590/S1980-220X2017023203342>.
221. **An update on the role of testosterone replacement therapy in the management of hypogonadism.** Hackett G. *Therapeutic Advances in Urology.* 2016;8(2):147-60.
222. **Impact of military conflict on a civilian receiving hospital in a war zone.** Hadary A, Schechter W, Embon OM, Einav S. *Annals of surgery.* 2009;249(3):502-9. <http://dx.doi.org/10.1097/SLA.0b013e318199f232>.
223. **Should we invest in biological age predictors to treat colorectal cancer in older adults? Hagg S, Jylhävä J.** *European Journal of Surgical Oncology.* 2020;46(3):316-20.
224. **Association of a Frailty Screening Initiative With Postoperative Survival at 30, 180, and 365 Days.** Hall DE, Arya S, Schmid KK, Carlson MA, Lavedan P, Bailey TL, et al. *JAMA surgery.* 2017;152(3):233-40. <http://dx.doi.org/10.1001/jamasurg.2016.4219>.
225. **Trends in Critical Care Beds and Use Among Population Groups and Medicare and Medicaid Beneficiaries in the United States: 2000-2010.** Halpern NA, Goldman DA, Tan KS, Pastores SM. *Critical care medicine.* 2016;44(8):1490-9. <http://dx.doi.org/10.1097/CCM.0000000000001722>.
226. **Prospective evaluation and comparison of the predictive ability of different frailty scores to predict outcomes in geriatric trauma patients.** Hamidi M, Haddadin Z, Zeeshan M, Saljuqi AT, Hanna K, Tang A, et al. *Journal of Trauma and Acute Care Surgery.* 2019;87(5):1172-80.
227. **Frailty as a prognostic factor for the critically ill older adult trauma patients.** Hamidi M, Zeeshan M, Leon-Risemberg V, Nikolich-Zugich J, Hanna K, Kulvatunyou N, et al. *American journal of surgery.* 2019;218(3):484-9. <http://dx.doi.org/10.1016/j.amjsurg.2019.01.035>. Epub 2019 Feb 22.

228. **Hypoglycemia and cardiac arrhythmia in patients with diabetes mellitus type 2.** Hanefeld M, Ganz X, Nolte C. *Herz*. 2014;39(3):312-9.
229. **Sarcopenia and critical illness: a deadly combination in the elderly.** Hanna JS. *JPEN Journal of parenteral and enteral nutrition*. 2015;39(3):273-81. <http://dx.doi.org/10.1177/0148607114567710>. Epub 2015 Jan 15.
230. **Rapid clinical assessment to facilitate the triage of adults with falciparum malaria, a retrospective analysis.** Hanson J, Lee SJ, Mohanty S, Faiz MA, Anstey NM, Price RN, et al. *PLoS One*. 2014;9(1):e87020. <http://dx.doi.org/10.1371/journal.pone.0087020>. eCollection 2014.
231. **Emergency triage to intensive care: can we use prognosis and patient preferences?** Hanson LC, Danis M, Lazorick S. *Journal of the American Geriatrics Society*. 1994;42(12):1277-81. <http://dx.doi.org/10.1111/j.1532-5415.1994.tb06511.x>.
232. **An evaluation of the intensive care unit resources and utilization in Trinidad.** Hariharan S, Chen D, Merritt-Charles L, Bobb N, De Freitas L, Esdelle-Thomas A, et al. *The West Indian medical journal*. 2007;56(2):144-51. <http://dx.doi.org/10.1590/s0043-31442007000200008>.
233. **Impact on mortality of prompt admission to critical care for deteriorating ward patients: an instrumental variable analysis using critical care bed strain.** Harris S, Singer M, Sanderson C, Grieve R, Harrison D, Rowan K. *Intensive Care Med*. 2018;44(5):606-15. <http://dx.doi.org/10.1007/s00134-018-5148-2>. Epub 2018 May 7.
234. **The association between cognitive impairment and functional outcome in hospitalised older patients: a systematic review and meta-analysis.** Hartley P, Gibbins N, Saunders A, Alexander K, Conroy E, Dixon R, et al. *Age and ageing*. 2017;46(4):559-67. <http://dx.doi.org/10.1093/ageing/afx007>.
235. **Psoas Muscle Size Predicts Risk-Adjusted Outcomes After Surgical Aortic Valve Replacement.** Hawkins RB, Mehaffey JH, Charles EJ, Kern JA, Lim DS, Teman NR, et al. *Annals of Thoracic Surgery*. 2018;106(1):39-45.
236. **Pain and Its Long-term Interference of Daily Life After Critical Illness.** Hayhurst CJ, Jackson JC, Archer KR, Thompson JL, Chandrasekhar R, Hughes CG. *Anesthesia and analgesia*. 2018;127(3):690-7. <http://dx.doi.org/10.1213/ANE.0000000000003358>.
237. **Comparison of prehospital trauma triage instruments in a semirural population.** Hedges JR, Feero S, Moore B, Haver DW, Shultz B. *The Journal of emergency medicine*. 1987;5(3):197-208. [http://dx.doi.org/10.1016/0736-4679\(87\)90179-x](http://dx.doi.org/10.1016/0736-4679(87)90179-x).
238. **Severe acute renal failure in adults: place of care, incidence and outcomes.** Hegarty J, Middleton RJ, Krebs M, Hussain H, Cheung C, Ledson T, et al. *Qjm*. 2005;98(9):661-6. <http://dx.doi.org/10.1093/qjmed/hci109>. Epub 2005 Jul 29.
239. **Before the bombing: High burden of traumatic injuries in Kunduz Trauma Center, Kunduz, Afghanistan.** Hemat H, Shah S, Isaakidis P, Das M, Kyaw NT, Zaheer S, et al. *PLoS One*. 2017;12(3):e0165270. <http://dx.doi.org/10.1371/journal.pone.0165270>. eCollection 2017.
240. **The utility of a Personal Values Report for medical decision-making.** Henderson W, Corke C. *Anaesthesia and intensive care*. 2015;43(5):608-11. <http://dx.doi.org/10.1177/0310057X1504300509>.
241. **Does Thoracoscopic Surgery Decrease the Morbidity of Combined Lung and Chest Wall Resection?** Hennon MW, Dexter EU, Huang M, Kane J, Nwogu C, Picone A, et al. *The Annals of thoracic surgery*. 2015;99(6):1929-34; discussion 34-5. <http://dx.doi.org/10.1016/j.athoracsur.2015.02.038>. Epub 2015 Apr 24.
242. **Modem intensive care.** Heppner HJ, Schmitt K, Esslinger AS. *Therapeutische Umschau*. 2008;65(8):455-8.

243. **The Very Elderly Admitted to ICU: A Quality Finish?** Heyland D, Cook D, Bagshaw SM, Garland A, Stelfox HT, Mehta S, et al. *Critical care medicine*. 2015;43(7):1352-60. <http://dx.doi.org/10.1097/CCM.0000000000001024>.
244. **Admission of the very elderly to the intensive care unit: family members' perspectives on clinical decision-making from a multicenter cohort study.** Heyland DK, Dodek P, Mehta S, Cook D, Garland A, Stelfox HT, et al. *Palliative medicine*. 2015;29(4):324-35. <http://dx.doi.org/10.1177/0269216314566060>. Epub 2015 Feb 2.
245. **Recovery after critical illness in patients aged 80 years or older: a multi-center prospective observational cohort study.** Heyland DK, Garland A, Bagshaw SM, Cook D, Rockwood K, Stelfox HT, et al. *Intensive Care Med*. 2015;41(11):1911-20. <http://dx.doi.org/10.1007/s00134-015-4028-2>. Epub 2015 Aug 26.
246. **Predicting Performance Status 1 Year After Critical Illness in Patients 80 Years or Older: Development of a Multivariable Clinical Prediction Model.** Heyland DK, Stelfox HT, Garland A, Cook D, Dodek P, Kutsogiannis J, et al. *Critical care medicine*. 2016;44(9):1718-26. <http://dx.doi.org/10.1097/CCM.0000000000001762>.
247. **Examining mechanisms for gender differences in admission to intensive care units.** Hill A, Ramsey C, Dodek P, Kozek J, Fransoo R, Fowler R, et al. *Health services research*. 2020;55(1):35-43. <http://dx.doi.org/10.1111/1475-6773.13215>. Epub 2019 Nov 10.
248. **Influence of electrocardiographic findings on admission decisions in patients with acute chest pain.** Hoffman JR, Igarashi E. *The American journal of medicine*. 1985;79(6):699-707. [http://dx.doi.org/10.1016/0002-9343\(85\)90520-0](http://dx.doi.org/10.1016/0002-9343(85)90520-0).
249. **Impact of obstructive sleep apnea and continuous positive airway pressure therapy on outcomes in patients with atrial fibrillation - Results from the Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF).** Holmqvist F, Guan N, Zhu Z, Kowey PR, Allen LA, Fonarow GC, et al. *American Heart Journal*. 2015;169(5):647-54.e2.
250. **Pre-hospital frailty and hospital outcomes in adults with acute respiratory failure requiring mechanical ventilation.** Hope AA, Adeoye O, Chuang EH, Hsieh SJ, Gershengorn HB, Gong MN. *Journal of Critical Care*. 2018;44:212-6.
251. **The association between prehospital vulnerability, ards development, and mortality among at-risk adults results from the lips-a clinical trial.** Hope AA, Chen JT, Kaufman DA, Talmor DS, Kor DJ, Gajic O, et al. *Annals of the American Thoracic Society*. 2019;16(11):1399-404.
252. **Frailty Before Critical Illness and Mortality for Elderly Medicare Beneficiaries.** Hope AA, Gong MN, Guerra C, Wunsch H. *Journal of the American Geriatrics Society*. 2015;63(6):1121-8. <http://dx.doi.org/10.1111/jgs.13436>.
253. **Assessing the Usefulness and Validity of Frailty Markers in Critically Ill Adults.** Hope AA, Hsieh SJ, Petti A, Hurtado-Sbordoni M, Verghese J, Gong MN. *Annals of the American Thoracic Society*. 2017;14(6):952-9. <http://dx.doi.org/10.1513/AnnalsATS.201607-538OC>.
254. **Surrogates' and Researchers' Assessments of Prehospital Frailty in Critically Ill Older Adults.** Hope AA, Munoz M, Hsieh SJ, Gong MN. *American journal of critical care : an official publication, American Association of Critical-Care Nurses*. 2019;28(2):117-23. <http://dx.doi.org/10.4037/ajcc2019285>.
255. **Hypoglycemia in the elderly.** Hope SV, Strain WD. *Diabetic Hypoglycemia*. 2013;6(1):3-10.
256. **Inclusion, characteristics and outcomes of people requiring palliative care in studies of non-pharmacological interventions for delirium: A systematic review.** Hosie A, Siddiqi N, Featherstone I, Johnson M, Lawlor PG, Bush SH, et al. *Palliative Medicine*. 2019;33(8):878-99.

257. **Observational study of admission and triage decisions for patients referred to a regional intensive care unit.** Howe DC. *Anaesthesia and intensive care.* 2011;39(4):650-8. <http://dx.doi.org/10.1177/0310057X1103900419>.
258. **The Tragically Hip: Trauma in Elderly Patients.** Hruska K, Ruge T. *Emergency Medicine Clinics of North America.* 2018;36(1):219-35.
259. **Derivation of a frailty index from the interRAI acute care instrument.** Hubbard RE, Peel NM, Samanta M, Gray LC, Fries BE, Mitnitski A, et al. *BMC geriatrics.* 2015;15:27. <http://dx.doi.org/10.1186/s12877-015-0026-z>.
260. **Reasons for refusal of admission to intensive care and impact on mortality.** Iapichino G, Corbella D, Minelli C, Mills GH, Artigas A, Edbooke DL, et al. *Intensive Care Med.* 2010;36(10):1772-9. <http://dx.doi.org/10.1007/s00134-010-1933-2>. Epub 2010 Jun 9.
261. **Intensive care admissions and outcome at the University of Calabar Teaching Hospital, Nigeria.** Ilori IU, Kalu QN. *J Crit Care.* 2012;27(1):105.e1-4. <http://dx.doi.org/10.1016/j.jcrc.2011.11.011>.
262. **The Yale Geriatric Care Program: a model of care to prevent functional decline in hospitalized elderly patients.** Inouye SK, Acampora D, Miller RL, Fulmer T, Hurst LD, Cooney LM, Jr. *Journal of the American Geriatrics Society.* 1993;41(12):1345-52. <http://dx.doi.org/10.1111/j.1532-5415.1993.tb06486.x>.
263. **Preoperative Risk Assessment for Delirium After Hepatic Resection in the Elderly: a Prospective Multicenter Study.** Ishihara A, Tanaka S, Ueno M, Iida H, Kaibori M, Nomi T, et al. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract.* 2020. <http://dx.doi.org/10.1007/s11605-020-04562-1>.
264. **Iatrogenic illness in the paediatric intensive care unit at Gharian teaching hospital, Libya.** Ismail AM, Shedeed SA. *Eastern Mediterranean health journal = La revue de sante de la Mediterranee orientale = al-Majallah al-sihhiyah li-sharq al-mutawassit.* 2012;18(2):143-50. <http://dx.doi.org/10.26719/2012.18.2.143>.
265. **Peritoneal dialysis for acute renal failure: Rediscovery of an old modality of renal replacement therapy.** Issad B, Rostoker G, Bagnis C, Deray G. *Nephrologie et Therapeutique.* 2016;12(4):193-7.
266. **Impact of frailty and mild cognitive impairment on delirium after cardiac surgery in older patients.** Itagaki A, Sakurada K, Matsuhama M, Yajima J, Yamashita T, Kohzuki M. *Journal of cardiology.* 2020. <http://dx.doi.org/10.1016/j.jcc.2020.02.007>.
267. **Cognitive functioning, mental health, and quality of life in ICU survivors: an overview.** Jackson JC, Mitchell N, Hopkins RO. *The Psychiatric clinics of North America.* 2015;38(1):91-104. <http://dx.doi.org/10.1016/j.psc.2014.11.002>. Epub 2015 Jan 16.
268. **ICU Admission Muscle and Fat Mass, Survival, and Disability at Discharge: A Prospective Cohort Study.** Jaitovich A, Khan M, Itty R, Chieng HC, Dumas CL, Nadendla P, et al. *Chest.* 2019;155(2):322-30. <http://dx.doi.org/10.1016/j.chest.2018.10.023>. Epub 2018 Oct 28.
269. **Using a CriSTAL scoring system to identify pre-morbid conditions associated with a poor outcome after admission to intensive care in people 70 years or older.** Jankowski K, Bryden DC. *J Intensive Care Soc.* 2019;20(3):231-6. <http://dx.doi.org/10.1177/1751143718804678>. Epub 2018 Oct 9.
270. **Prevention of postoperative delirium in elderly patients planned for elective surgery: systematic review and meta-analysis.** Janssen TL, Alberts AR, Hooft L, Mattace-Raso F, Mosk CA, van der Laan L. *Clinical interventions in aging.* 2019;14:1095-117. <http://dx.doi.org/10.2147/CIA.S201323>. eCollection 2019.
271. **Multimodal prehabilitation to reduce the incidence of delirium and other adverse events in elderly**

- patients undergoing elective major abdominal surgery: An uncontrolled before-and-after study.** Janssen TL, Steyerberg EW, Langenberg JCM, de Lepper C, Wienders D, Seerden TCJ, et al. PLoS One. 2019;14(6):e0218152. <http://dx.doi.org/10.1371/journal.pone.0218152>. eCollection 2019.
272. **Systemic factors and mortality in elderly patients with pressure ulcers.** Jaul E, Calderon-Margalit R. International Wound Journal. 2015;12(3):254-9.
273. **Impact of late preterm birth on neonatal intensive care resources in a tertiary perinatal center.** Jefferies AL, Lyons ER, Shah PS, Shah V. American journal of perinatology. 2013;30(7):573-8. <http://dx.doi.org/10.1055/s-0032-1329685>. Epub 2012 Dec 19.
274. **Improving Heart Failure Outcomes in Ambulatory and Community Care: A Scoping Study.** Jensen L, Troster SM, Cai K, Shack A, Chang YJR, Wang D, et al. Medical Care Research and Review. 2017;74(5):551-81.
275. **Admission Braden Skin Score Independently Predicts Mortality in Cardiac Intensive Care Patients.** Jentzer JC, Anavekar NS, Brenes-Salazar JA, Wiley B, Murphree DH, Bennett C, et al. Mayo Clin Proc. 2019;94(10):1994-2003. <http://dx.doi.org/10.1016/j.mayocp.2019.04.038>.
276. **Emergency department occupancy ratio is associated with increased early mortality.** Jo S, Jin YH, Lee JB, Jeong T, Yoon J, Park B. The Journal of emergency medicine. 2014;46(2):241-9. <http://dx.doi.org/10.1016/j.jemermed.2013.05.026>. Epub 2013 Aug 29.
277. **Prediction of early postoperative desaturation in extreme older patients after spinal anesthesia for femur fracture surgery: a retrospective analysis.** Jo YY, Park CG, Lee JY, Kwon SK, Kwak HJ. Korean J Anesthesiol. 2019;72(6):599-605. <http://dx.doi.org/10.4097/kja.19220>. Epub 2019 Aug 3.
278. **A comparison of two methods of palliation of large bowel obstruction due to irremovable colon cancer.** Johnson R, Marsh R, Corson J, Seymour K. Annals of the Royal College of Surgeons of England. 2004;86(2):99-103. <http://dx.doi.org/10.1308/003588404322827473>.
279. **Simple psoas cross-sectional area measurement is a quick and easy method to assess sarcopenia and predicts major surgical complications.** Jones KI, Doleman B, Scott S, Lund JN, Williams JP. Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland. 2015;17(1):O20-6. <http://dx.doi.org/10.1111/codi.12805>.
280. **Prospective evaluation of patients refused admission to an intensive care unit: triage, futility and outcome.** Joynt GM, Gomersall CD, Tan P, Lee A, Cheng CA, Wong EL. Intensive Care Med. 2001;27(9):1459-65. <http://dx.doi.org/10.1007/s001340101041>.
281. **A comparison of very old patients admitted to intensive care unit after acute versus elective surgery or intervention.** Jung C, Wernly B, Muessig JM, Kelm M, Boumendil A, Morandi A, et al. J Crit Care. 2019;52:141-8. <http://dx.doi.org/10.1016/j.jcrc.2019.04.020>. Epub 2019 May 2.
282. **[Candidemia in elderly people: apropos of 4 cases].** Kaltenbach G, Vogel T, Noblet-Dick M, Heitz D, Berthel M, Kuntzmann F. La Revue de medecine interne. 2002;23(3):328-31. [http://dx.doi.org/10.1016/s0248-8663\(01\)00559-8](http://dx.doi.org/10.1016/s0248-8663(01)00559-8).
283. **Unplanned admission to the intensive care unit after total hip arthroplasty.** Kamath AF, McAuliffe CL, Baldwin KD, Lucas JB, Kosseim LM, Israelite CL. The Journal of arthroplasty. 2012;27(6):1027-32.e1-2. <http://dx.doi.org/10.1016/j.arth.2012.01.004>. Epub 2012 Mar 6.
284. **Implications of blood pressure variations in older populations.** Kamide K, Kabayama M. Hypertension Research. 2019;42(1):19-25.

285. **Gait speed can predict advanced clinical outcomes in patients who undergo transcatheter aortic valve replacement insights from a Japanese multicenter registry.** Kano S, Yamamoto M, Shimura T, Kagase A, Tsuzuki M, Kodama A, et al. *Circulation: Cardiovascular Interventions*. 2017;10(8).
286. **Association of Radiologic Indicators of Frailty With 1-Year Mortality in Older Trauma Patients: Opportunistic Screening for Sarcopenia and Osteopenia.** Kaplan SJ, Pham TN, Arbabi S, Gross JA, Damodarasamy M, Bentov I, et al. *JAMA surgery*. 2017;152(2):e164604. <http://dx.doi.org/10.1001/jamasurg.2016.4604>. Epub 2017 Feb 15.
287. **The impact of frailty on noninvasive mechanical ventilation in elderly medical intensive care unit patients.** Kara I, Yildirim F, Zerman A, Gullu Z, Boyaci N, Aydogan BB, et al. *Aging clinical and experimental research*. 2018;30(4):359-66. <http://dx.doi.org/10.1007/s40520-017-0774-z>. Epub 2017 May 16.
288. **Predictive ability of the stability and workload index for transfer score to predict unplanned readmissions after ICU discharge.** Kastrup M, Powollik R, Balzer F, Rober S, Ahlborn R, von Dossow-Hanfstingl V, et al. *Critical care medicine*. 2013;41(7):1608-15. <http://dx.doi.org/10.1097/CCM.0b013e31828a217b>.
289. **Assessing the Quality of Care Provided to Older Persons with Frailty in Five Canadian Provinces, Using Administrative Data.** Kendell C, Lawson B, Puyat JH, Urquhart R, Kazanjian A, Johnston G, et al. *Canadian journal on aging = La revue canadienne du vieillissement*. 2020;39(1):52-68. <http://dx.doi.org/10.1017/S0714980819000205>.
290. **An assessment of the validity of SOFA score based triage in H1N1 critically ill patients during an influenza pandemic.** Khan Z, Hulme J, Sherwood N. *Anaesthesia*. 2009;64(12):1283-8. <http://dx.doi.org/10.1111/j.1365-2044.2009.06135.x>. Epub 2009 Oct 23.
291. **Preoperative Computed Tomography-Determined Sarcopenia and Postoperative Outcome After Surgery for Non-Small Cell Lung Cancer.** Kim EY, Lee HY, Kim KW, Lee JI, Kim YS, Choi WJ, et al. *Scand J Surg*. 2018;107(3):244-51. <http://dx.doi.org/10.1177/1457496917748221>. Epub 2017 Dec 28.
292. **Association Among ICU Congestion, ICU Admission Decision, and Patient Outcomes.** Kim SH, Chan CW, Olivares M, Escobar GJ. *Critical care medicine*. 2016;44(10):1814-21. <http://dx.doi.org/10.1097/CCM.0000000000001850>.
293. **Multidimensional frailty score for the prediction of postoperative mortality risk.** Kim SW, Han HS, Jung HW, Kim KI, Hwang DW, Kang SB, et al. *JAMA surgery*. 2014;149(7):633-40. <http://dx.doi.org/10.1001/jamasurg.2014.241>.
294. **Relationship between the legal nurse staffing standard and patient survival after perioperative cardiac arrest: A cross-sectional analysis of Korean administrative data.** Kim Y, Kim J, Shin SA. *Int J Nurs Stud*. 2019;89:104-11. <http://dx.doi.org/10.1016/j.ijnurstu.2018.09.012>. Epub 2018 Oct 1.
295. **Determination of frail state and association of frailty with inflammatory markers among cardiac surgery patients in a Central European patient population.** Kiss R, Farkas N, Jancso G, Kovacs K, Lenard L. *Clinical hemorheology and microcirculation*. 2019.
296. **Is frailty a prognostic factor for critically ill elderly patients?** Kizilarlanoglu MC, Civelek R, Kilic MK, Sumer F, Varan HD, Kara O, et al. *Aging clinical and experimental research*. 2017;29(2):247-55. <http://dx.doi.org/10.1007/s40520-016-0557-y>. Epub 2016 Mar 22.
297. **Mortality factors in geriatric blunt trauma patients.** Knudson MM, Lieberman J, Morris JA, Jr., Cushing BM, Stubbs HA. *Archives of surgery (Chicago, Ill : 1960)*. 1994;129(4):448-53. <http://dx.doi.org/10.1001/archsurg.1994.01420280126017>.
298. **Frailty assessed by the FORECAST is a valid tool to predict short-term outcome after transcatheter**

aortic valve replacement. Kobe AR, Meyer A, Elmubarak H, Kempfert J, Pavicevic J, Maisano F, et al. *Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery*. 2016;11(6):407-13.

299. **Assessing Risk of Critical Care Complications and Mortality in the Elective Bariatric Surgery Population Using a Modified Frailty Index.** Kolbe N, Carlin AM, Bakey S, Louwers L, Horst HM, Rubinfeld I. *Obes Surg*. 2015;25(8):1401-7. <http://dx.doi.org/10.1007/s11695-014-1532-3>.

300. **Red-flag sepsis and SOFA identifies different patient population at risk of sepsis-related deaths on the general ward.** Kopczyńska M, Sharif B, Cleaver S, Spencer N, Kurani A, Lee C, et al. *Medicine (Baltimore)*. 2018;97(49):e13238. <http://dx.doi.org/10.1097/MD.00000000000013238>.

301. **Sepsis-related deaths in the at-risk population on the wards: attributable fraction of mortality in a large point-prevalence study.** Kopczyńska M, Sharif B, Cleaver S, Spencer N, Kurani A, Lee C, et al. *BMC Res Notes*. 2018;11(1):720. <http://dx.doi.org/10.1186/s13104-018-3819-2>.

302. **Are frailty scales better than anesthesia or surgical scales to determine risk in cardiac surgery?** Kovacs J, Moraru L, Antal K, Cioc A, Voidazan S, Szabo A. *Korean J Anesthesiol*. 2017;70(2):157-62. <http://dx.doi.org/10.4097/kjae.2017.70.2.157>. Epub 2016 Dec 1.

303. **European guidelines on perioperative venous thromboembolism prophylaxis: Surgery in the elderly.** Kozek-Langenecker S, Fenger-Eriksen C, Thienpont E, Barauskas G. *European journal of anaesthesiology*. 2018;35(2):116-22. <http://dx.doi.org/10.1097/EJA.0000000000000705>.

304. **The Impact of Mortality on Total Costs Within the ICU.** Kramer AA, Dasta JF, Kane-Gill SL. *Critical care medicine*. 2017;45(9):1457-63. <http://dx.doi.org/10.1097/CCM.0000000000002563>.

305. **Preoperative assessment in older adults: A comprehensive approach.** Kumar C, Salzman B, Colburn JL. *American Family Physician*. 2018;98(4):214-20.

306. **Does the clinical frailty score improve the accuracy of the SOFA score in predicting hospital mortality in elderly critically ill patients? A prospective observational study.** Langlais E, Nessler N, Le Pabic E, Frasca D, Launey Y, Seguin P. *J Crit Care*. 2018;46:67-72. <http://dx.doi.org/10.1016/j.jcrc.2018.04.012>. Epub 2018 Apr 22.

307. **Resource allocation in neonatal and medical ICUs. Epidemiology and rationing at the extremes of life.** Lantos JD, Mokalla M, Meadow W. *Am J Respir Crit Care Med*. 1997;156(1):185-9. <http://dx.doi.org/10.1164/ajrccm.156.1.9510103>.

308. **Factors Associated With the Increasing Rates of Discharges Directly Home From Intensive Care Units-A Direct From ICU Sent Home Study.** Lau VI, Priestap FA, Lam JNH, Ball IM. *Journal of intensive care medicine*. 2018;33(2):121-7. <http://dx.doi.org/10.1177/0885066616668483>. Epub 2016 Sep 20.

309. **Risk factors of frailty and death or only frailty after intensive care in non-frail elderly patients: a prospective non-interventional study.** Launey Y, Jacquet H, Arnouat M, Rousseau C, Nessler N, Seguin P. *Journal of intensive care*. 2019;7:48. <http://dx.doi.org/10.1186/s40560-019-0403-3>. eCollection 2019.

310. **Prevalence and impact of frailty on mortality in elderly ICU patients: a prospective, multicenter, observational study.** Le Maguet P, Roquilly A, Lasocki S, Asehnoune K, Carise E, Saint Martin M, et al. *Intensive Care Med*. 2014;40(5):674-82. <http://dx.doi.org/10.1007/s00134-014-3253-4>. Epub 2014 Mar 21.

311. **Ten things to know about critically ill elderly patients.** Leblanc G, Boumendil A, Guidet B. *Intensive Care Medicine*. 2017;43(2):217-9.

312. **Copeptin and high-sensitivity cardiac troponin to exclude severe coronary stenosis in patients with chest pain and coronary artery disease.** Leclercq F, Lemmi A, Kusters N, Lattuca B, Cayla G, Macia JC, et al. *The*

American journal of emergency medicine. 2016;34(3):493-8. <http://dx.doi.org/10.1016/j.ajem.2015.12.017>. Epub 2015 Dec 14.

313. **Frailty in Surgical Preoperative Evaluation and Postoperative Recovery.** Lee DJK, Mak MHW, Tan KY. Current Geriatrics Reports. 2019;8(2):87-96.

314. **The Impact of Frailty on Long-Term Patient-Oriented Outcomes after Emergency General Surgery: A Retrospective Cohort Study.** Lee KC, Streid J, Sturgeon D, Lipsitz S, Weissman JS, Rosenthal RA, et al. Journal of the American Geriatrics Society. 2020. <http://dx.doi.org/10.1111/jgs.16334>.

315. **Impact of initial triage decisions on nursing intensity for patients with acute chest pain.** Lee TH, Cook EF, Fendrick AM, Shammash JB, Wolfe EP, Weisberg MC, et al. Med Care. 1990;28(8):737-45. <http://dx.doi.org/10.1097/00005650-199008000-00006>.

316. **Failure of information as an intervention to modify clinical management. A time-series trial in patients with acute chest pain.** Lee TH, Pearson SD, Johnson PA, Garcia TB, Weisberg MC, Guadagnoli E, et al. Annals of internal medicine. 1995;122(6):434-7. <http://dx.doi.org/10.7326/0003-4819-122-6-199503150-00006>.

317. **Is telemonitoring effective in older adults affected by heart failure? A meta-analysis focused on this population.** Lelli D, Antonelli Incalzi R, Adiletta V, Pedone C. Journal of Gerontology and Geriatrics. 2019;2019(2):87-95.

318. **Delayed but successful response to noninvasive ventilation in COPD patients with acute hypercapnic respiratory failure.** Lemyze M, Bury Q, Guiot A, Jonard M, Mohammad U, Van Grunderbeeck N, et al. International Journal of COPD. 2017;12:1539-47.

319. **Comparison of the 1999 and 2006 trauma triage guidelines: where do patients go?** Lerner EB, Shah MN, Swor RA, Cushman JT, Guse CE, Brasel K, et al. Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors. 2011;15(1):12-7. <http://dx.doi.org/10.3109/10903127.2010.519819>. Epub 2010 Nov 5.

320. **Life-Sustaining Treatment Decisions Initiative: Early Implementation Results of a National Veterans Affairs Program to Honor Veterans' Care Preferences.** Levy C, Ersek M, Scott W, Carpenter JG, Kononowech J, Phibbs C, et al. Journal of General Internal Medicine. 2020.

321. **Modified frailty index associated with Clavien-Dindo IV complications in robot-assisted radical prostatectomies: A retrospective study.** Levy I, Finkelstein M, Bilal KH, Palese M. Urologic oncology. 2017;35(6):425-31. <http://dx.doi.org/10.1016/j.urolonc.2017.01.005>. Epub 2017 Feb 9.

322. **Telephone follow-up calls for older patients after hospital discharge.** Lewis E, Samperi S, Boyd-Skinner C. Age and ageing. 2017;46(4):544-6. <http://dx.doi.org/10.1093/ageing/afw251>.

323. **The blocked bed: a prospective study.** Lewis H, Purdie G. The New Zealand medical journal. 1988;101(853):575-7.

324. **Do pre-hospital trauma alert criteria predict the severity of injury and a need for an emergent surgical intervention?** Lin G, Becker A, Lynn M. Injury. 2012;43(9):1381-5. <http://dx.doi.org/10.1016/j.injury.2010.11.014>. Epub 2010 Dec 8.

325. **Morphomic measurement of the temporalis muscle and zygomatic bone as novel predictors of hospital-based clinical outcomes in patients with mandible fracture.** Lisiecki J, Zhang P, Wang L, Rinkinen J, De La Rosa S, Enchakalody B, et al. The Journal of craniofacial surgery. 2013;24(5):1577-81. <http://dx.doi.org/10.1097/SCS.0b013e3182a12e02>.

326. **The potential impact of biomarker-guided triage decisions for patients with urinary tract infections.** Litke A, Bossart R, Regez K, Schild U, Guglielmetti M, Conca A, et al. *Infection*. 2013;41(4):799-809. <http://dx.doi.org/10.1007/s15010-013-0423-1>. Epub 2013 Feb 24.
327. **Pharmacotherapy of lower respiratory tract infections in elderly—focused on antibiotics.** Liu Y, Zhang Y, Zhao W, Liu X, Hu F, Dong B. *Frontiers in Pharmacology*. 2019;10.
328. **Prolonged mechanical ventilation in critically ill patients: epidemiology, outcomes and modelling the potential cost consequences of establishing a regional weaning unit.** Lone NI, Walsh TS. *Crit Care*. 2011;15(2):R102. <http://dx.doi.org/10.1186/cc10117>. Epub 2011 Mar 27.
329. **Frailty in patients over 65 years of age admitted to Intensive Care Units (FRAIL-ICU).** Lopez Cuenca S, Oteiza Lopez L, Lazaro Martin N, Irazabal Jaimes MM, Ibarz Villamayor M, Artigas A, et al. *Medicina intensiva*. 2019;43(7):395-401. <http://dx.doi.org/10.1016/j.medin.2019.01.010>. Epub 2019 Mar 22.
330. **Criteria for admitting elderly patients with acute coronary syndrome to critical care units from Spanish hospital emergency departments: a LONGEVO-SCA cohort study.** Lorente V, Ariza-Sole A, Jacob J, Formiga F, Marín F, Martínez-Selles M, et al. *Emergencias : revista de la Sociedad Espanola de Medicina de Emergencias*. 2019;31(3):154-60.
331. **Criterios de ingreso en unidades de críticos del paciente anciano con síndrome coronario agudo desde los servicios de urgencias hospitalarios de España. Estudio de cohorte LONGEVO-SCA.** Lorente V, Ariza-Solé A, Jacob J, Formiga FF, Marín F, Martínez-Sellés M, et al. *Emergencias : revista de la Sociedad Espanola de Medicina de Emergencias*. 2019;31(3):154-60.
332. **The impact of frailty syndrome and risk scores on emergency cholecystectomy patients.** Lorenzon L, Costa G, Massa G, Frezza B, Stella F, Balducci G. *Surgery today*. 2017;47(1):74-83. <http://dx.doi.org/10.1007/s00595-016-1361-1>. Epub 2016 May 30.
333. **Determinants and outcomes associated with decisions to deny or to delay intensive care unit admission in Morocco.** Louriz M, Abidi K, Akkaoui M, Madani N, Chater K, Belayachi J, et al. *Intensive Care Med*. 2012;38(5):830-7. <http://dx.doi.org/10.1007/s00134-012-2517-0>. Epub 2012 Mar 8.
334. **Use of a simplified frailty index to predict Clavien 4 complications and mortality after hepatectomy: Analysis of the National Surgical Quality Improvement Project database.** Louwers L, Schnickel G, Rubinfeld I. *American Journal of Surgery*. 2016;211(6):1071-6.
335. **[Geriatric assessment. Development, status quo and perspectives].** Luttje D, Varwig D, Teigel B, Gilhaus B. *Der Internist*. 2011;52(8):925-33. <http://dx.doi.org/10.1007/s00108-011-2803-x>.
336. **All Danish first-time COPD hospitalisations 2002-2008: incidence, outcome, patients, and care.** Lykkegaard J, Sondergaard J, Kragstrup J, Romhild Davidsen J, Knudsen T, Andersen M. *Respiratory medicine*. 2012;106(4):549-56. <http://dx.doi.org/10.1016/j.rmed.2011.11.001>. Epub 2011 Nov 23.
337. **Recent trends in hospital use by children in England.** MacFaul R, Werneke U. *Arch Dis Child*. 2001;85(3):203-7. <http://dx.doi.org/10.1136/adc.85.3.203>.
338. **The Relationship Between Frailty and the Subjective Decision to Conduct a Goals of Care Discussion With Burned Elders.** Madni TD, Nakonezny PA, Wolf SE, Joseph B, Mohler MJ, Imran JB, et al. *Journal of burn care & research : official publication of the American Burn Association*. 2018;39(1):82-8. <http://dx.doi.org/10.1097/BCR.0000000000000594>.
339. **The role of reduced heart rate volatility in predicting disposition from the emergency department.** Mandel-Portnoy YE, Loo GT, Gregoriou D, Bansilal S, Richardson LD. *Emergency medicine journal : EMJ*.

2017;34(5):289-93. <http://dx.doi.org/10.1136/emermed-2016-206007>. Epub 2016 Dec 30.

340. **A cost analysis of alfentanil+propofol vs morphine+midazolam for the sedation of critically ill patients.** Manley NM, Fitzpatrick RW, Long T, Jones PW. *PharmacoEconomics*. 1997;12(2):247-55. <http://dx.doi.org/10.2165/00019053-199712020-00015>.

341. **Management of the critically ill geriatric patient.** Marik PE. *Critical care medicine*. 2006;34(9):S176-82. <http://dx.doi.org/10.1097/01.CCM.0000232624.14883.9A>.

342. **Should age limit admission to the intensive care unit?** Marik PE. *The American journal of hospice & palliative care*. 2007;24(1):63-6. <http://dx.doi.org/10.1177/1049909106295385>.

343. **What's in a day? Determining intensive care unit length of stay.** Marik PE, Hedman L. *Critical care medicine*. 2000;28(6):2090-3. <http://dx.doi.org/10.1097/00003246-200006000-00071>.

344. **Avoiding inappropriate medication prescription in older intensive care survivors.** Marra A, Hayhurst CJ, Hughes CG, Marengoni A, Bellelli G, Pandharipande P, et al. *Journal of Clinical Outcomes Management*. 2018;25(2).

345. **Co-Occurrence of Post-Intensive Care Syndrome Problems Among 406 Survivors of Critical Illness.** Marra A, Pandharipande PP, Girard TD, Patel MB, Hughes CG, Jackson JC, et al. *Critical care medicine*. 2018;46(9):1393-401. <http://dx.doi.org/10.1097/CCM.0000000000003218>.

346. **Sepsis and Immunosenescence in the Elderly Patient: A Review.** Martin S, Perez A, Aldecoa C. *Frontiers in medicine*. 2017;4:20. <http://dx.doi.org/10.3389/fmed.2017.00020>. eCollection 2017.

347. **End-stage heart disease in the elderly.** Martínez-Sellés M, Teresa Vidán M, López-Palop R, Rexach L, Sánchez E, Datino T, et al. *Revista Espanola de Cardiologia*. 2009;62(4):409-21.

348. **Multidisciplinary care to older patients with multiple chronic conditions: A challenge for the health system.** Mas MÀ. *Medicina Clinica*. 2019;153(3):112-4.

349. **Blood pressure in frail older adults: associations with cardiovascular outcomes and all-cause mortality.** Masoli JAH, Delgado J, Pilling L, Strain D, Melzer D. *Age and ageing*. 2020.

350. **The use of a frailty scoring system for burns in the elderly.** Masud D, Norton S, Smailes S, Shelley O, Philp B, Dziewulski P. *Burns : journal of the International Society for Burn Injuries*. 2013;39(1):30-6. <http://dx.doi.org/10.1016/j.burns.2012.03.002>. Epub 2012 May 9.

351. **Suvorexant is associated with a low incidence of delirium in critically ill patients: a retrospective cohort study.** Masuyama T, Sanui M, Yoshida N, Iizuka Y, Ogi K, Yagihashi S, et al. *Psychogeriatrics : the official journal of the Japanese Psychogeriatric Society*. 2018;18(3):209-15. <http://dx.doi.org/10.1111/psyg.12314>. Epub 2018 Feb 8.

352. **Effect of Emergency Department and ICU Occupancy on Admission Decisions and Outcomes for Critically Ill Patients.** Mathews KS, Durst MS, Vargas-Torres C, Olson AD, Mazumdar M, Richardson LD. *Critical care medicine*. 2018;46(5):720-7. <http://dx.doi.org/10.1097/CCM.0000000000002993>.

353. **A Conceptual Framework for Improving Critical Care Patient Flow and Bed Use.** Mathews KS, Long EF. *Annals of the American Thoracic Society*. 2015;12(6):886-94. <http://dx.doi.org/10.1513/AnnalsATS.201409-419OC>.

354. **Development of the Burn Frailty Index: A prognostication index for elderly patients sustaining burn injuries.** Maxwell D, Rhee P, Drake M, Hodge J, Ingram W, Williams R. *American journal of surgery*. 2019;218(1):87-94. <http://dx.doi.org/10.1016/j.amjsurg.2018.11.012>. Epub 2018 Nov 14.

355. **The sequential organ failure assessment score predicts 30-day mortality in a geriatric acute care setting.** Mazzola P, Bellelli G, Perego S, Zambon A, Mazzone A, Bruni AA, et al. *The journals of gerontology Series A, Biological sciences and medical sciences*. 2013;68(10):1291-5. <http://dx.doi.org/10.1093/gerona/glt020>. Epub 2013 Apr 11.
356. **Frailty and mortality in kidney transplant recipients.** McAdams-Demarco MA, Law A, King E, Orandi B, Salter M, Gupta N, et al. *American Journal of Transplantation*. 2015;15(1):149-54.
357. **ICU and critical care outreach for the elderly.** McDermid RC, Bagshaw SM. *Best practice & research Clinical anaesthesiology*. 2011;25(3):439-49. <http://dx.doi.org/10.1016/j.bpa.2011.06.001>.
358. **The impact of frailty on outcomes and healthcare resource usage after total joint arthroplasty: a population-based cohort study.** McIsaac DI, Beaulé PE, Bryson GL, Van Walraven C. *The bone & joint journal*. 2016;98(6):799-805. <http://dx.doi.org/10.1302/0301-620X.98B6.37124>.
359. **The Association of Frailty With Outcomes and Resource Use After Emergency General Surgery: A Population-Based Cohort Study.** McIsaac DI, Moloo H, Bryson GL, van Walraven C. *Anesthesia and analgesia*. 2017;124(5):1653-61. <http://dx.doi.org/10.1213/ANE.0000000000001960>.
360. **Collaborative decision-making between paramedics and CCU nurses based on 12-lead ECG telemetry expedites the delivery of thrombolysis in ST elevation myocardial infarction.** McLean S, Egan G, Connor P, Flapan AD. *Emergency medicine journal : EMJ*. 2008;25(6):370-4. <http://dx.doi.org/10.1136/emj.2007.052746>.
361. **A Comparison of Scoring Systems for Predicting Short- and Long-term Survival After Trauma in Older Adults.** Meagher AD, Lin A, Mandell SP, Bulger E, Newgard C. *Academic Emergency Medicine*. 2019.
362. **A local anaesthetic video-assisted thoracoscopy service: prospective performance analysis in a UK tertiary respiratory centre.** Medford AR, Agrawal S, Free CM, Bennett JA. *Lung cancer (Amsterdam, Netherlands)*. 2009;66(3):355-8. <http://dx.doi.org/10.1016/j.lungcan.2009.02.023>. Epub 2009 Mar 29.
363. **Off-pump versus On-pump Coronary Artery Bypass Grafting in Frail Patients: Study Protocol for the FRAGILE Multicenter Randomized Controlled Trial.** Mejia OAV, Sa M, Deininger MO, Dallan LRP, Segalote RC, Oliveira MAP, et al. *Brazilian journal of cardiovascular surgery*. 2017;32(5):428-34. <http://dx.doi.org/10.21470/1678-9741-2017-0196>.
364. **Discriminative Ability of Commonly Used Indexes to Predict Adverse Outcomes After Radical Cystectomy: Comparison of Demographic Data, American Society of Anesthesiologists, Modified Charlson Comorbidity Index, and Modified Frailty Index.** Meng X, Press B, Renson A, Wysock JS, Taneja SS, Huang WC, et al. *Clinical Genitourinary Cancer*. 2018;16(4):e843-e50.
365. **Incidence of nosocomial pneumonia in a medical intensive care unit and general medical ward patients in a public hospital in Bombay, India.** Merchant M, Karnad DR, Kanbur AA. *The Journal of hospital infection*. 1998;39(2):143-8. [http://dx.doi.org/10.1016/s0195-6701\(98\)90328-0](http://dx.doi.org/10.1016/s0195-6701(98)90328-0).
366. **Evidence-based nutrition for the malnourished, hospitalised patient: one bite at a time.** Merker M, Gomes F, Stanga Z, Schuetz P. *Swiss medical weekly*. 2019;149:w20112. <http://dx.doi.org/10.4414/sm.w.2019.20112>. eCollection 2019 Jul 29.
367. **Effect of regional trauma centralization on volume, injury severity and outcomes of injured patients admitted to trauma centres.** Metcalfe D, Bouamra O, Parsons NR, Aletrari MO, Lecky FE, Costa ML. *Br J Surg*. 2014;101(8):959-64. <http://dx.doi.org/10.1002/bjs.9498>.
368. **Advancements in the management of medically less-fit and older adults with newly diagnosed acute myeloid leukemia.** Michaelis LC, Klepin HD, Walter RB. *Expert Opinion on Pharmacotherapy*. 2018;19(8):865-82.

369. **Predicting Short-term Outcomes After Radical Cystectomy Based on Frailty.** Michel J, Goel AN, Golla V, Lenis AT, Johnson DC, Chamie K, et al. *Urology*. 2019;133:25-33. <http://dx.doi.org/10.1016/j.urology.2019.04.057>. Epub 2019 Jul 12.
370. **Acute mechanical ventilation: an index of the absolute need for pediatric intensive care unit beds.** Mickell JJ, Furgiuele TL. *Critical care medicine*. 1988;16(5):504-9.
371. **The association between time to disposition plan in the emergency department and in-hospital mortality of general medical patients.** Mitra B, Cameron PA, Archer P, Bailey M, Pielage P, Mele G, et al. *Internal medicine journal*. 2012;42(4):444-50. <http://dx.doi.org/10.1111/j.1445-5994.2011.02502.x>.
372. **Sex differences in in-hospital mortality following a first acute myocardial infarction: symptomatology, delayed presentation, and hospital setting.** Mnatzaganian G, Braitberg G, Hiller JE, Kuhn L, Chapman R. *BMC Cardiovasc Disord*. 2016;16(1):109. <http://dx.doi.org/10.1186/s12872-016-0276-5>.
373. **Predictors of Mortality in Trauma Patients Aged 80 years or Older.** Mock K, Keeley J, Moazzez A, Plurad DS, Putnam B, Kim DY. *The American surgeon*. 2016;82(10):926-9.
374. **Respiratory infection: how important is oral health?** Mojon P, Bourbeau J. *Curr Opin Pulm Med*. 2003;9(3):166-70. <http://dx.doi.org/10.1097/00063198-200305000-00002>.
375. **Evaluation of prognostic indices in elderly hospitalized patients.** Monacelli F, Tafuro M, Molfetta L, Sartini M, Nencioni A, Cea M, et al. *Geriatrics & gerontology international*. 2017;17(6):1015-21. <http://dx.doi.org/10.1111/ggi.12801>. Epub 2016 Jun 15.
376. **Prospective evaluation of a dynamic insulin infusion algorithm for non critically-ill diabetic patients: A before-after study.** Montanier N, Bernard L, Lambert C, Pereira B, Desbiez F, Terral D, et al. *PLoS One*. 2019;14(1):e0211425. <http://dx.doi.org/10.1371/journal.pone.0211425>. eCollection 2019.
377. **Frailty and the Association Between Long-Term Recovery After Intensive Care Unit Admission.** Montgomery CL, Rolfson DB, Bagshaw SM. *Critical care clinics*. 2018;34(4):527-47. <http://dx.doi.org/10.1016/j.ccc.2018.06.007>. Epub 2018 Aug 11.
378. **Implementation of population-level screening for frailty among patients admitted to adult intensive care in Alberta, Canada.** Montgomery CL, Zuege DJ, Rolfson DB, Opgenorth D, Hudson D, Stelfox HT, et al. *Canadian Journal of Anesthesia*. 2019;66(11):1310-9.
379. **First case of E. meningoseptica in Italy in a patient with necrotic hemorrhagic pancreatitis.** Montrucchio G, Corcione S, Vaj M, Zaccaria T, Costa C, Brazzi L, et al. *Infection*. 2018;46(1):123-5. <http://dx.doi.org/10.1007/s15010-017-1055-7>. Epub 2017 Aug 3.
380. **Influence of frailty on treatment outcomes after revascularization in patients with critical limb ischemia.** Morisaki K, Yamaoka T, Iwasa K, Ohmine T. *Journal of Vascular Surgery*. 2017;66(6):1758-64.
381. **Enhanced pro-inflammatory response and higher mortality rates in geriatric trauma patients.** Mörs K, Wagner N, Sturm R, Störmann P, Vollrath JT, Marzi I, et al. *European journal of trauma and emergency surgery : official publication of the European Trauma Society*. 2019.
382. **Chronic inflammatory demyelinating polyradiculoneuropathy and anesthesia: a case series.** Mortenson AR, Sprung J, Watson JC, Dyck PJB, Weingarten TN. *Acta Neurologica Belgica*. 2017;117(4):895-901.
383. **Post-operative delirium is associated with increased 5-year mortality.** Moskowitz EE, Overbey DM, Jones TS, Jones EL, Arcomano TR, Moore JT, et al. *American journal of surgery*. 2017;214(6):1036-8.

<http://dx.doi.org/10.1016/j.amjsurg.2017.08.034>. Epub 2017 Sep 20.

384. **Outcomes for frail very old patients in the ICU are remarkably good.** Mudge AM. *The Medical journal of Australia*. 2019;211(7):314-5. <http://dx.doi.org/10.5694/mja2.50343>. Epub 2019 Sep 16.

385. **Can Sarcopenia Quantified by Ultrasound of the Rectus Femoris Muscle Predict Adverse Outcome of Surgical Intensive Care Unit Patients as well as Frailty? A Prospective, Observational Cohort Study.** Mueller N, Murthy S, Tainter CR, Lee J, Riddell K, Fintelmann FJ, et al. *Annals of surgery*. 2016;264(6):1116-24. <http://dx.doi.org/10.1097/SLA.0000000000001546>.

386. **Clinical Frailty Scale (CFS) reliably stratifies octogenarians in German ICUs: a multicentre prospective cohort study.** Muessig JM, Nia AM, Masyuk M, Lauten A, Sacher AL, Brenner T, et al. *BMC geriatrics*. 2018;18(1):162. <http://dx.doi.org/10.1186/s12877-018-0847-7>.

387. **Managing Infectious Disease in the Critically Ill Elderly Patient.** Mukherjee K, Burruss SK, Brooks SE, May AK. *Current Geriatrics Reports*. 2019;8(3):180-93.

388. **Factors contributing to high-cost hospital care for patients with COPD.** Mulpuru S, McKay J, Ronksley PE, Thavorn K, Kobewka DM, Forster AJ. *International journal of chronic obstructive pulmonary disease*. 2017;12:989-95. <http://dx.doi.org/10.2147/COPD.S126607>. eCollection 2017.

389. **Current perspective for tube feeding in the elderly: From identifying malnutrition to providing of enteral nutrition.** Mundi MS, Patel J, McClave SA, Hurt RT. *Clinical Interventions in Aging*. 2018;13:1353-64.

390. **ICU Interventions in Ischemic Stroke Patients Treated Using Liberalized IV-tPA Criteria.** Murray NM, Ke M, Yee A, Chen C, Wong C, Bedenk A, et al. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association*. 2019;28(9):2488-95. <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2019.06.015>. Epub 2019 Jul 3.

391. **The impact of frailty on intensive care unit outcomes: a systematic review and meta-analysis.** Muscedere J, Waters B, Varambally A, Bagshaw SM, Boyd JG, Maslove D, et al. *Intensive Care Med*. 2017;43(8):1105-22. <http://dx.doi.org/10.1007/s00134-017-4867-0>. Epub 2017 Jul 4.

392. **Early outcomes of cardiac surgery in elderly patients.** Mzoughi K, Zairi I, Daly M, Ziadi J, Kamoun S, Ben Moussa F, et al. *Tunisie Medicale*. 2018;96(4):160-6.

393. **Association between body mass index and mortality in patients requiring cardiac critical care.** Na SJ, Park TK, Lee JM, Song YB, Choi JO, Hahn JY, et al. *Circulation Journal*. 2019;83(4):743-8.

394. **Long-stay children in intensive care: long-term functional outcome and quality of life from a 20-yr institutional study.** Namachivayam P, Taylor A, Montague T, Moran K, Barrie J, Delzoppo C, et al. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*. 2012;13(5):520-8. <http://dx.doi.org/10.1097/PCC.0b013e31824fb989>.

395. **Evolving role of intensive and high-dependency care.** Nehra D, Crumplin MK, Valijan A, Edwards AE. *Annals of the Royal College of Surgeons of England*. 1994;76(1):9-13.

396. **Advances in rehabilitation medicine.** Ng YS, Chew E, Samuel GS, Tan YL, Kong KH. *Singapore Med J*. 2013;54(10):538-51. <http://dx.doi.org/10.11622/smedj.2013197>.

397. **Postprandial hypotension in older survivors of critical illness.** Nguyen TAN, Ali Abdelhamid Y, Weinel LM, Hatzinikolas S, Kar P, Summers MJ, et al. *J Crit Care*. 2018;45:20-6. <http://dx.doi.org/10.1016/j.jcrc.2018.01.012>. Epub 2018 Jan 31.

398. **Epidemiology, clinical characteristics and resource implications of pandemic (H1N1) 2009 in intensive care units in Ireland.** Nicolay N, Callaghan MA, Domegan LM, Oza AN, Marsh BJ, Flanagan PC, et al. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine.* 2010;12(4):255-61.
399. **Observational Study Examining the Association of Baseline Frailty and Postcardiac Surgery Delirium and Cognitive Change.** Nomura Y, Nakano M, Bush B, Tian J, Yamaguchi A, Walston J, et al. *Anesthesia and analgesia.* 2019;129(2):507-14. <http://dx.doi.org/10.1213/ANE.0000000000003967>.
400. **Comorbidities and disease severity as risk factors for carbapenem-resistant *Klebsiella pneumoniae* colonization: report of an experience in an internal medicine unit.** Nouvenne A, Ticinesi A, Lauretani F, Maggio M, Lippi G, Guida L, et al. *PLoS One.* 2014;9(10):e110001. <http://dx.doi.org/10.1371/journal.pone.0110001>. eCollection 2014.
401. **Predictors of critical care-related complications in colectomy patients using the National Surgical Quality Improvement Program: exploring frailty and aggressive laparoscopic approaches.** Obeid NM, Azuh O, Reddy S, Webb S, Reickert C, Velanovich V, et al. *The journal of trauma and acute care surgery.* 2012;72(4):878-83. <http://dx.doi.org/10.1097/TA.0b013e31824d0f70>.
402. **Factors Associated with Time to Arrival at a Regional Pediatric Trauma Center.** Odetola FO, Mann NC, Hansen KW, Bratton SL. *Prehospital and disaster medicine.* 2016;31(1):4-9. <http://dx.doi.org/10.1017/S1049023X15005191>. Epub 2015 Nov 27.
403. **Long-term outcomes and quality of life in critically ill patients with hematological or solid malignancies: a single center study.** Oeyen SG, Benoit DD, Annemans L, Depuydt PO, Van Belle SJ, Troisi RI, et al. *Intensive Care Med.* 2013;39(5):889-98. <http://dx.doi.org/10.1007/s00134-012-2791-x>. Epub 2012 Dec 18.
404. **Impact of delirium on postoperative frailty and long term cardiovascular events after cardiac surgery.** Ogawa M, Izawa KP, Satomi-Kobayashi S, Tsuboi Y, Komaki K, Gotake Y, et al. *PLoS One.* 2017;12(12):e0190359. <http://dx.doi.org/10.1371/journal.pone.0190359>. eCollection 2017.
405. **Verification of the Acute Physiology and Chronic Health Evaluation scoring system in a Hong Kong intensive care unit.** Oh TE, Hutchinson R, Short S, Buckley T, Lin E, Leung D. *Critical care medicine.* 1993;21(5):698-705. <http://dx.doi.org/10.1097/00003246-199305000-00013>.
406. **A U-shaped association between home systolic blood pressure and four- year mortality in community-dwelling older men.** Okumiya K, Matsubayashi K, Wada T, Fujisawa M, Osaki Y, Doi Y, et al. *Journal of the American Geriatrics Society.* 1999;47(12):1415-21.
407. **Organisational factors and mortality after an emergency laparotomy: multilevel analysis of 39 903 National Emergency Laparotomy Audit patients.** Oliver CM, Bassett MG, Poulton TE, Anderson ID, Murray DM, Grocott MP, et al. *British Journal of Anaesthesia.* 2018;121(6):1346-56.
408. **Main medical conditions of frail elderly patients that require intensive care under the Japanese Long-Term Care Insurance (LTCI) system: a comparison with German LTCI.** Onishi K. *Japan-hospitals : the journal of the Japan Hospital Association.* 2011(30):77-83.
409. **Main medical conditions of elderly Japanese in urban areas requiring long-term care: improving the focus of preventive care.** Onishi K. *Japan-hospitals : the journal of the Japan Hospital Association.* 2012(31):45-55.
410. **Results differ between transaortic and open surgical aortic valve replacement in women.** Onorati F, D'Errigo P, Barbanti M, Rosato S, Covello DR, Maraschini A, et al. *The Annals of thoracic surgery.* 2013;96(4):1336-42. <http://dx.doi.org/10.1016/j.athoracsur.2013.05.048>. Epub 2013 Jul 31.
411. **Effect of severe left ventricular systolic dysfunction on hospital outcome after transcatheter aortic**

valve implantation or surgical aortic valve replacement: results from a propensity-matched population of the Italian OBSERVANT multicenter study. Onorati F, D'Errigo P, Grossi C, Barbanti M, Ranucci M, Covello DR, et al. *J Thorac Cardiovasc Surg.* 2014;147(2):568-75. <http://dx.doi.org/10.1016/j.jtcvs.2013.10.006>. Epub 2013 Nov 19.

412. **A Preoperative Cognitive Screening Test Predicts Increased Length of Stay in a Frail Population: A Retrospective Case-Control Study.** O'Reilly-Shah VN, Hemani S, Davari P, Glowka L, Gebhardt E, Hill L, et al. *Anesthesia and analgesia.* 2019;129(5):1283-90. <http://dx.doi.org/10.1213/ANE.0000000000004103>.

413. **Effect of communication skills training on outcomes in critically ill patients with life-limiting illness referred for intensive care management: a before-and-after study.** Orford NR, Milnes S, Simpson N, Keely G, Elderkin T, Bone A, et al. *BMJ supportive & palliative care.* 2019;9(1):e21. <http://dx.doi.org/10.1136/bmjspcare-2016-001231>. Epub 2017 Jun 28.

414. **Prevalence, goals of care and long-term outcomes of patients with life-limiting illness referred to a tertiary ICU.** Orford NR, Milnes SL, Lambert N, Berkeley L, Lane SE, Simpson N, et al. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine.* 2016;18(3):181-8.

415. **Assessing the utility of ICU admission for octogenarians.** Orsini J, Blaak C, Shamian B, Fonseca X, Salem A, Chen YL. *Aging clinical and experimental research.* 2016;28(4):745-51. <http://dx.doi.org/10.1007/s40520-015-0462-9>. Epub 2015 Oct 5.

416. **Factors influencing triage decisions in patients referred for ICU admission.** Orsini J, Butala A, Ahmad N, Llosa A, Prajapati R, Fishkin E. *Journal of clinical medicine research.* 2013;5(5):343-9. <http://dx.doi.org/10.4021/jocmr1501w>. Epub 2013 Aug 5.

417. **Outcomes after cancelled helicopter emergency medical service missions due to concurrencies: a retrospective cohort study.** Osteras O, Heltne JK, Tonsager K, Brattebo G. *Acta Anaesthesiol Scand.* 2018;62(1):116-24. <http://dx.doi.org/10.1111/aas.13028>. Epub 2017 Nov 3.

418. **[Predictive value of the VMS theme 'Frail elderly': delirium, falling and mortality in elderly hospital patients].** Oud FM, de Rooij SE, Schuurman T, Duijvelaar KM, van Munster BC. *Nederlands tijdschrift voor geneeskunde.* 2015;159:A8491.

419. **[Intensive care in Africa: a report of the first two years of activity of the intensive care unit of Ouagadougou national hospital (Burkina Faso)].** Ouedraogo N, Niakara A, Simpore A, Barro S, Ouedraogo H, Sanou J. *Sante (Montrouge, France).* 2002;12(4):375-82.

420. **A modified frailty index predicts adverse outcomes among patients with colon cancer undergoing surgical intervention.** Pandit V, Khan M, Martinez C, Jehan F, Zeeshan M, Koblinski J, et al. *American journal of surgery.* 2018;216(6):1090-4. <http://dx.doi.org/10.1016/j.amjsurg.2018.07.006>. Epub 2018 Jul 9.

421. **Frailty Syndrome in Patients with Carotid Disease: Simplifying How We Calculate Frailty.** Pandit V, Zeeshan M, Nelson PR, Hamidi M, Jhaji S, Lee A, et al. *Annals of Vascular Surgery.* 2020;62:159-65.

422. **Frailty in elderly ICU patients in Greece: a prospective, observational study.** Papageorgiou D, Gika E, Kosenai K, Tsironas K, Avramopoulou L, Sela E, et al. *Ann Transl Med.* 2018;6(7):111. <http://dx.doi.org/10.21037/atm.2018.02.03>.

423. **Reducing the demand for admission to intensive care after major abdominal surgery by a change in anaesthetic practice and the use of remifentanyl.** Park GR, Evans TN, Hutchins J, Borissov B, Gunning KE, Klinck JR. *European journal of anaesthesiology.* 2000;17(2):111-9. <http://dx.doi.org/10.1046/j.1365-2346.2000.00618.x>.

424. **Intensive care services; a crisis of increasing expressed demand.** Parker A, Wyatt R, Ridley S. *Anaesthesia.* 1998;53(2):113-20. <http://dx.doi.org/10.1046/j.1365-2044.1998.00270.x>.

425. **Frailty in Older Patients Undergoing Emergency Laparotomy: Results From the UK Observational Emergency Laparotomy and Frailty (ELF) Study.** Parmar KL, Law J, Carter B, Hewitt J, Boyle JM, Casey P, et al. *Annals of surgery*. 2019.
426. **Characteristics and outcomes of patients with hematologic malignancies receiving chemotherapy in the intensive care unit.** Pastores SM, Goldman DA, Shaz DJ, Kostecky N, Daley RJ, Peterson TJ, et al. *Cancer*. 2018;124(14):3025-36. <http://dx.doi.org/10.1002/cncr.31409>. Epub 2018 May 4.
427. **Indications to the positioning of the PEG: Which patient?** Peruzza S, Mezzasalma C, Lollo G, Pozzato F, Rozzini R. *Giornale di Gerontologia*. 2008;56(4):205-13.
428. **Protein Turnover and Metabolism in the Elderly Intensive Care Unit Patient.** Phillips SM, Dickerson RN, Moore FA, Paddon-Jones D, Weijs PJ. *Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition*. 2017;32(1):112s-20s. <http://dx.doi.org/10.1177/0884533616686719>. Epub 2017 Feb 1.
429. **Premorbid functional status as a predictor of 1-year mortality and functional status in intensive care patients aged 80 years or older.** Pietilainen L, Hastbacka J, Backlund M, Parviainen I, Pettila V, Reinikainen M. *Intensive Care Med*. 2018;44(8):1221-9. <http://dx.doi.org/10.1007/s00134-018-5273-y>. Epub 2018 Jul 2.
430. **Frailty as a Predictor of Postoperative Outcomes among Patients with Head and Neck Cancer.** Pitts KD, Arteaga AA, Stevens BP, White WC, Su D, Spankovich C, et al. *Otolaryngology - Head and Neck Surgery (United States)*. 2019;160(4):664-71.
431. **Standardised frailty indicator as predictor for postoperative delirium after vascular surgery: a prospective cohort study.** Pol RA, van Leeuwen BL, Visser L, Izaks GJ, van den Dungen JJ, Tielliu IF, et al. *European journal of vascular and endovascular surgery : the official journal of the European Society for Vascular Surgery*. 2011;42(6):824-30. <http://dx.doi.org/10.1016/j.ejvs.2011.07.006>. Epub 2011 Jul 31.
432. **Treatment of hypertension in the oldest old.** Poortvliet R, de Ruijter W, Gussekloo J. *Huisarts en Wetenschap*. 2016;59(10):443-6.
433. **Similarity in Case Fatality Rates (CFR) of COVID-19/SARS-COV-2 in Italy and China.** Porcheddu R, Serra C, Kelvin D, Kelvin N, Rubino S. *Journal of Infection in Developing Countries*. 2020;14(2):125-8.
434. **Are two (inexperienced) heads better than one (experienced) head? Averaging house officers' prognostic judgments for critically ill patients.** Poses RM, Bekes C, Winkler RL, Scott WE, Copare FJ. *Arch Intern Med*. 1990;150(9):1874-8.
435. **The epidemiology and outcome of prehospital respiratory distress.** Prekker ME, Feemster LC, Hough CL, Carlbom D, Crothers K, Au DH, et al. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine*. 2014;21(5):543-50. <http://dx.doi.org/10.1111/acem.12380>.
436. **Influence of frailty-related diagnoses, high-risk prescribing in elderly adults, and primary care use on readmissions in fewer than 30 days for veterans aged 65 and older.** Pugh JA, Wang CP, Espinoza SE, Noel PH, Bollinger M, Amuan M, et al. *Journal of the American Geriatrics Society*. 2014;62(2):291-8. <http://dx.doi.org/10.1111/jgs.12656>. Epub 2014 Jan 21.
437. **The Baby Boom and later life: Is critical care fit for the future?** Pugh R, Subbe C, Thorpe C, Szakmany T. *Anaesthesiology Intensive Therapy*. 2017;49(5):441-4.
438. **Reliability of frailty assessment in the critically ill: a multicentre prospective observational study.** Pugh RJ, Battle CE, Thorpe C, Lynch C, Williams JP, Campbell A, et al. *Anaesthesia*. 2019;74(6):758-64. <http://dx.doi.org/10.1111/anae.14596>. Epub 2019 Feb 21.

439. **A critical age: can we reliably measure frailty in critical care?** Pugh RJ, Thorpe CM, Subbe CP. *Crit Care*. 2017;21(1):121. <http://dx.doi.org/10.1186/s13054-017-1704-3>.
440. **Atrial fibrillation, cognitive impairment, frailty and disability in older heart failure patients.** Pulignano G, Del Sindaco D, Tinti MD, Di Lenarda A, Alunni G, Senni M, et al. *Journal of Cardiovascular Medicine*. 2016;17(8):616-23.
441. **Role of senescence marker p16 INK4a measured in peripheral blood T-lymphocytes in predicting length of hospital stay after coronary artery bypass surgery in older adults.** Pustavoitau A, Barodka V, Sharpless NE, Torrice C, Nyhan D, Berkowitz DE, et al. *Experimental gerontology*. 2016;74:29-36. <http://dx.doi.org/10.1016/j.exger.2015.12.003>. Epub 2015 Dec 9.
442. **Acute pancreatitis in oldest old: a 10-year retrospective analysis of patients referred to the emergency department of a large tertiary hospital.** Quero G, Covino M, Ojetti V, Fiorillo C, Rosa F, Menghi R, et al. *European journal of gastroenterology & hepatology*. 2020;32(2):159-65. <http://dx.doi.org/10.1097/MEG.0000000000001570>.
443. **Determining chest pain patients' suitability for transfer to a general ward following admission to a cardiac care unit.** Quinn T, Thompson DR, Boyle RM. *Journal of advanced nursing*. 2000;32(2):310-7. <http://dx.doi.org/10.1046/j.1365-2648.2000.01478.x>.
444. **High blood pressure and syncope: Orthostatic hypotension as a link.** Rafanelli M, Ungar A. *Monaldi Archives for Chest Disease - Cardiac Series*. 2015;84(1).
445. **Assessment and Utility of Frailty Measures in Critical Illness, Cardiology, and Cardiac Surgery.** Rajabali N, Rolfson D, Bagshaw SM. *The Canadian journal of cardiology*. 2016;32(9):1157-65. <http://dx.doi.org/10.1016/j.cjca.2016.05.011>. Epub 2016 May 27.
446. **Development of an algorithm to aid triage decisions for intensive care unit admission: a clinical vignette and retrospective cohort study.** Ramos JG, Perondi B, Dias RD, Miranda LC, Cohen C, Carvalho CR, et al. *Crit Care*. 2016;20:81. <http://dx.doi.org/10.1186/s13054-016-1262-0>.
447. **Sarcopenia increases risk of long-term mortality in elderly patients undergoing emergency abdominal surgery.** Rangel EL, Rios-Diaz AJ, Uyeda JW, Castillo-Angeles M, Cooper Z, Olufajo OA, et al. *The journal of trauma and acute care surgery*. 2017;83(6):1179-86. <http://dx.doi.org/10.1097/TA.0000000000001657>.
448. **Predictors of 6-month mortality in elderly patients with mild chronic obstructive pulmonary disease discharged from a medical ward after acute nonacidotic exacerbation.** Ranieri P, Bianchetti A, Margiotta A, Virgilio A, Clini EM, Trabucchi M. *Journal of the American Geriatrics Society*. 2008;56(5):909-13.
449. **[Comprehensive geriatric assessment in intensive care unit: a pilot study (pre-Seniorea)].** Raveau T, Annweiler C, Chudeau N, Gergaud S, Thiery S, Gautier J, et al. *Geriatric et psychologie neuropsychiatrie du vieillissement*. 2013;11(4):389-95. <http://dx.doi.org/10.1684/pnv.2013.0441>.
450. **Perioperative Considerations When Treating Isolated Periprosthetic Distal Femur Fractures.** Reich MS, Duong M, Breslin MA, Nguyen MP, Vallier HA. *The Iowa orthopaedic journal*. 2017;37:41-5.
451. **Patient-related factors and circumstances surrounding decisions to forego life-sustaining treatment, including intensive care unit admission refusal.** Reignier J, Dumont R, Katsahian S, Martin-Lefevre L, Renard B, Fiancette M, et al. *Critical care medicine*. 2008;36(7):2076-83. <http://dx.doi.org/10.1097/CCM.0b013e31817c0ea7>.
452. **Proadrenomedullin improves Risk of Early Admission to ICU score for predicting early severe community-acquired pneumonia.** Renaud B, Schuetz P, Claessens YE, Labarere J, Albrich W, Mueller B. *Chest*. 2012;142(6):1447-54. <http://dx.doi.org/10.1378/chest.11-2574>.

453. **Too frail for surgery? Initial results of a large multidisciplinary prospective study examining preoperative variables predictive of poor surgical outcomes.** Revenig LM, Canter DJ, Taylor MD, Tai C, Sweeney JF, Sarmiento JM, et al. *Journal of the American College of Surgeons*. 2013;217(4):665-70.e1.
454. **The variability of critical care bed numbers in Europe.** Rhodes A, Ferdinande P, Flaatten H, Guidet B, Metnitz PG, Moreno RP. *Intensive Care Med*. 2012;38(10):1647-53. <http://dx.doi.org/10.1007/s00134-012-2627-8>. Epub 2012 Jul 10.
455. **What limits for acute care in the elderly?** Ricou B, Merlani P. *Current Opinion in Anaesthesiology*. 2008;21(3):380-5.
456. **Early Post-Intensive Care Syndrome among Older Adult Sepsis Survivors Receiving Home Care.** Riegel B, Huang L, Mikkelsen ME, Kutney-Lee A, Hanlon AL, Murtaugh CM, et al. *Journal of the American Geriatrics Society*. 2019;67(3):520-6. <http://dx.doi.org/10.1111/jgs.15691>. Epub 2018 Nov 30.
457. **Malnutrition assessed by phase angle determines outcomes in low-risk cardiac surgery patients.** Ringaitiene D, Gineityte D, Vicka V, Zvirblis T, Norkiene I, Sipylaite J, et al. *Clinical nutrition (Edinburgh, Scotland)*. 2016;35(6):1328-32. <http://dx.doi.org/10.1016/j.clnu.2016.02.010>. Epub 2016 Feb 18.
458. **Significance of frailty for predicting adverse clinical outcomes in different patient groups with specific medical conditions.** Ritt M, Gassmann KG, Sieber CC. *Zeitschrift fur Gerontologie und Geriatrie*. 2016;49(7):567-72. <http://dx.doi.org/10.1007/s00391-016-1128-8>. Epub 2016 Sep 14.
459. **Management of the oldest old with osteoporosis.** Rizzoli R. *European Geriatric Medicine*. 2010;1(1):15-21.
460. **Refusal of intensive care unit admission due to a full unit: impact on mortality.** Robert R, Reignier J, Tournoux-Facon C, Boulain T, Lesieur O, Gissot V, et al. *Am J Respir Crit Care Med*. 2012;185(10):1081-7. <http://dx.doi.org/10.1164/rccm.201104-0729OC>. Epub 2012 Feb 16.
461. **The Baux score is dead. Long live the Baux score: a 27-year retrospective cohort study of mortality at a regional burns service.** Roberts G, Lloyd M, Parker M, Martin R, Philp B, Shelley O, et al. *The journal of trauma and acute care surgery*. 2012;72(1):251-6. <http://dx.doi.org/10.1097/TA.0b013e31824052bb>.
462. **Redefining geriatric preoperative assessment using frailty, disability and co-morbidity.** Robinson TN, Eiseman B, Wallace JI, Church SD, McFann KK, Pfister SM, et al. *Annals of surgery*. 2009;250(3):449-55. <http://dx.doi.org/10.1097/SLA.0b013e3181b45598>.
463. **Motor subtypes of postoperative delirium in older adults.** Robinson TN, Raeburn CD, Tran ZV, Brenner LA, Moss M. *Archives of surgery (Chicago, Ill : 1960)*. 2011;146(3):295-300. <http://dx.doi.org/10.1001/archsurg.2011.14>.
464. **Accumulated frailty characteristics predict postoperative discharge institutionalization in the geriatric patient.** Robinson TN, Wallace JI, Wu DS, Wiktor A, Pointer LF, Pfister SM, et al. *Journal of the American College of Surgeons*. 2011;213(1):37-42; discussion -4. <http://dx.doi.org/10.1016/j.jamcollsurg.2011.01.056>. Epub 2011 Mar 23.
465. **[Referred medical patients not admitted to the Intensive Care Unit: prevalence, clinical characteristics and prognosis].** Rocco JR, Soares M, Gago Mde F. *Revista Brasileira de terapia intensiva*. 2006;18(2):114-20.
466. **Asking a Better Question: Development and Evaluation of the Need For Trauma Intervention (NFTI) Metric as a Novel Indicator of Major Trauma.** Roden-Foreman JW, Rapier NR, Yelverton L, Foreman ML. *Journal of trauma nursing : the official journal of the Society of Trauma Nurses*. 2017;24(3):150-7. <http://dx.doi.org/10.1097/JTN.000000000000283>.
467. **The use of comprehensive geriatric assessment in older patients before allogeneic hematopoietic**

stem cell transplantation: A cross-sectional study. Rodrigues M, de Souza PMR, de Oliveira Muniz Koch L, Hamerschlag N. *Journal of geriatric oncology*. 2020;11(1):100-6. <http://dx.doi.org/10.1016/j.jgo.2019.05.022>. Epub 2019 Jun 20.

468. **Pre-Frailty Increases the Risk of Adverse Events in Older Patients Undergoing Cardiovascular Surgery.** Rodrigues MK, Marques A, Lobo DML, Umeda IIK, Oliveira MF. *Arquivos brasileiros de cardiologia*. 2017;109(4):299-306. <http://dx.doi.org/10.5935/abc.20170131>. Epub 2017 Sep 4.

469. **[Impact of the premature discharge on hospital mortality after a stay in an intensive care unit].** Rodriguez-Carvajal M, Mora D, Doblaz A, Garcia M, Dominguez P, Trisancho A, et al. *Medicina intensiva*. 2011;35(3):143-9. <http://dx.doi.org/10.1016/j.medin.2011.01.011>. Epub 2011 Mar 17.

470. **The frailty tipping point: Determining which patients are targets for intervention in a burn population.** Romanowski K, Curtis E, Barsun A, Palmieri T, Greenhalgh D, Sen S. *Burns : journal of the International Society for Burn Injuries*. 2019;45(5):1051-6. <http://dx.doi.org/10.1016/j.burns.2018.11.003>. Epub 2019 May 10.

471. **Frailty score on admission predicts outcomes in elderly burn injury.** Romanowski KS, Barsun A, Palmieri TL, Greenhalgh DG, Sen S. *Journal of burn care & research : official publication of the American Burn Association*. 2015;36(1):1-6. <http://dx.doi.org/10.1097/BCR.0000000000000190>.

472. **Frailty is associated with mortality in patients aged 50 years and older.** Romanowski KS, Curtis E, Palmieri TL, Greenhalgh DG, Sen S. *Journal of Burn Care and Research*. 2018;39(5):703-7.

473. **Prolonged mechanical ventilation in Canadian intensive care units: a national survey.** Rose L, Fowler RA, Fan E, Fraser I, Leasa D, Mawdsley C, et al. *J Crit Care*. 2015;30(1):25-31. <http://dx.doi.org/10.1016/j.jcrc.2014.07.023>. Epub 2014 Jul 31.

474. **Growth differentiation factor-15 as a biomarker of strength and recovery in survivors of acute respiratory failure.** Rosenberg BJ, Hirano M, Quinzii CM, Colantuoni E, Needham DM, Lederer DJ, et al. *Thorax*. 2019;74(11):1099-101. <http://dx.doi.org/10.1136/thoraxjnl-2019-213621>. Epub 2019 Sep 18.

475. **Persistent inflammatory, immunosuppressed, catabolic syndrome (PICS): A new phenotype of multiple organ failure.** Rosenthal MD, Moore FA. *Journal of advanced nutritional and human metabolism*. 2015;1(1). <http://dx.doi.org/10.14800/janhm.784>.

476. **Robotic-enhanced coronary surgery in octogenarians.** Roubelakis A, Casselman F, van der Merwe J, Stockman B, Degrieck I, Van Praet F. *Interact Cardiovasc Thorac Surg*. 2017;24(3):384-7. <http://dx.doi.org/10.1093/icvts/ivw369>.

477. **Modified Frailty Index Is an Effective Risk Assessment Tool in Primary Total Knee Arthroplasty.** Runner RP, Bellamy JL, Vu CCL, Erens GA, Schenker ML, Guild GN, 3rd. *The Journal of arthroplasty*. 2017;32(9):S177-s82. <http://dx.doi.org/10.1016/j.arth.2017.03.046>. Epub 2017 Mar 29.

478. **Acute Physiology and Chronic Health Evaluation (APACHE II) score and outcome in the surgical intensive care unit: an analysis of multiple intervention and outcome variables in 1,238 patients.** Rutledge R, Fakhry SM, Rutherford EJ, Muakkassa F, Baker CC, Koruda M, et al. *Critical care medicine*. 1991;19(8):1048-53. <http://dx.doi.org/10.1097/00003246-199108000-00013>.

479. **Functional independence measure for elderly patients undergoing aortic valve replacement.** Ryomoto M, Mitsuno M, Yamamura M, Tanaka H, Fukui S, Kajiyama T, et al. *Gen Thorac Cardiovasc Surg*. 2017;65(1):10-6. <http://dx.doi.org/10.1007/s11748-016-0693-5>. Epub 2016 Aug 2.

480. **Frailty as a predictive factor in geriatric trauma patient outcomes.** Sadarangani T, Squires A. *Journal of Clinical Outcomes Management*. 2014;21(9):396-7.

481. **Prospective Evaluation of Delirium in Geriatric Patients Undergoing Emergency General Surgery.** Saljuqi AT, Hanna K, Asmar S, Tang A, Zeeshan M, Gries L, et al. *Journal of the American College of Surgeons*. 2020. <http://dx.doi.org/10.1016/j.jamcollsurg.2020.01.029>.
482. **Readmissions to Intensive Care: A Prospective Multicenter Study in Australia and New Zealand.** Santamaria JD, Duke GJ, Pilcher DV, Cooper DJ, Moran J, Bellomo R. *Critical care medicine*. 2017;45(2):290-7. <http://dx.doi.org/10.1097/CCM.0000000000002066>.
483. **Impact of the acute cardiac ischemia time-insensitive predictive instrument (ACI-TIPI) on the speed of triage decision making for emergency department patients presenting with chest pain: a controlled clinical trial.** Sarasin FP, Reymond JM, Griffith JL, Beshansky JR, Schifferli JA, Unger PF, et al. *Journal of general internal medicine*. 1994;9(4):187-94. <http://dx.doi.org/10.1007/bf02600122>.
484. **Incidence and predictors of postoperative delirium in the older acute care surgery population: a prospective study.** Saravana-Bawan B, Warkentin LM, Rucker D, Carr F, Churchill TA, Khadaroo RG. *Canadian journal of surgery Journal canadien de chirurgie*. 2019;62(1):33-8. <http://dx.doi.org/10.1503/cjs.016817>.
485. **Predicting mortality and morbidity of geriatric femoral fractures using a modified frailty index and perioperative features: A prospective, multicentre and observational study.** Saricaoğlu F, Aksoy Ş M, Yilmazlar A, Özkan D, Çopuroğlu E, Ünlüsoy EÖ, et al. *Turk Geriatri Dergisi*. 2018;21(2):118-27.
486. **Surgical versus nonsurgical management for type II odontoid fractures in the elderly population: a systematic review.** Sarode DP, Demetriades AK. *Spine Journal*. 2018;18(10):1921-33.
487. **The effect of volunteers' care and support on the health outcomes of older adults in acute care: A systematic scoping review.** Saunders R, Seaman K, Graham R, Christiansen A. *Journal of clinical nursing*. 2019;28(23):4236-49. <http://dx.doi.org/10.1111/jocn.15041>. Epub 2019 Sep 30.
488. **[IC triage in patients with an acutely worsening condition; challenges, considerations and decisions].** Savelkoul C, Klijsma AF, Balk E, Janse A, Tjan DH. *Nederlands tijdschrift voor geneeskunde*. 2016;160:D532.
489. **Non-invasive ventilation for frail elderly patients with acute respiratory failure.** Scheirlinckx K, Vanpee D, Swine C. *Aging (Milan, Italy)*. 2001;13(1):58-61. <http://dx.doi.org/10.1007/bf03351495>.
490. **Muscle oxygenation as an indicator of shock severity in patients with suspected severe sepsis or septic shock.** Schenkman KA, Carlbom DJ, Bulger EM, Ciesielski WA, Fisk DM, Sheehan KL, et al. *PLoS One*. 2017;12(8):e0182351. <http://dx.doi.org/10.1371/journal.pone.0182351>. eCollection 2017.
491. **Trauma and transfusion in the geriatric patient.** Scher CS. *Curr Opin Anaesthesiol*. 2018;31(2):238-42. <http://dx.doi.org/10.1097/ACO.0000000000000556>.
492. **Individualised nutritional support in medical inpatients at nutritional risk: a randomised clinical trial.** Schuetz P, Fehr R, Baechli V, Geiser M, Deiss M, Gomes F, et al. *The Lancet*. 2019;393(10188):2312-21.
493. **Factors that trigger emergency physicians to contact a poison centre: findings from a Swiss study.** Schurter D, Rauber-Luthy C, Jahns M, Haberkern M, Kupferschmidt H, Exadaktylos A, et al. *Postgraduate medical journal*. 2014;90(1061):139-43. <http://dx.doi.org/10.1136/postgradmedj-2013-132242>. Epub 2014 Jan 17.
494. **Severe morbidity among hospitalised adults with acute influenza and other respiratory infections: 2014-2015 and 2015-2016.** Segaloff HE, Petrie JG, Malosh RE, Cheng CK, McSpadden EJ, Ferdinands JM, et al. *Epidemiology and infection*. 2018;146(11):1350-8. <http://dx.doi.org/10.1017/S0950268818001486>. Epub 2018 Jun 8.
495. **Elderly patients in ICU.** Seguin P, Arnouat M, Launey Y. *Anesthesie et Reanimation*. 2019;5(6):510-20.

496. **Use of the acute cardiac ischemia time-insensitive predictive instrument (ACI-TIPI) to assist with triage of patients with chest pain or other symptoms suggestive of acute cardiac ischemia. A multicenter, controlled clinical trial.** Selker HP, Beshansky JR, Griffith JL, Aufderheide TP, Ballin DS, Bernard SA, et al. *Annals of internal medicine*. 1998;129(11):845-55. http://dx.doi.org/10.7326/0003-4819-129-11_part_1-199812010-00002.
497. **[Oncologic visceral surgery in the elderly].** Senninger N, Anthoni C. *Der Chirurg; Zeitschrift für alle Gebiete der operativen Medizin*. 2005;76(1):43-6. <http://dx.doi.org/10.1007/s00104-004-0975-9>.
498. **County-Level Effects of Prehospital Regionalization of Critically Ill Patients: A Simulation Study.** Seymour CW, Alotaik O, Wallace DJ, Elhabashy AE, Chhatwal J, Rea TD, et al. *Critical care medicine*. 2015;43(9):1807-15. <http://dx.doi.org/10.1097/CCM.0000000000001133>.
499. **Important drug-drug interactions in the elderly.** Seymour RM, Routledge PA. *Drugs and Aging*. 1998;12(6):485-94.
500. **The clinical utility of computed tomographic scanning and neurologic examination in the management of patients with minor head injuries.** Shackford SR, Wald SL, Ross SE, Cogbill TH, Hoyt DB, Morris JA, et al. *The Journal of trauma*. 1992;33(3):385-94. <http://dx.doi.org/10.1097/00005373-199209000-00009>.
501. **Role of Frailty Scoring in the Assessment of Perioperative Mortality in Surgical Management of Tuberculous Spondylodiscitis in the Elderly.** Shah K, Kothari M, Nene A. *Global Spine Journal*. 2018;8(7):698-702.
502. **The association of abdominal muscle with outcomes after scheduled abdominal aortic aneurysm repair.** Shah N, Abeyundara L, Dutta P, Christodoulidou M, Wylie S, Richards T, et al. *Anaesthesia*. 2017;72(9):1107-11.
503. **Development and Evaluation of a New Frailty Index for Older Surgical Patients With Cancer.** Shahrokni A, Tin A, Alexander K, Sarraf S, Afonso A, Filippova O, et al. *JAMA network open*. 2019;2(5):e193545. <http://dx.doi.org/10.1001/jamanetworkopen.2019.3545>.
504. **Heart failure pharmacotherapy and supports in the elderly - A short review.** Shakib S, Clark RA. *Current Cardiology Reviews*. 2016;12(3):180-5.
505. **Predictors of In-Hospital Mortality After Rapid Response Team Calls in a 274 Hospital Nationwide Sample.** Shappell C, Snyder A, Edelson DP, Churpek MM. *Critical care medicine*. 2018;46(7):1041-8. <http://dx.doi.org/10.1097/CCM.0000000000002926>.
506. **Assessing frailty in the intensive care unit: A reliability and validity study.** Shears M, Takaoka A, Rochweg B, Bagshaw SM, Johnstone J, Holding A, et al. *J Crit Care*. 2018;45:197-203. <http://dx.doi.org/10.1016/j.jcrc.2018.02.004>. Epub 2018 Feb 8.
507. **Trauma Providers' Perceptions of Frailty Assessment: A Mixed-Methods Analysis of Knowledge, Attitudes, and Beliefs.** Shoultz TH, Moore M, Reed MJ, Kaplan SJ, Bentov I, Hough C, et al. *Southern medical journal*. 2019;112(3):159-63. <http://dx.doi.org/10.14423/SMJ.0000000000000948>.
508. **Triage decisions and outcomes for patients with Triage Priority 3 on the Society of Critical Care Medicine scale.** Shum HP, Chan KC, Lau CW, Leung AK, Chan KW, Yan WW. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine*. 2010;12(1):42-9.
509. **Frailty as a predictor of short- and long-term mortality in critically ill older medical patients.** Silva-Obregón JA, Quintana-Díaz M, Saboya-Sánchez S, Marian-Crespo C, Romera-Ortega MÁ, Chamorro-Jambrina C, et al. *Journal of Critical Care*. 2020;55:79-85.

510. **Frailty in Pulmonary and Critical Care Medicine.** Singer JP, Lederer DJ, Baldwin MR. *Annals of the American Thoracic Society*. 2016;13(8):1394-404. <http://dx.doi.org/10.1513/AnnalsATS.201512-833FR>.
511. **TISS and mortality after discharge from intensive care.** Smith L, Orts CM, O'Neil I, Batchelor AM, Gascoigne AD, Baudouin SV. *Intensive Care Med*. 1999;25(10):1061-5. <http://dx.doi.org/10.1007/s001340051012>.
512. **Frailty is associated with reduced prospect of discharge home after in-hospital cardiac arrest.** Smith RJ, Reid DA, Santamaria JD. *Internal Medicine Journal*. 2019;49(8):978-85.
513. **Prognostic judgments and triage decisions for patients with acute congestive heart failure.** Smith WR, Poses RM, McClish DK, Huber EC, Clemo FL, Alexander D, et al. *Chest*. 2002;121(5):1610-7. <http://dx.doi.org/10.1378/chest.121.5.1610>.
514. **Applicability of prediction rules in patients with community-acquired pneumonia requiring intensive care: a pilot study.** Smyrniotis NA, Schaefer OP, Collins RM, Madison JM. *Journal of intensive care medicine*. 2005;20(4):226-32. <http://dx.doi.org/10.1177/0885066605277248>.
515. **The association of clinical frailty with outcomes of patients reviewed by rapid response teams: an international prospective observational cohort study.** So RKL, Bannard-Smith J, Subbe CP, Jones DA, van Rosmalen J, Lighthall GK. *Crit Care*. 2018;22(1):227. <http://dx.doi.org/10.1186/s13054-018-2136-4>.
516. **Prognosis of lung cancer patients with life-threatening complications.** Soares M, Darmon M, Salluh JIF, Ferreira CG, Thiery G, Schlemmer B, et al. *Chest*. 2007;131(3):840-6. <http://dx.doi.org/10.1378/chest.06-2244>.
517. **The surgical Apgar score is strongly associated with intensive care unit admission after high-risk intraabdominal surgery.** Sobol JB, Gershengorn HB, Wunsch H, Li G. *Anesthesia and analgesia*. 2013;117(2):438-46. <http://dx.doi.org/10.1213/ANE.0b013e31829180b7>. Epub 2013 Jun 6.
518. **End-stage renal disease status and critical illness in the elderly.** Sood MM, Roberts D, Komenda P, Buetti J, Reslerova M, Mojica J, et al. *Clinical journal of the American Society of Nephrology : CJASN*. 2011;6(3):613-9. <http://dx.doi.org/10.2215/CJN.01160210>. Epub 2010 Dec 2.
519. **Developing and validating a risk prediction model for acute care based on frailty syndromes.** Soong J, Poots AJ, Scott S, Donald K, Bell D. *BMJ Open*. 2015;5(10):e008457. <http://dx.doi.org/10.1136/bmjopen-2015-008457>.
520. **Finding consensus on frailty assessment in acute care through Delphi method.** Soong JT, Poots AJ, Bell D. *BMJ Open*. 2016;6(10):e012904. <http://dx.doi.org/10.1136/bmjopen-2016-012904>.
521. **A validation of machine learning-based risk scores in the prehospital setting.** Spangler D, Hermansson T, Smekal D, Blomberg H. *PLoS One*. 2019;14(12):e0226518. <http://dx.doi.org/10.1371/journal.pone.0226518>. eCollection 2019.
522. **The Eldicus prospective, observational study of triage decision making in European intensive care units. Part II: intensive care benefit for the elderly.** Sprung CL, Artigas A, Kesecioglu J, Pezzi A, Wiis J, Pirracchio R, et al. *Critical care medicine*. 2012;40(1):132-8. <http://dx.doi.org/10.1097/CCM.0b013e318232d6b0>.
523. **The Eldicus prospective, observational study of triage decision making in European intensive care units: part I--European Intensive Care Admission Triage Scores.** Sprung CL, Baras M, Iapichino G, Kesecioglu J, Lippert A, Hargreaves C, et al. *Critical care medicine*. 2012;40(1):125-31. <http://dx.doi.org/10.1097/CCM.0b013e31822e5692>.
524. **Evaluation of triage decisions for intensive care admission.** Sprung CL, Geber D, Eidelman LA, Baras M, Pizov R, Nimrod A, et al. *Critical care medicine*. 1999;27(6):1073-9. <http://dx.doi.org/10.1097/00003246-199906000-00021>.

525. **Asenapine, iloperidone and lurasidone exposures in young children reported to U.S. poison centers.** Stassinis G, Klein-Schwartz W. *Clinical toxicology* (Philadelphia, Pa). 2018;56(5):355-9. <http://dx.doi.org/10.1080/15563650.2017.1388385>. Epub 2017 Oct 10.
526. **Sleep disturbance in older ICU patients.** Sterniczuk R, Rusak B, Rockwood K. *Clinical interventions in aging*. 2014;9:969-77. <http://dx.doi.org/10.2147/CIA.S59927>. eCollection 2014.
527. **Factors influencing weaning older adults from mechanical ventilation: An integrative review.** Stieff KV, Lim F, Chen L. *Critical Care Nursing Quarterly*. 2017;40(2):165-77.
528. **Characteristics of neonatal intensive care unit patients in North Carolina: a cross-sectional survey.** Stiles AD, Metzguer K, O'Hale A, Cefalo RC. *Pediatrics*. 1991;87(6):904-8.
529. **Correlated measures in longitudinal analysis of daily drug use patterns in a general intensive care unit.** Stolker JJ, Heerdink ER, Zitman FG, Leufkens HG. *Pharmacoepidemiology and drug safety*. 2004;13(6):395-8. <http://dx.doi.org/10.1002/pds.948>.
530. **Hospital out-lying through lack of beds and its impact on care and patient outcome.** Stowell A, Claret PG, Sebbane M, Bobbia X, Boyard C, Genre Grandpierre R, et al. *Scandinavian journal of trauma, resuscitation and emergency medicine*. 2013;21:17. <http://dx.doi.org/10.1186/1757-7241-21-17>.
531. **Rationing of intensive care unit services. An everyday occurrence.** Strauss MJ, LoGerfo JP, Yeltatzie JA, Temkin N, Hudson LD. *Jama*. 1986;255(9):1143-6.
532. **Effect of Boarding on Mortality in ICUs.** Stretch R, Della Penna N, Celi LA, Landon BE. *Critical care medicine*. 2018;46(4):525-31. <http://dx.doi.org/10.1097/CCM.0000000000002905>.
533. **Impact of consultant specialty on discharge decisions in patients admitted as medical emergencies to hospitals in the United Kingdom.** Subbe CP, Jeune IL, Ward D, Pradhan S, Masterton-Smith C. *Qjm*. 2017;110(2):97-102. <http://dx.doi.org/10.1093/qjmed/hcw173>.
534. **Patients with severe traumatic brain injury transferred to a Level I or II trauma center: United States, 2007 to 2009.** Sugerman DE, Xu L, Pearson WS, Faul M. *The journal of trauma and acute care surgery*. 2012;73(6):1491-9. <http://dx.doi.org/10.1097/TA.0b013e3182782675>.
535. **Impact of hypoalbuminemia, frailty, and body mass index on early prognosis in older patients (≥85 years) with ST-elevation myocardial infarction.** Sujino Y, Tanno J, Nakano S, Funada S, Hosoi Y, Senbonmatsu T, et al. *Journal of Cardiology*. 2015;66(3):263-8.
536. **Age-specific prognostication after out-of-hospital cardiac arrest – The ethical dilemma between 'life-sustaining treatment' and 'the right to die' in the elderly.** Sulzgruber P, Sterz F, Poppe M, Schober A, Lobmeyr E, Datler P, et al. *European Heart Journal: Acute Cardiovascular Care*. 2017;6(2):112-20.
537. **Applying the Systolic Blood Pressure Intervention Trial Results to Older Adults.** Supiano MA, Williamson JD. *Journal of the American Geriatrics Society*. 2017;65(1):16-21.
538. **Radiographic Sarcopenia and Self-reported Exhaustion Independently Predict NSQIP Serious Complications After Pancreaticoduodenectomy in Older Adults.** Sur MD, Namm JP, Hemmerich JA, Buschmann MM, Roggin KK, Dale W. *Annals of surgical oncology*. 2015;22(12):3897-904. <http://dx.doi.org/10.1245/s10434-015-4763-1>. Epub 2015 Aug 5.
539. **Classic cases revisited: Mr Miura and the delusion of immortality.** Szawarski P. *Journal of the Intensive Care Society*. 2018;19(3):269-73.

540. **Cost containment: the Pacific. Japan.** Tajimi K, Shimada Y, Nishimura S, Sirio CA. *New horizons* (Baltimore, Md). 1994;2(3):404-12.
541. **Simple triage scoring system predicting death and the need for critical care resources for use during epidemics.** Talmor D, Jones AE, Rubinson L, Howell MD, Shapiro NI. *Critical care medicine*. 2007;35(5):1251-6. <http://dx.doi.org/10.1097/01.CCM.0000262385.95721.CC>.
542. **Field triage of trauma patients: improving on the Prehospital Index.** Tamim H, Joseph L, Mulder D, Battista RN, Lavoie A, Sampalis JS. *The American journal of emergency medicine*. 2002;20(3):170-6. <http://dx.doi.org/10.1053/ajem.2002.32646>.
543. **Risks of testosterone replacement therapy in ageing men.** Tan RS, Salazar JA. *Expert Opinion on Drug Safety*. 2004;3(6):599-606.
544. **The intensive care unit: How to make this unfriendly environment geriatric-friendly.** Tardini F, Pinciroli R, Berra L. *European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology*. 2020;46(3):379-82. <http://dx.doi.org/10.1016/j.ejso.2019.12.022>. Epub 2020 Jan 8.
545. **Hospital mortality in relation to staff workload: a 4-year study in an adult intensive-care unit.** Tarnow-Mordi WO, Hau C, Warden A, Shearer AJ. *Lancet*. 2000;356(9225):185-9. [http://dx.doi.org/10.1016/s0140-6736\(00\)02478-8](http://dx.doi.org/10.1016/s0140-6736(00)02478-8).
546. **Frailty Predicts Morbidity after Colectomy for Ulcerative Colitis.** Telemi E, Trofymenko O, Venkat R, Pandit V, Pandian TK, Nfonsam VN. *The American surgeon*. 2018;84(2):225-9.
547. **The cost of cytoreductive surgery and perioperative intraperitoneal chemotherapy in the treatment of peritoneal malignancy in one Greek institute.** Tentes AA, Pallas N, Korakianitis O, Mavroudis C, Spiridonidou A, Zorbas G, et al. *Journal of BUON : official journal of the Balkan Union of Oncology*. 2012;17(4):776-80.
548. **Influence of Blood Pressure and Other Clinical Variables on Long-Term Mortality in a Cohort of Elderly Subjects with Type 2 Diabetes.** Tessier DM, Meneilly GS, Moleski L, Trottier L, Lanthier L. *Canadian Journal of Diabetes*. 2016;40(1):12-6.
549. **Implications of multiple complications on the postoperative recovery of general surgery patients.** Tevis SE, Cobian AG, Truong HP, Craven MW, Kennedy GD. *Annals of Surgery*. 2016;263(6):1213-8.
550. **The Impact of Postoperative Intensive Care Unit Admission on Postoperative Hospital Length of Stay and Costs: A Prespecified Propensity-Matched Cohort Study.** Thevathasan T, Copeland CC, Long DR, Patrocinio MD, Friedrich S, Grabitz SD, et al. *Anesthesia and analgesia*. 2019;129(3):753-61. <http://dx.doi.org/10.1213/ANE.0000000000003946>.
551. **[Prognostic indices for older adults during the year following hospitalization in an acute medical ward: An update].** Thomazeau J, Huo Yung Kai S, Rolland Y, Sourdret S, Saffon N, Nourhashemi F. *Presse medicale* (Paris, France : 1983). 2017;46(4):360-73. <http://dx.doi.org/10.1016/j.lpm.2016.09.026>. Epub 2017 Mar 18.
552. **Should all patients 75 years of age or older receive intensive management for hypertension?** Thompson A, Barry AR. *Canadian Journal of Hospital Pharmacy*. 2019;72(3):249-52.
553. **Adverse events in a paediatric intensive care unit: relationship to workload, skill mix and staff supervision.** Tibby SM, Correa-West J, Durward A, Ferguson L, Murdoch IA. *Intensive Care Med*. 2004;30(6):1160-6. <http://dx.doi.org/10.1007/s00134-004-2256-y>. Epub 2004 Apr 6.

554. **The Geriatric Patient: The Ideal One for Chest Ultrasonography? A Review From the Chest Ultrasound in the Elderly Study Group (GRETA) of the Italian Society of Gerontology and Geriatrics (SIGG).** Ticinesi A, Scarlata S, Nouvenne A, Lauretani F, Incalzi RA, Ungar A. *Journal of the American Medical Directors Association*. 2020;21(4):447-54.e6. <http://dx.doi.org/10.1016/j.jamda.2019.06.018>. Epub 2019 Aug 6.
555. **Frailty in Patients With Trauma Who Are Critically Ill: A Prospective Observational Study to Determine Feasibility, Concordance, and Construct and Predictive Validity of 2 Frailty Measures.** Tipping CJ, Hodgson CL, Harrold M, Chan T, Holland AE. *Physical therapy*. 2019;99(8):1089-97. <http://dx.doi.org/10.1093/ptj/pzz057>.
556. **In-hospital cardiac arrest after a rapid response team review: A matched case-control study.** Tirkkonen J, Huhtala H, Hoppu S. *Resuscitation*. 2018;126:98-103. <http://dx.doi.org/10.1016/j.resuscitation.2018.03.007>. Epub 2018 Mar 6.
557. **Studies to reduce unnecessary medication use in frail older adults: a systematic review.** Tjia J, Velten SJ, Parsons C, Valluri S, Briesacher BA. *Drugs & aging*. 2013;30(5):285-307. <http://dx.doi.org/10.1007/s40266-013-0064-1>.
558. **Decisions for and against resuscitation in an acute geriatric medicine unit serving the frail elderly.** Torian LV, Davidson EJ, Fillit HM, Fulop G, Sell LL. *Arch Intern Med*. 1992;152(3):561-5.
559. **Emergency surgery in the elderly: Challenges and solutions.** Torrance ADW, Powell SL, Griffiths EA. *Open Access Emergency Medicine*. 2015;7:55-68.
560. **Outcome prediction with physiological and operative severity score for the enumeration of mortality and morbidity score system in elderly patients submitted to elective surgery.** Torres Lima DF, Cristelo D, Reis P, Abelha F, Mourão J. *Saudi Journal of Anaesthesia*. 2019;13(1):46-51.
561. **Cost-effectiveness of a coronary care unit versus an intermediate care unit for emergency department patients with chest pain.** Tosteson AN, Goldman L, Udvarhelyi IS, Lee TH. *Circulation*. 1996;94(2):143-50. <http://dx.doi.org/10.1161/01.cir.94.2.143>.
562. **New Five-Factor Modified Frailty Index Predicts Morbidity and Mortality in Geriatric Hip Fractures.** Traven SA, Reeves RA, Althoff AD, Slone HS, Walton ZJ. *Journal of Orthopaedic Trauma*. 2019;33(7):319-23.
563. **The acute-aged care interface: exploring the dynamics of 'bed blocking'.** Travers CM, McDonnell GD, Broe GA, Anderson P, Karmel R, Duckett SJ, et al. *Australasian journal on ageing*. 2008;27(3):116-20. <http://dx.doi.org/10.1111/j.1741-6612.2008.00310.x>.
564. **A modified frailty index to assess morbidity and mortality after lobectomy.** Tsiouris A, Hammoud ZT, Velanovich V, Hodari A, Borgi J, Rubinfeld I. *Journal of Surgical Research*. 2013;183(1):40-6.
565. **Epidemiological aspects of P-fimbriated E. coli. II. Variations in incidence of E. coli infections in children attending a neonatal ward.** Tullus K, Sjoberg P. *Acta paediatrica Scandinavica*. 1986;75(2):205-10. <http://dx.doi.org/10.1111/j.1651-2227.1986.tb10185.x>.
566. **Freedom from recurrent ventricular tachycardia after catheter ablation is associated with improved survival in patients with structural heart disease: An International VT Ablation Center Collaborative Group study.** Tung R, Vaseghi M, Frankel DS, Vergara P, Di Biase L, Nagashima K, et al. *Heart Rhythm*. 2015;12(9):1997-2007.
567. **Changes in the Provision of Family Care to Frail Older People in Familistic Welfare States: Lessons From Israel and Italy.** Tur-Sinai A, Casanova G, Lamura G. *Journal of aging and health*. 2019;898264319872114. <http://dx.doi.org/10.1177/0898264319872114>.
568. **Relationship between community walking ability and in-hospital mortality in elderly patients with sepsis: a single-center retrospective cohort study.** Ueno R, Shiraishi A, Yamamoto R, Kobara S, Hayashi Y. *Journal of*

intensive care. 2019;7:33. <http://dx.doi.org/10.1186/s40560-019-0385-1>. eCollection 2019.

569. **High and low estimated glomerular filtration rates are associated with adverse outcomes in patients undergoing surgery for gastrointestinal malignancies.** Ui T, Obi Y, Shimomura A, Lefor AK, Alizadeh RF, Said H, et al. *Nephrology Dialysis Transplantation*. 2019;34(5):810-8.

570. **Is malnutrition associated with postoperative complications after cardiac surgery?** Unosawa S, Taoka M, Osaka S, Yuji D, Kitazumi Y, Suzuki K, et al. *Journal of cardiac surgery*. 2019;34(10):908-12. <http://dx.doi.org/10.1111/jocs.14155>. Epub 2019 Jul 3.

571. **Effects of home telemonitoring on transitions between frailty states and death for older adults: A randomized controlled trial.** Upatising B, Hanson GJ, Kim YL, Cha SS, Yih Y, Takahashi PY. *International Journal of General Medicine*. 2013;6:145-51.

572. **Frailty index predicts severe complications in gynecologic oncology patients.** Uppal S, Igwe E, Rice LW, Spencer RJ, Rose SL. *Gynecologic oncology*. 2015;137(1):98-101. <http://dx.doi.org/10.1016/j.ygyno.2015.01.532>. Epub 2015 Jan 17.

573. **Caring for critically ill patients outside intensive care units due to full units: a cohort study.** Urizzi F, Tanita MT, Festti J, Cardoso LTQ, Matsuo T, Grion CMC. *Clinics (Sao Paulo, Brazil)*. 2017;72(9):568-74. [http://dx.doi.org/10.6061/clinics/2017\(09\)08](http://dx.doi.org/10.6061/clinics/2017(09)08).

574. **Home return following invasive mechanical ventilation for the oldest-old patients in medical intensive care units from two US hospitals.** Va P, Rali P, Kota H, Keenan V, Mujtaba S, Naing W, et al. *Lung India : official organ of Indian Chest Society*. 2018;35(6):461-6. http://dx.doi.org/10.4103/lungindia.lungindia_76_18.

575. **Elderly patients and intensive care: Systematic review and geriatrician's point of view.** Vallet H, Riou B, Boddart J. *Journal Europeen des Urgences et de Reanimation*. 2017;29(4):305-12.

576. **Clinical parameters that predict the need for medium or intensive care admission in intentional drug overdose patients: A retrospective cohort study.** van den Oever HLA, van Dam M, van 't Riet E, Jansman FGA. *J Crit Care*. 2017;37:156-61. <http://dx.doi.org/10.1016/j.jcrc.2016.09.020>. Epub 2016 Sep 28.

577. **Preoperative risk analysis index for frailty predicts short-term outcomes after hepatopancreatobiliary surgery.** van der Windt DJ, Bou-Samra P, Dadashzadeh ER, Chen X, Varley PR, Tsung A. *HPB : the official journal of the International Hepato Pancreato Biliary Association*. 2018;20(12):1181-8. <http://dx.doi.org/10.1016/j.hpb.2018.05.016>. Epub 2018 Jul 10.

578. **Outcome after cholecystectomy in the elderly.** van Heesewijk AE, Lammerts RGM, Haveman JW, Meerdink M, van Leeuwen BL, Pol RA. *American journal of surgery*. 2019;218(2):368-73. <http://dx.doi.org/10.1016/j.amjsurg.2018.12.018>. Epub 2018 Dec 15.

579. **Frail elderly women following traffic accident: a specific approach to the trauma care chain.** van Meurs M, Peters-Polman OM, Regtien JG, Valk JP, Nieboer P, Slaets JP, et al. *Nederlands tijdschrift voor geneeskunde*. 2009;153:B431.

580. **Outcomes of patients considered for, but not admitted to, the intensive care unit.** Vanhecke TE, Gandhi M, McCullough PA, Lazar MH, Ravikrishnan KP, Kadaj P, et al. *Critical care medicine*. 2008;36(3):812-7. <http://dx.doi.org/10.1097/CCM.0B013E318165FAC7>.

581. **Frailty and impaired cardiac autonomic control: New insights from principal components aggregation of traditional heart rate variability indices.** Varadhan R, Chaves PHM, Lipsitz LA, Stein PK, Tian J, Windham BG, et al. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*. 2009;64(6):682-7.

582. **Caring for critically ill oldest old patients: a clinical review.** Vargas N, Tibullo L, Landi E, Carifi G, Pirone A, Pippo A, et al. *Aging clinical and experimental research*. 2017;29(5):833-45. <http://dx.doi.org/10.1007/s40520-016-0638-y>. Epub 2016 Oct 19.
583. **Restricted weekend service inappropriately delays discharge after acute myocardial infarction.** Varnava AM, Sedgwick JE, Deaner A, Ranjadayalan K, Timmis AD. *Heart*. 2002;87(3):216-9. <http://dx.doi.org/10.1136/heart.87.3.216>.
584. **Frailty Predicts Morbidity and Mortality after Colectomy for Clostridium difficile Colitis.** Venkat R, Pandit V, Telemi E, Trofymenko O, Pandian TK, Nfonsam VN. *The American surgeon*. 2018;84(5):628-32.
585. **Is patient length of stay associated with intensive care unit characteristics?** Verburg IWM, Holman R, Dongelmans D, de Jonge E, de Keizer NF. *J Crit Care*. 2018;43:114-21. <http://dx.doi.org/10.1016/j.jcrc.2017.08.014>. Epub 2017 Aug 10.
586. **Enteral tube feeding and mortality in hospitalized older patients: A multicenter longitudinal study.** Veronese N, Cella A, Cruz-Jentoft AJ, Polidori MC, Mattace-Raso F, Paccalin M, et al. *Clinical Nutrition*. 2019.
587. **ESPEN Guidelines on Enteral Nutrition: Geriatrics.** Volkert D, Berner YN, Berry E, Cederholm T, Coti Bertrand P, Milne A, et al. *Clinical Nutrition*. 2006;25(2):330-60.
588. **DGEM and DGG guidelines enteral nutrition: Enteral nutrition (oral liquid supplements and tube feeding) in geriatric patients and geriatric-neurologic rehabilitation.** Volkert D, Lenzen-Croßimlinghaus R, Krys U, Pirlich M, Herbst B, Schütz T, et al. *Aktuelle Ernährungsmedizin*. 2004;29(4):198-225.
589. **Enteral nutrition (oral liquid supplements and tube feeding) in geriatric patients and geriatric-neurologic rehabilitation: DGEM and DGG Guideline Enteral Nutrition.** Volkert D, Lenzen-Großimlinghaus R, Krys U, Pirlich M, Herbst B, Schütz T, et al. *Ernahrungs Umschau*. 2004;51(11):446-54+38.
590. **Quality of End-of-Life Care Provided to Patients With Different Serious Illnesses.** Wachterman MW, Pilver C, Smith D, Ersek M, Lipsitz SR, Keating NL. *JAMA Intern Med*. 2016;176(8):1095-102. <http://dx.doi.org/10.1001/jamainternmed.2016.1200>.
591. **Evaluation of a hospitalist-run acute care for the elderly service.** Wald HL, Glasheen JJ, Guerrasio J, Youngwerth JM, Cumbler EU. *Journal of hospital medicine*. 2011;6(6):313-21. <http://dx.doi.org/10.1002/jhm.906>.
592. **Critical care bed growth in the United States. A comparison of regional and national trends.** Wallace DJ, Angus DC, Seymour CW, Barnato AE, Kahn JM. *Am J Respir Crit Care Med*. 2015;191(4):410-6. <http://dx.doi.org/10.1164/rccm.201409-1746OC>.
593. **Teen trauma without the drama: outcomes of adolescents treated at Ohio adult versus pediatric trauma centers.** Walther AE, Pritts TA, Falcone RA, Hanseman DJ, Robinson BR. *The journal of trauma and acute care surgery*. 2014;77(1):109-16; discussion 16. <http://dx.doi.org/10.1097/TA.0000000000000277>.
594. **The impact of frailty on acute care general surgery patients: A systematic review.** Ward MAR, Alenazi A, Delisle M, Logsetty S. *Journal of Trauma and Acute Care Surgery*. 2019;86(1):148-54.
595. **The Modified 5-Item Frailty Index: A Concise and Useful Tool for Assessing the Impact of Frailty on Postoperative Morbidity Following Elective Posterior Lumbar Fusions.** Weaver DJ, Malik AT, Jain N, Yu E, Kim J, Khan SN. *World Neurosurgery*. 2019;124:e626-e32.
596. **Critical care services and 2009 H1N1 influenza in Australia and New Zealand.** Webb SA, Pettila V, Seppelt I, Bellomo R, Bailey M, Cooper DJ, et al. *The New England journal of medicine*. 2009;361(20):1925-34. <http://dx.doi.org/10.1056/NEJMoa0908481>. Epub 2009 Oct 8.

597. **Early "step-down" transfer of low-risk patients with chest pain. A controlled interventional trial.** Weingarten S, Ermann B, Bolus R, Riedinger MS, Rubin H, Green A, et al. *Annals of internal medicine*. 1990;113(4):283-9. <http://dx.doi.org/10.7326/0003-4819-113-4-283>.
598. **Selecting the best triage rule for patients hospitalized with chest pain.** Weingarten SR, Ermann B, Riedinger MS, Shah PK, Ellrodt AG. *The American journal of medicine*. 1989;87(5):494-500. [http://dx.doi.org/10.1016/s0002-9343\(89\)80603-5](http://dx.doi.org/10.1016/s0002-9343(89)80603-5).
599. **Triage practice guideline for patients hospitalized with congestive heart failure: improving the effectiveness of the coronary care unit.** Weingarten SR, Riedinger MS, Shinbane J, Siegel R, Conner L, Prechtel K, et al. *The American journal of medicine*. 1993;94(5):483-90. [http://dx.doi.org/10.1016/0002-9343\(93\)90082-Z](http://dx.doi.org/10.1016/0002-9343(93)90082-Z).
600. **Delirium is prevalent in older hospital inpatients and associated with adverse outcomes: Results of a prospective multi-centre study on World Delirium Awareness Day.** Welch C, McCluskey L, Wilson D, Chapman GE, Jackson TA, Tremblay J, et al. *BMC Medicine*. 2019;17(1).
601. **Predicting mortality and hospitalization of older adults by the multimorbidity frailty index.** Wen YC, Chen LK, Hsiao FY. *PLoS One*. 2017;12(11):e0187825. <http://dx.doi.org/10.1371/journal.pone.0187825>. eCollection 2017.
602. **Aetiology, diagnosis, treatment and prognosis of acute renal failure in an intensive care unit.** Werb R, Linton AL. *Resuscitation*. 1979;7(2):95-100. [http://dx.doi.org/10.1016/0300-9572\(79\)90003-0](http://dx.doi.org/10.1016/0300-9572(79)90003-0).
603. **Utility of clinical decision rule for intensive care unit admission in patients with traumatic intracranial hemorrhage.** Whitehurst BD, Reyes J, Helmer SD, Haan JM. *American journal of surgery*. 2017;214(1):14-8. <http://dx.doi.org/10.1016/j.amjsurg.2016.09.057>. Epub 2016 Oct 8.
604. **Center differences in NEC within one health-care system may depend on feeding protocol.** Wiedmeier SE, Henry E, Baer VL, Stoddard RA, Eggert LD, Lambert DK, et al. *American journal of perinatology*. 2008;25(1):5-11. <http://dx.doi.org/10.1055/s-2007-995220>. Epub 2007 Nov 16.
605. **Preoperative anxiety as a predictor of mortality and major morbidity in patients aged >70 years undergoing cardiac surgery.** Williams JB, Alexander KP, Morin JF, Langlois Y, Noiseux N, Perrault LP, et al. *American Journal of Cardiology*. 2013;111(1):137-42.
606. **Resuscitation and post resuscitation care of the very old after out-of-hospital cardiac arrest is worthwhile.** Winther-Jensen M, Kjaergaard J, Hassager C, Bro-Jeppesen J, Nielsen N, Lippert FK, et al. *International Journal of Cardiology*. 2015;201:616-23.
607. **Multilevel competing risk models to evaluate the risk of nosocomial infection.** Wolkewitz M, Cooper BS, Palomar-Martinez M, Alvarez-Lerma F, Olaechea-Astigarraga P, Barnett AG, et al. *Crit Care*. 2014;18(2):R64. <http://dx.doi.org/10.1186/cc13821>.
608. **Frailty assessment: Clinical application in the hospital setting.** Wong CW. *Hong Kong Medical Journal*. 2018;24(6):623-8.
609. **Not All Falls Are Equal: Risk Factors for Unplanned Readmission in Older Patients After Moderate and Severe Injury—A National Cohort Study.** Wong TH, Wong YJ, Lau ZY, Nadkarni N, Lim GH, Seow DCC, et al. *Journal of the American Medical Directors Association*. 2019;20(2):201-7.e3.
610. **Pretransplantation assessments and symptom profiles: Predicting transplantation-related toxicity and improving patient-centered outcomes.** Wood WA, Abernethy AP, Giralt SA. *Biology of Blood and Marrow Transplantation*. 2012;18(4):497-504.

611. **ICU occupancy and mechanical ventilator use in the United States.** Wunsch H, Wagner J, Herlim M, Chong DH, Kramer AA, Halpern SD. *Critical care medicine*. 2013;41(12):2712-9. <http://dx.doi.org/10.1097/CCM.0b013e318298a139>.
612. **Prognostic Value of Hypoalbuminemia After Transcatheter Aortic Valve Implantation (from the Japanese Multicenter OCEAN-TAVI Registry).** Yamamoto M, Shimura T, Kano S, Kagase A, Kodama A, Sago M, et al. *The American journal of cardiology*. 2017;119(5):770-7. <http://dx.doi.org/10.1016/j.amjcard.2016.11.019>. Epub 2016 Dec 2.
613. **Frailty in ovarian cancer identified the need for increased postoperative care requirements following cytoreductive surgery.** Yao T, DeJong SR, McGree ME, Weaver AL, Cliby WA, Kumar A. *Gynecologic oncology*. 2019;153(1):68-73. <http://dx.doi.org/10.1016/j.ygyno.2018.12.025>. Epub 2019 Jan 3.
614. **Death among elderly patients in the emergency department: A needs assessment for end-of-life care.** Yash Pal R, Kuan WS, Koh Y, Venugopal K, Ibrahim I. *Singapore Medical Journal*. 2017;58(3):129-33.
615. **Into the night: Factors affecting response to abnormal Early Warning Scores out-of-hours and implications for service improvement.** Yiu CJ, Khan SU, Subbe CP, Tofeek K, Madge RA. *Acute Medicine*. 2014;13(2):56-60.
616. **Influence of preadmission frailty on short- And mid-term prognoses in octogenarians with ST-elevation myocardial infarction.** Yoshioka N, Takagi K, Morishima I, Morita Y, Uemura Y, Inoue Y, et al. *Circulation Journal*. 2019;84(1):109-18.
617. **Intensive care triage in Australia and New Zealand.** Young PJ, Arnold R. *The New Zealand medical journal*. 2010;123(1316):33-46.
618. **Can we make an early 'do not resuscitate' decision in severe burn patients?** Yuze Y, Acar HA, Erkal KH, Tuncay E. *Ulusal travma ve acil cerrahi dergisi = Turkish journal of trauma & emergency surgery : TJTES*. 2017;23(2):139-43. <http://dx.doi.org/10.5505/tjtes.2016.71508>.
619. **Morphometrics as a predictor of perioperative morbidity after lumbar spine surgery.** Zakaria HM, Schultz L, Mossa-Basha F, Griffith B, Chang V. *Neurosurgical focus*. 2015;39(4):E5. <http://dx.doi.org/10.3171/2015.7.FOCUS15257>.
620. **Frailty indices as a predictor of postoperative outcomes: A systematic review protocol.** Zalan J, Wilson R, McMullen M, Ross-White A. *JBI Database of Systematic Reviews and Implementation Reports*. 2015;13(8):30-40.
621. **Association of frailty with short-term outcomes, organ support and resource use in critically ill patients.** Zampieri FG, Iwashyna TJ, Viglianti EM, Taniguchi LU, Viana WN, Costa R, et al. *Intensive Care Med*. 2018;44(9):1512-20. <http://dx.doi.org/10.1007/s00134-018-5342-2>. Epub 2018 Aug 13.
622. **Mortality in Relation to Frailty in Patients Admitted to a Specialized Geriatric Intensive Care Unit.** Zeng A, Song X, Dong J, Mitnitski A, Liu J, Guo Z, et al. *The journals of gerontology Series A, Biological sciences and medical sciences*. 2015;70(12):1586-94. <http://dx.doi.org/10.1093/gerona/glv084>. Epub 2015 Sep 22.
623. **The postanaesthesia care unit as a temporary admission location due to intensive care and ward overflow.** Ziser A, Alkobi M, Markovits R, Rozenberg B. *Br J Anaesth*. 2002;88(4):577-9. <http://dx.doi.org/10.1093/bja/88.4.577>.
624. **Timing of POLST Form Completion by Cause of Death.** Zive DM, Fromme EK, Schmidt TA, Cook JNB, Tolle SW. *Journal of Pain and Symptom Management*. 2015;50(5):650-8.

625. **Changes over Time in the Oregon Physician Orders for Life-Sustaining Treatment Registry: A Study of Two Decedent Cohorts.** Zive DM, Jimenez VM, Fromme EK, Tolle SW. *Journal of Palliative Medicine.* 2019;22(5):500-7.