

Literatuuroverzicht tot 30-04-2020

1. **[Primary management of newborn infants with respiratory failure due to a congenital defect of the diaphragm].** Abel M, Blum C, Pringsheim W, Ortlieb H, Waldmann D. *Anesthesie, Intensivtherapie, Notfallmedizin.* 1986;21(5):280-3.
2. **Sudden cardiac death and substance abuse.** Adgey AA, Johnston PW, McMechan S. *Resuscitation.* 1995;29(3):219-21. [http://dx.doi.org/10.1016/0300-9572\(95\)00854-m](http://dx.doi.org/10.1016/0300-9572(95)00854-m).
3. **Administration of surfactant using less invasive techniques as a part of a non-aggressive paradigm towards preterm infants.** Aguar M, Nunez A, Cubells E, Cernada M, Dargaville PA, Vento M. *Early human development.* 2014;90:S57-9. [http://dx.doi.org/10.1016/S0378-3782\(14\)50015-1](http://dx.doi.org/10.1016/S0378-3782(14)50015-1).
4. **Evaluation of prehospital continuous positive airway pressure ventilation for cases of respiratory distress.** Aguilar SA, Castillo E, Choy J, Tuan B, Buono C, Serra J. *Academic Emergency Medicine.* 2011;18(5):S117.
5. **An Update on Myasthenic Crisis.** Ahmed S, Kirmani JF, Janjua N, Alkawi A, Khatri I, Yahia AM, et al. *Current treatment options in neurology.* 2005;7(2):129-41. <http://dx.doi.org/10.1007/s11940-005-0022-2>.
6. **Rising Threat; Bonsai.** Aksel G, Bozan O, Kayaci M, Guneyssel O, Sezgin SB. *Turkish journal of emergency medicine.* 2015;15(2):75-8. <http://dx.doi.org/10.5505/1304.7361.2015.80388>. eCollection 2015 Jun.
7. **Characteristics of polytrauma patients between 1992 and 2002: what is changing?** Aldrian S, Koenig F, Wenginger P, Vecsei V, Nau T. *Injury.* 2007;38(9):1059-64. <http://dx.doi.org/10.1016/j.injury.2007.04.022>. Epub 2007 Aug 15.
8. **SAT-028 ACUTE KIDNEY INJURY ASSOCIATED WITH MIDDLE EAST RESPIRATORY SYNDROME CORONAVIRUS (MERS-CoV) INFECTION.** Alkindi F, Boobes Y, Chandrasekhar Nair S, Hashmey R. *Kidney International Reports.* 2020;5(3):S13.
9. **Noninvasive ventilation in critically ill patients with the Middle East respiratory syndrome.** Alraddadi BM, Qushmaq I, Al-Hameed FM, Mandourah Y, Almekhlafi GA, Jose J, et al. *Influenza and other Respiratory Viruses.* 2019;13(4):382-90.
10. **Is it safer to intubate premature infants in the delivery room?** Aly H, Massaro AN, Patel K, El-Mohandes AA. *Pediatrics.* 2005;115(6):1660-5. <http://dx.doi.org/10.1542/peds.2004-2493>.
11. **Lidocaine during intubation and extubation in patients with coronavirus disease (COVID-19).** Aminnejad R, Salimi A, Saeidi M. *Canadian Journal of Anesthesia.* 2020.
12. **Retinopathy of prematurity: review of a seven-year period in a Danish neonatal intensive care unit.** Arroe M, Peitersen B. *Acta paediatrica (Oslo, Norway : 1992).* 1994;83(5):501-5. <http://dx.doi.org/10.1111/j.1651-2227.1994.tb13067.x>.
13. **CT findings in novel 2009 influenza A (H1N1) virus infection in Isfahan, Iran.** Ataei B, Adibi A, Yazdani MR, Babak A, Avijgan M, Emami-Naeini A, et al. *Clinical Microbiology and Infection.* 2011;17:S764.
14. **Septic shock, necrotizing pneumonitis, and meningoencephalitis caused by mycoplasma pneumoniae in a child: A case report.** Barreira ER, Souza DC, Gáes PF, Bousso A. *Clinical Pediatrics.* 2009;48(3):320-2.
15. **Tetanus.** Bassin SL. *Current Treatment Options in Neurology.* 2004;6(1):25-34.
16. **Anesthesia, ethics, and severe acute respiratory syndrome.** Bevan JC, Upshur REG. *Canadian Journal of Anesthesia.* 2003;50(10):977-82.

17. **Upper airway involvement in Stevens-Johnson syndrome and toxic epidermal necrolysis.** Bhullar HK, Aung AK, Graudins L, Ihle J, Gin D, Cleland H, et al. *Burns : journal of the International Society for Burn Injuries*. 2019. <http://dx.doi.org/10.1016/j.burns.2019.09.006>.
18. **[Cooling and irrigation, volume replacement, pain management. First aid in burns].** Boscher A, Lackner K, Ruppert M, Kanz GK, Mutschler WE. *MMW Fortschritte der Medizin*. 2002;144(24):22-6.
19. **[Quality assurance in the management of severely ill patients: how can score systems help?].** Bouillon B, Kramer M, Paffrath T, Dimmeler S, Neugebauer E, Tiling T. *Der Unfallchirurg*. 1994;97(4):191-8.
20. **Arterial and mixed-venous blood gases during early intubation apnea. Clinical evidence of the Christiansen-Douglas-Haldane effect.** Brandt L, Mertzluft F, Dick W. *Der Anaesthesist*. 1989;38(4):167-73.
21. **Prophylactic early intubation and respiration. Theory and praxis.** Brinkmann J. *Notfall Medizin*. 1988;14(7):535-8.
22. **Multiple trauma in patients of 65 and over. Injury patterns. Factors influencing outcome. The importance of an aggressive care.** Broos PL, D'Hoore A, Vanderschot P, Rommens PM, Stappaerts KH. *Acta chirurgica Belgica*. 1993;93(3):126-30.
23. **Multiple trauma in elderly patients. Factors influencing outcome: importance of aggressive care.** Broos PL, D'Hoore A, Vanderschot P, Rommens PM, Stappaerts KH. *Injury*. 1993;24(6):365-8. [http://dx.doi.org/10.1016/0020-1383\(93\)90096-o](http://dx.doi.org/10.1016/0020-1383(93)90096-o).
24. **Polytrauma in patients of 65 and over. Injury patterns and outcome.** Broos PL, Stappaerts KH, Rommens PM, Louette LK, Gruwez JA. *International surgery*. 1988;73(2):119-22.
25. **Topical anesthesia of tracheal receptors.** Camporesi EM, Mortola JP, Sant'Ambrogio G. *Journal of Applied Physiology Respiratory Environmental and Exercise Physiology*. 1979;47(5):1123-6.
26. **Airway management and smoke inhalation injury in the burn patient.** Cancio LC. *Clinics in plastic surgery*. 2009;36(4):555-67. <http://dx.doi.org/10.1016/j.cps.2009.05.013>.
27. **Intubation of SARS patients: Infection and perspectives of healthcare workers.** Caputo KM, Byrick R, Chapman MG, Orser BA, Orser BJ. *Canadian Journal of Anesthesia*. 2006;53(2):122-9.
28. **Clinical implication of radiographic scores in acute Middle East respiratory syndrome coronavirus pneumonia: Report from a single tertiary-referral center of South Korea.** Cha MJ, Chung MJ, Kim K, Lee KS, Kim TJ, Kim TS. *European Journal of Radiology*. 2018;107:196-202.
29. **Treatment of severe acute respiratory syndrome with lopinavir/ritonavir: A multicentre retrospective matched cohort study.** Chan KS, Lai ST, Chu CM, Tsui E, Tam CY, Wong MML, et al. *Hong Kong Medical Journal*. 2003;9(6):399-406.
30. **Modified protective suits for anesthesiologists performing tracheal intubation for severe acute respiratory syndrome patients in Taiwan [14].** Chang KA, Luk HN, Jawan B, Lu HF, Chen HS, Chen CL. *Anesthesiology*. 2004;100(6):1630-1.
31. **Severe acute respiratory syndrome (SARS) and healthcare workers.** Chan-Yeung M. *International Journal of Occupational and Environmental Health*. 2004;10(4):421-7.
32. **Early containment of severe acute respiratory syndrome (SARS); experience from Bamrasnaradura Institute, Thailand.** Chaovavanich A, Wongsawat J, Dowell SF, Inthong Y, Sangsajja C, Sanguanwongse N, et al.

Journal of the Medical Association of Thailand. 2004;87(10):1182-7.

33. **Evaluation of noninvasive positive pressure ventilation in treatment for patients with severe acute respiratory syndrome.** Chen H, Wang XP, Li F, Yang Q, Zhang LG, Du JX, et al. Zhongguo wei zhong bing ji jiu yi xue = Chinese critical care medicine = Zhongguo weizhongbing jijiuyixue. 2003;15(10):585-8.
34. **Initial Otolaryngological Manifestations of Severe Acute Respiratory Syndrome in Taiwan.** Chen HC, Young YH, Luo JP, Tsai HJ, Ho SJ, Yeh CH, et al. Archives of Otolaryngology - Head and Neck Surgery. 2003;129(11):1157-60.
35. **New simulation-based airway management training program for junior physicians: Advanced Airway Life Support.** Chen PT, Huang YC, Cheng HW, Wang CC, Chan CY, Chan KH, et al. Medical teacher. 2009;31(8):e338-44.
36. **Safety and efficacy of different anesthetic regimens for parturients with COVID-19 undergoing Cesarean delivery: a case series of 17 patients.** Chen R, Zhang Y, Huang L, Cheng BH, Xia ZY, Meng QT. Canadian Journal of Anesthesia. 2020.
37. **Impact of a severe acute respiratory syndrome outbreak in the emergency department: An experience in Taiwan.** Chen TA, Lai KH, Chang HT. Emergency Medicine Journal. 2004;21(6):660-2.
38. **Which preventive measures might protect health care workers from SARS?** Chen WQ, Ling WH, Lu CY, Hao YT, Lin ZN, Ling L, et al. BMC Public Health. 2009;9.
39. **Treatment strategy for gastrointestinal tumor under the outbreak of novel coronavirus pneumonia in China.** Chen YH, Peng JS. Zhonghua wei chang wai ke za zhi = Chinese journal of gastrointestinal surgery. 2020;23(2):I-IV.
40. **Effectiveness of noninvasive positive pressure ventilation in the treatment of acute respiratory failure in severe acute respiratory syndrome.** Cheung TMT, Yam LYC, So LKY, Lau ACW, Poon E, Kong BMH, et al. Chest. 2004;126(3):845-50.
41. **Appropriate use of personal protective equipment among healthcare workers in public sector hospitals and primary healthcare polyclinics during the SARS outbreak in Singapore.** Chia SE, Koh D, Fones C, Qian F, Ng V, Tan BH, et al. Occupational and Environmental Medicine. 2005;62(7):473-7.
42. **Adult respiratory distress syndrome and late death following imipramine overdose: a case report.** Chiu TF, Yang CC, Ger J, Deng JF, Bullard MJ. Zhonghua yi xue za zhi = Chinese medical journal; Free China ed. 1994;54(6):436-41.
43. **Early Intubation in Children With Hematopoietic Stem Cell Transplantation: Not so Fast!** Chomton M, Nasr M, Toledano B, Emeriaud G. Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies. 2016;17(11):1102. <http://dx.doi.org/10.1097/PCC.0000000000000944>.
44. **Possible SARS Coronavirus Transmission during Cardiopulmonary Resuscitation.** Christian MD, Loutfy M, McDonald LC, Martinez KF, Ofner M, Wong T, et al. Emerging Infectious Diseases. 2004;10(2):287-93.
45. **Spontaneous pneumomediastinum in patients with severe acute respiratory syndrome.** Chu CM, Leung YY, Hui JYH, Hung IFN, Chan VL, Leung WS, et al. European Respiratory Journal. 2004;23(6):802-4.
46. **Impact of enhanced infection control procedures on clinical outcome following resuscitation attempts.** Chuang HL, Leung WS, Chung YT, Chang YT, Chen WK. Journal of Hospital Infection. 2007;67(3):258-63.

47. **Delaying endotracheal intubation in less severely injured trauma patients increases mortality.** Chuang KI, Dryden WY, Miranda MA, Victorino GP. *Journal of Surgical Research*. 2010;158(2):422.
48. **A case-controlled study comparing clinical course and outcomes of pregnant and non-pregnant women with severe acute respiratory syndrome.** Chui ML, Shell FW, Tse NL, Kam MC, Wai CY, Tin YW, et al. *BJOG: An International Journal of Obstetrics and Gynaecology*. 2004;111(8):771-4.
49. **Acute and chronic effects of ammonia burns on the respiratory tract.** Close LG, Catlin FI, Cohn AM. *Archives of otolaryngology (Chicago, Ill : 1960)*. 1980;106(3):151-8.
<http://dx.doi.org/10.1001/archotol.1980.00790270015004>.
50. **Unanticipated difficult airway management in the prehospital emergency setting: prospective validation of an algorithm.** Combes X, Jabre P, Margenet A, Merle JC, Leroux B, Dru M, et al. *Anesthesiology*. 2011;114(1):105-10. <http://dx.doi.org/10.1097/ALN.0b013e318201c42e>.
51. **Characterizing the need for mechanical ventilation following cervical spinal cord injury with neurologic deficit.** Como JJ, Sutton ER, McCunn M, Dutton RP, Johnson SB, Aarabi B, et al. *The Journal of trauma*. 2005;59(4):912-6; discussion 6. <http://dx.doi.org/10.1097/01.ta.0000187660.03742.a6>.
52. **Golden tracheal secretions and bronchoalveolar fluid during acute chest syndrome in sickle cell disease.** Contou D, Dessap AM, Carteaux G, Brun-Buisson C, Maitre B, de Prost N. *Respiratory Care*. 2015;60(4):e73-e5.
53. **[Posttraumatic laryngotracheal separation].** Coordes A, Knopke S, Todt I, Ernst A, Seidl R. *Hno*. 2011;59(5):515-7. <http://dx.doi.org/10.1007/s00106-011-2313-0>.
54. **Blood glucose control during selective arterial stimulation and venous sampling for localization of focal hyperinsulinism lesions in anesthetized children.** Cucchiaro G, Markowitz SD, Kaye R, Adzick NS, Litman RS, Stanley CA, et al. *Anesthesia and analgesia*. 2004;99(4):1044-8, table of contents.
<http://dx.doi.org/10.1213/01.ANE.0000132550.59059.55>.
55. **A multifunctional endoscopic platform with detachable probe.** Dai CY, Chen CY, Chang YK, Lin WT, Lin CP, Sun WZ. *Journal of Clinical Monitoring and Computing*. 2010;24(1):6-7.
56. **Early tracheal stenosis causing extubation failure and prolonged ventilator dependency.** Dalar L, Schuurmans MM, Eryuksel E, Karasulu L, Kosar AF, Altin S. *Anaesthesia and intensive care*. 2013;41(1):108-12.
<http://dx.doi.org/10.1177/0310057X1304100118>.
57. **Early ventilation in traumatic brain injury.** Davis DP. *Resuscitation*. 2008;76(3):333-40.
<http://dx.doi.org/10.1016/j.resuscitation.2007.08.004>. Epub 2007 Sep 17.
58. **Prehospital intubation of brain-injured patients.** Davis DP. *Current opinion in critical care*. 2008;14(2):142-8. <http://dx.doi.org/10.1097/MCC.0b013e3282f63c40>.
59. **Paramedic rapid sequence intubation for severe traumatic brain injury: Perspectives from an expert panel.** Davis DP, Fakhry SM, Wang HE, Bulger EM, Domeier RM, Trask AL, et al. *Prehospital Emergency Care*. 2007;11(1):1-8.
60. **Early ventilation and outcome in patients with moderate to severe traumatic brain injury.** Davis DP, Idris AH, Sise MJ, Kennedy F, Eastman AB, Velky T, et al. *Critical care medicine*. 2006;34(4):1202-8.
<http://dx.doi.org/10.1097/01.CCM.0000208359.74623.1C>.
61. **The impact of prehospital endotracheal intubation on outcome in moderate to severe traumatic brain injury.** Davis DP, Peay J, Sise MJ, Vilke GM, Kennedy F, Eastman AB, et al. *The Journal of trauma*. 2005;58(5):933-9.
<http://dx.doi.org/10.1097/01.ta.0000162731.53812.58>.

62. **The association between field Glasgow Coma Scale score and outcome in patients undergoing paramedic rapid sequence intubation.** Davis DP, Vadeboncoeur TF, Ochs M, Poste JC, Vilke GM, Hoyt DB. *The Journal of emergency medicine*. 2005;29(4):391-7. <http://dx.doi.org/10.1016/j.jemermed.2005.04.012>.
63. **Burn injury and pulmonary sepsis: development of a clinically relevant model.** Davis KA, Santaniello JM, He LK, Muthu K, Sen S, Jones SB, et al. *The Journal of trauma*. 2004;56(2):272-8. <http://dx.doi.org/10.1097/01.TA.0000108995.64133.90>.
64. **Toxicokinetics of hydroxychloroquine following a massive overdose.** de Olano J, Howland MA, Su MK, Hoffman RS, Biary R. *The American journal of emergency medicine*. 2019;37(12):2264.e5-.e8. <http://dx.doi.org/10.1016/j.ajem.2019.158387>. Epub 2019 Aug 6.
65. **Impact of endotracheal intubation on septic shock outcome: A post hoc analysis of the SEPSISPAM trial.** Delbove A, Darreau C, Hamel JF, Asfar P, Lerolle N. *J Crit Care*. 2015;30(6):1174-8. <http://dx.doi.org/10.1016/j.jcrc.2015.08.018>. Epub 2015 Sep 1.
66. **Nonskeletal cervical spine injuries: epidemiology and diagnostic pitfalls.** Demetriades D, Charalambides K, Chahwan S, Hanpeter D, Alo K, Velmahos G, et al. *The Journal of trauma*. 2000;48(4):724-7. <http://dx.doi.org/10.1097/00005373-200004000-00022>.
67. **Resuscitation after high energy polytrauma.** Dollery W, Driscoll P. *British medical bulletin*. 1999;55(4):785-805. <http://dx.doi.org/10.1258/0007142991902781>.
68. **Successful CPR in two patients.** Dong DY. *Resuscitation*. 1992;23(3):249-54. [http://dx.doi.org/10.1016/0300-9572\(92\)90008-z](http://dx.doi.org/10.1016/0300-9572(92)90008-z).
69. **Assessment of heart rate, acidosis, consciousness, oxygenation, and respiratory rate to predict noninvasive ventilation failure in hypoxemic patients.** Duan J, Han X, Bai L, Zhou L, Huang S. *Intensive Care Med*. 2017;43(2):192-9. <http://dx.doi.org/10.1007/s00134-016-4601-3>. Epub 2016 Nov 3.
70. **Early prediction of noninvasive ventilation failure in COPD patients: derivation, internal validation, and external validation of a simple risk score.** Duan J, Wang S, Liu P, Han X, Tian Y, Gao F, et al. *Annals of intensive care*. 2019;9(1):108. <http://dx.doi.org/10.1186/s13613-019-0585-9>.
71. **[Basis for the clinical management of fire smoke poisoning "Docohumo Madrid 2010"].** Duenas-Laita A, Burillo Putze G, Alonso JR, Bajo A, Climent B, Corral E, et al. *Medicina intensiva*. 2010;34(9):609-19. <http://dx.doi.org/10.1016/j.medin.2010.07.007>. Epub 2010 Nov 3.
72. **Angioedema with airway compromise during upper endoscopy.** Edwards A, Nelson G, Malik T, Dasher C. *American Journal of Gastroenterology*. 2013;108:S453.
73. **Atypical presentation and nosocomial spread-intensifying the MERS mystery and misery.** Fagbo S, Hakawi AM, Mukahal M, Skakni L, Santos A, Garbati M, et al. *International Journal of Infectious Diseases*. 2016;45:209.
74. **Clinical and laboratory features in the early stage of severe acute respiratory syndrome.** Fan CK, Yieh KM, Peng MY, Lin JC, Wang NC, Chang FY. *Journal of Microbiology, Immunology and Infection*. 2006;39(1):45-53.
75. **A Case of Novel Coronavirus Disease 19 in a Chronic Hemodialysis Patient Presenting with Gastroenteritis and Developing Severe Pulmonary Disease.** Ferrey AJ, Choi G, Hanna RM, Chang Y, Tantisattamo E, Ivaturi K, et al. *American journal of nephrology*. 2020:1-6.
76. **Delivery room continuous positive airway pressure/positive end-expiratory pressure in extremely low birth weight infants: a feasibility trial.** Finer NN, Carlo WA, Duara S, Fanaroff AA, Donovan EF, Wright LL, et al.

Pediatrics. 2004;114(3):651-7. <http://dx.doi.org/10.1542/peds.2004-0394>.

77. **Transmission of severe acute respiratory syndrome during intubation and mechanical ventilation.** Fowler RA, Guest CB, Lapinsky SE, Sibbald WJ, Louie M, Tang P, et al. American Journal of Respiratory and Critical Care Medicine. 2004;169(11):1198-202.
78. **The Munich-Neurotrauma-Score (MNTS): A new practical scale for patients with neurologic deficiencies. Manual and guidelines.** Frank AM, Harth A, Trappe AE. Intensivmedizin und Notfallmedizin. 2004;41(2):111-20.
79. **Current concepts in SARS treatment.** Fujii T, Nakamura T, Iwamoto A. Journal of Infection and Chemotherapy. 2004;10(1):1-7.
80. **[Use of closed circuit television for teaching tracheal intubation to medical students].** Geddes IC. Annales de l'anesthesiologie francaise. 1976;17(8):961-4.
81. **Novel 2019 coronavirus SARS-CoV-2 (COVID-19): An updated overview for emergency clinicians.** Giwa AL, Desai A, Duca A. Emergency medicine practice. 2020;22(5):1-28.
82. **Maxillofacial Injury-Not Always a Difficult Airway.** Glasheen J, Hennelly D, Cusack S. Prehospital and disaster medicine. 2015;30(4):421-4. <http://dx.doi.org/10.1017/S1049023X15004744>. Epub 2015 May 21.
83. **Acute epiglottitis during pregnancy.** Glock JL, Morales WJ. Southern medical journal. 1993;86(7):836-8. <http://dx.doi.org/10.1097/00007611-199307000-00026>.
84. **Rapid Progression to Acute Respiratory Distress Syndrome: Review of Current Understanding of Critical Illness from COVID-19 Infection.** Goh KJ, Choong MC, Cheong EH, Kalimuddin S, Duu Wen S, Phua GC, et al. Annals of the Academy of Medicine, Singapore. 2020;49(1):1-9.
85. **Trends in epidemiological and clinical characteristics in severe traumatic brain injury: Analysis of the past 25 years of a single centre data base.** Gomez PA, Castano-Leon AM, de-la-Cruz J, Lora D, Lagares A. Neurocirugia (Asturias, Spain). 2014;25(5):199-210. <http://dx.doi.org/10.1016/j.neucir.2014.05.001>. Epub 2014 Jul 4.
86. **Evaluation of tracheal intubation in critical SARS patients.** Gong ZY, Huang YG, Wang JJ, Xu Q, Li Y, Yu XR, et al. Zhongguo yi xue ke xue yuan xue bao Acta Academiae Medicinae Sinicae. 2003;25(5):550-2.
87. **[Pathomechanisms, signs, symptoms and management of amniotic fluid embolism (author's transl)].** Graeff H, Holzmann K, Gokel JM, von Hugo R, Hafter R. Geburtshilfe und Frauenheilkunde. 1978;38(11):887-94.
88. **Protecting healthcare workers from pandemic influenza: N95 or surgical masks?** Gralton J, McLaws ML. Critical Care Medicine. 2010;38(2):657-67.
89. **COVID-19 Infection: Implications for Perioperative and Critical Care Physicians.** Greenland JR, Michelow MD, Wang L, London MJ. Anesthesiology. 2020.
90. **Mechanical ventilation for ischemic stroke and intracerebral hemorrhage: indications, timing, and outcome.** Gujjar AR, Deibert E, Manno EM, Duff S, Diringner MN. Neurology. 1998;51(2):447-51. <http://dx.doi.org/10.1212/wnl.51.2.447>.
91. **Smoke Inhalation Injury: Etiopathogenesis, Diagnosis, and Management.** Gupta K, Mehrotra M, Kumar P, Gogia AR, Prasad A, Fisher JA. Indian journal of critical care medicine : peer-reviewed, official publication of Indian Society of Critical Care Medicine. 2018;22(3):180-8. http://dx.doi.org/10.4103/ijccm.IJCCM_460_17.
92. **[Management of thoracic trauma in multiple injuries in the clinic].** Haas NP, Schutz M, Kaisers U.

Kongressband Deutsche Gesellschaft für Chirurgie Kongress. 2001;118:421-3.

93. **Report of Severe Menorrhagia Following the Maximum Amount of Lamotrigine Overdose.** Hajiali F, Nassiri-Asl M. Iranian journal of pharmaceutical research : IJPR. 2015;14(4):1289-93.
94. **Noninvasive Positive Pressure Ventilation Treatment for Acute Respiratory Failure in SARS.** Han F, Jiang YY, Zheng JH, Gao ZC, He QY. Sleep and Breathing. 2004;8(2):97-106.
95. **Acute respiratory failure and noninvasive positive pressure ventilation treatment in patients with severe acute respiratory syndrome.** Han F, Jiang YY, Zheng JH, Hu Z, Gao ZC, He QY, et al. Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases. 2004;27(9):593-7.
96. **Acute respiratory failure.** Hankins GD. Clinical obstetrics and gynecology. 1990;33(3):493-501. <http://dx.doi.org/10.1097/00003081-199009000-00015>.
97. **Definitive establishment of airway control is critical for optimal outcome in lower cervical spinal cord injury.** Hassid VJ, Schinco MA, Tepas JJ, Griffen MM, Murphy TL, Frykberg ER, et al. The Journal of trauma. 2008;65(6):1328-32. <http://dx.doi.org/10.1097/TA.0b013e31818d07e4>.
98. **Quinine induced coagulopathy--a near fatal experience.** Hawthorne M, Sim R, Acton CH. Australian dental journal. 2000;45(4):282-4. <http://dx.doi.org/10.1111/j.1834-7819.2000.tb00265.x>.
99. **[Three cases of enterovirus 71 infection with pulmonary edema or pulmonary hemorrhage as the early clinical manifestation].** He SJ, Chen D, Zheng XQ, Wang CX, Huang AR, Jin YM, et al. Zhonghua Er Ke Za Zhi. 2008;46(7):513-6.
100. **SARS: Hospital infection control and admission strategies.** Ho PL, Tang XP, Seto WH. Respiriology. 2003;8:S41-S5.
101. **[Perinatal management of children with prenatal diagnosis of congenital heart defects].** Hofbeck M, Beinder E, Kirchgessner E, Buheitel G, Singer H. Zeitschrift für Geburtshilfe und Neonatologie. 1997;201(2):49-54.
102. **Clinicopathology of severe acute respiratory syndrome: An autopsy case report.** Hsiao CH, Wu MZ, Hsieh SW, Chien LC, Hwang KC, Su IJ. Journal of the Formosan Medical Association. 2004;103(10):787-92.
103. **[Effect of intubation timing on the clinical course of polytrauma patients with lung contusions].** Huf R, Kraft S, Schildberg FW. Zentralblatt für Chirurgie. 1996;121(1):21-3.
104. **Severe acute respiratory syndrome (SARS): Lessons learnt in Hong Kong.** Hui DS. Journal of Thoracic Disease. 2013;5:S122-S6.
105. **Exhaled air dispersion during endotracheal suction and intubation.** Hui DS, Chow B, Lo T, Chan M. American Journal of Respiratory and Critical Care Medicine. 2014;189.
106. **Middle east respiratory syndrome.** Hui DS, Peiris M. American Journal of Respiratory and Critical Care Medicine. 2015;192(3):278-9.
107. **Exhaled air leakage during manual ventilation by healthcare workers with different levels of experience.** Hui DSC, Chow B, Chan M. European Respiratory Journal. 2016;48.
108. **Treatment of severe acute respiratory syndrome.** Hui DSC, Sung JY. Chest. 2004;126(3):670-4.
109. **Management of hypoxaemic respiratory failure in a Respiratory High-dependency Unit.** Hukins C, Wong M, Murphy M, Upham J. Internal medicine journal. 2017;47(7):784-92. <http://dx.doi.org/10.1111/imj.13403>.

110. **Acute quetiapine poisoning.** Hustey FM. The Journal of emergency medicine. 1999;17(6):995-7. [http://dx.doi.org/10.1016/s0736-4679\(99\)00128-6](http://dx.doi.org/10.1016/s0736-4679(99)00128-6).
111. **Prehospital intubation and SARS.** Hutcheon DJ. CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne. 2004;170(1):19-20; author reply
112. **Airway compromise in children with anterior neck burns: Beware the scalded child.** Hyland EJ, Harvey JG, Martin AJ, Holland AJ. J Paediatr Child Health. 2015;51(10):976-81. <http://dx.doi.org/10.1111/jpc.12912>. Epub 2015 May 4.
113. **Life-threatening facial edema due to pine caterpillar mimicking an allergic event.** Inal A, Altintas DU, Guvenmez HK, Yilmaz M, Kendirli SG. Allergologia et immunopathologia. 2006;34(4):171-3. <http://dx.doi.org/10.1157/13091043>.
114. **The pathophysiology of serotonin toxicity in animals and humans: implications for diagnosis and treatment.** Isbister GK, Buckley NA. Clinical neuropharmacology. 2005;28(5):205-14. <http://dx.doi.org/10.1097/01.wnf.0000177642.89888.85>.
115. **Out-of-hospital tracheal intubation with single-use versus reusable metal laryngoscope blades: a multicenter randomized controlled trial.** Jabre P, Galinski M, Ricard-Hibon A, Devaud ML, Ruscev M, Kulstad E, et al. Annals of emergency medicine. 2011;57(3):225-31. <http://dx.doi.org/10.1016/j.annemergmed.2010.10.011>. Epub 2010 Dec 3.
116. **Association between early endotracheal intubation and ICU mortality in septic shock-a prospective multicentric observational study.** Jacquier S, Delbove A, Darreau C, Saint-Martin M, Martino F, Hamel JF, et al. Annals of Intensive Care. 2019;9.
117. **A systematic risk-based strategy to select personal protective equipment for infectious diseases.** Jones RM, Bleasdale SC, Maita D, Brosseau LM. American Journal of Infection Control. 2020;48(1):46-51.
118. **Student nurses' ethical views on responses to the severe acute respiratory syndrome outbreak.** Kam JK, Chan E, Lee A, Wei VW, Kwok KO, Lui D, et al. Nursing ethics. 2020;969733019895804.
119. **Failure of high-flow nasal cannula therapy may delay intubation and increase mortality.** Kang BJ, Koh Y, Lim CM, Huh JW, Baek S, Han M, et al. Intensive Care Med. 2015;41(4):623-32. <http://dx.doi.org/10.1007/s00134-015-3693-5>. Epub 2015 Feb 18.
120. **Anesthesia management in cesarean section for a patient with coronavirus disease 2019.** Kang X, Zhang R, He H, Yao Y, Zheng Y, Wen X, et al. Zhejiang da xue xue bao Yi xue ban = Journal of Zhejiang University Medical sciences. 2020;49(1):0.
121. **Timing of Intubation and Clinical Outcomes in Adults With Acute Respiratory Distress Syndrome.** Kangelaris KN, Ware LB, Wang CY, Janz DR, Zhuo H, Matthay MA, et al. Critical care medicine. 2016;44(1):120-9. <http://dx.doi.org/10.1097/CCM.0000000000001359>.
122. **Severe acute respiratory syndrome (SARS).** Kanra G, Kara A. Cocuk Sagligi ve Hastaliklari Dergisi. 2003;46(3):155-61.
123. **Electronic medical records and compliance with goal-directed therapy in traumatic brain injury.** Kaylor JP, Haley LL, Wright DW, Chang SJ, Merck LH. Annals of Emergency Medicine. 2012;60(4):S50.
124. **Hospital-acquired pneumonia is an independent predictor of poor global outcome in severe traumatic brain injury up to 5 years after discharge.** Kesinger MR, Kumar RG, Wagner AK, Puyana JC, Peitzman AP,

Billiar TR, et al. The journal of trauma and acute care surgery. 2015;78(2):396-402.
<http://dx.doi.org/10.1097/TA.0000000000000526>.

125. **Acute management and long-term survival among subjects with severe middle east respiratory syndrome coronavirus pneumonia and ARDS.** Khalid I, Alraddadi BM, Dairi Y, Khalid TJ, Kadri M, Alshukairi AN, et al. Respiratory Care. 2016;61(3):340-8.
126. **Factors affecting morbidity and mortality in flail chest: comparison of anterior and lateral location.** Kilic D, Findikcioglu A, Akin S, Akay TH, Kupeli E, Aribogan A, et al. The Thoracic and cardiovascular surgeon. 2011;59(1):45-8. <http://dx.doi.org/10.1055/s-0030-1250597>. Epub 2011 Jan 17.
127. **Middle east respiratory syndrome infection control and prevention guideline for healthcare facilities.** Kim JY, Song JY, Yoon YK, Choi SH, Song YG, Kim SR, et al. Infection and Chemotherapy. 2015;47(4):278-302.
128. **Study does not support early intubation in paediatric in-hospital cardiac arrest.** Kirby T. The Lancet Respiratory medicine. 2016;4(12):952. [http://dx.doi.org/10.1016/S2213-2600\(16\)30367-8](http://dx.doi.org/10.1016/S2213-2600(16)30367-8). Epub 2016 Oct 20.
129. **Myasthenic Crisis.** Kirmani JF, Yahia AM, Qureshi AI. Current treatment options in neurology. 2004;6(1):3-15. <http://dx.doi.org/10.1007/s11940-004-0034-3>.
130. **[Burns. Primary management and clinical therapy].** Kistler D, Eren S, Hettich R. Versicherungsmedizin. 1989;41(4):116-21.
131. **An atypical presentation of acute eosinophilia pneumonia in a traveler from the United Arab Emirates (UAE).** Kourouni I, Dudekonda SR, Mohanraj EM. American Journal of Respiratory and Critical Care Medicine. 2017;195.
132. **Kerosene, Camphor, and Naphthalene Poisoning in Children.** Kumar S, Kavitha TK, Angurana SK. Indian journal of critical care medicine : peer-reviewed, official publication of Indian Society of Critical Care Medicine. 2019;23:S278-s81. <http://dx.doi.org/10.5005/jp-journals-10071-23316>.
133. **Severe acute respiratory syndrome: Quantitative assessment from chest radiographs with clinical and prognostic correlation.** Lai EKY, Deif H, LaMere EA, Pham DH, Wolff B, Ward S, et al. American Journal of Roentgenology. 2005;184(1):255-63.
134. **Treatment of severe acute respiratory syndrome.** Lai ST. European Journal of Clinical Microbiology and Infectious Diseases. 2005;24(9):583-91.
135. **Heated, Humidified High-Flow Nasal Cannula vs Nasal Continuous Positive Airway Pressure for Respiratory Distress Syndrome of Prematurity: A Randomized Clinical Noninferiority Trial.** Lavizzari A, Colnaghi M, Ciuffini F, Veneroni C, Musumeci S, Cortinovis I, et al. JAMA pediatrics. 2016. <http://dx.doi.org/10.1001/jamapediatrics.2016.1243>.
136. **[Emergency treatment of injuries following lightning and electrical accidents].** Lederer W, Kroesen G. Der Anaesthesist. 2005;54(11):1120-9. <http://dx.doi.org/10.1007/s00101-005-0910-6>.
137. **Guidelines for the laboratory diagnosis of middle east respiratory syndrome coronavirus in Korea.** Lee H, Ki CS, Sung H, Kim S, Seong MW, Yong D, et al. Infection and Chemotherapy. 2016;48(1):61-9.
138. **Surgical treatment of tracheoesophageal fistula in a patient with severe acute respiratory syndrome complicated with extensive pulmonary fibrosis.** Lee JM, Lee PL, Kuo SW, Hwang JJ, Lee YC. Journal of the Formosan Medical Association = Taiwan yi zhi. 2004;103(12):932-4.
139. **Seroprevalence of Middle East Respiratory Syndrome Coronavirus among Healthcare Personnel**

- Caring for Patients with Middle East Respiratory Syndrome in South Korea.** Lee JY, Kim G, Lim DG, Jee HG, Jang Y, Joh JS, et al. *Infection Control and Hospital Epidemiology*. 2016;37(12):1513-4.
140. **Epidemiology and management of respiratory burns in National Burns Centre, Singapore.** Lee ST, Leung CM. *Annals of the Academy of Medicine, Singapore*. 1992;21(5):612-8.
141. **Lessons learned from chlorine intoxications in swimming pools: the challenge of pediatric mass toxicological events.** Lehavi O, Leiba A, Dahan Y, Schwartz D, Benin-Goren O, Schwartz R, et al. *Prehospital and disaster medicine*. 2008;23(1):90-5. <http://dx.doi.org/10.1017/s1049023x00005641>.
142. **Hospital management of adults with severe acute respiratory syndrome (SARS) if SARS re-emerges - Updated 10 February 2004.** Lim WS, Anderson SR, Read RC. *Journal of Infection*. 2004;49(1):1-7.
143. **Unusual respiratory manifestation in a patient with Stiff Person Syndrome (SPS).** Lin A, Arias AA, Casul YR, Gupta A, Calder C. *Neurology*. 2019;92(15).
144. **[Nasal continuous positive airway pressure ventilation in children with community-acquired pneumonia under five years of age: a prospective, multi-center clinical study].** Liu J, Wang Q, Qian SY, Xu WM, Li LL, Ning LM, et al. *Zhonghua Er Ke Za Zhi*. 2017;55(5):329-33. <http://dx.doi.org/10.3760/cma.j.issn.0578-1310.2017.05.004>.
145. **Mortality factor survey of severe acute respiratory syndrome in Taiwan.** Liu TC, Chang WH, Jiang BC, Maa SH, Chien DK, Tang WR. *International Journal of Gerontology*. 2009;3(1):31-8.
146. **Risk factors for SARS infection among hospital healthcare workers in Beijing: A case control study.** Liu W, Tang F, Fang LQ, De Vlas SJ, Ma HJ, Zhou JP, et al. *Tropical Medicine and International Health*. 2009;14:52-9.
147. **[Anesthesia for congenital diaphragmatic hernia].** Lochbuhler H. *Der Anaesthesist*. 1987;36(6):280-4.
148. **SARS among Critical Care Nurses, Toronto.** Loeb M, McGeer A, Henry B, Ofner M, Rose D, Hlywka T, et al. *Emerging Infectious Diseases*. 2004;10(2):251-5.
149. **[Initial management of severely burned patients from the anesthesiologic viewpoint].** Lonneck S. *Der Unfallchirurg*. 1995;98(4):184-6.
150. **Interferon Alfacon-1 Plus Corticosteroids in Severe Acute Respiratory Syndrome: A Preliminary Study.** Loutfy MR, Blatt LM, Siminovitsh KA, Ward S, Wolff B, Lho H, et al. *Journal of the American Medical Association*. 2003;290(24):3222-8.
151. **Viral load and outcome in SARS infection: The role of personal protective equipment in the emergency department.** Lu YT, Chen PJ, Sheu CY, Liu CL. *Journal of Emergency Medicine*. 2006;30(1):7-15.
152. **Initial treatment of preterm infants--continuous positive airway pressure or ventilation?** Lundstrom KE. *Eur J Pediatr*. 1996;155:S25-9. <http://dx.doi.org/10.1007/bf01958077>.
153. **Duration of mechanical ventilation in life-threatening pediatric asthma: description of an acute asphyxial subgroup.** Maffei FA, van der Jagt EW, Powers KS, Standage SW, Connolly HV, Harmon WG, et al. *Pediatrics*. 2004;114(3):762-7. <http://dx.doi.org/10.1542/peds.2004-0294>.
154. **RARE CASE OF MORTALITY FROM NON-CIRRHOTIC HYPERAMMONEMIA.** Maher D, Chapman K. *Chest*. 2019;156(4):A2125.
155. **Noninvasive ventilation for acute respiratory failure.** Majid A, Hill NS. *Current Opinion in Critical Care*. 2005;11(1):77-81.

156. **A case of transient cortical blindness associated with hypercapnia as a result of extremely enlarged adenoid tissue.** Malbora B, Malbora N, Avci Z, Olgac A, Erkan AN. *Ear, nose, & throat journal*. 2015;94(1):E14-6.
157. **Complications of head injury and their therapy.** Marion DW. *Neurosurgery clinics of North America*. 1991;2(2):411-24.
158. **Treatment of hydroxychloroquine overdose.** Marquardt K, Albertson TE. *The American journal of emergency medicine*. 2001;19(5):420-4. <http://dx.doi.org/10.1053/ajem.2001.25774>.
159. **Considerations on the treatment of Severe Acute Respiratory Syndrome (SARS).** Marraro G. *Acta Anaesthesiologica Italica / Anaesthesia and Intensive Care in Italy*. 2003;54(2):136-47.
160. **Early tracheal intubation with thiopentone in elective surgery.** Marsh JE, Murray WB, Rocke DA. *Br J Anaesth*. 1992;68(1):100-2. <http://dx.doi.org/10.1093/bja/68.1.100>.
161. **Recombinant factor VIIa: hemostatic adjunct in the coagulopathic burn patient.** Martin JT, Alkhoury F, McIntosh BC, Fidler P, Schulz J. *Eplasty*. 2009;9:e27.
162. **Airway in the polytraumatized patient: Use of videolaryngoscopy as an alternative and solution.** Martínez-Ruiz YI, Vázquez-Torres J. *Revista Mexicana de Anestesiología*. 2017;40(2):113-9.
163. **Epiglottitis in the adult patient.** Mathoera RB, Wever PC, van Dorsten FR, Balter SG, de Jager CP. *The Netherlands journal of medicine*. 2008;66(9):373-7.
164. **Fatal outcome of human coronavirus NL63 infection despite successful viral elimination by IFN-alpha in a patient with newly diagnosed ALL.** Mayer K, Nellessen C, Hahn-Ast C, Schumacher M, Pietzonka S, Eis-Hübinger AM, et al. *European Journal of Haematology*. 2016;97(2):208-10.
165. **Gastroesophageal lacerations. A fatal complication of closed chest cardiopulmonary resuscitation.** McGrath RB. *Chest*. 1983;83(3):571-2. <http://dx.doi.org/10.1378/chest.83.3.571>.
166. **Congenital diaphragmatic hernia, management in the newborn.** McHoney M. *Pediatric surgery international*. 2015;31(11):1005-13. <http://dx.doi.org/10.1007/s00383-015-3794-9>. Epub 2015 Sep 24.
167. **Resuscitative interventions during simulated asystole deviate from the recommended timeline.** McKinsey S, Perlman JM. *Arch Dis Child Fetal Neonatal Ed*. 2016;101(3):F244-7. <http://dx.doi.org/10.1136/archdischild-2015-309206>. Epub 2015 Sep 23.
168. **Intubation and Ventilation amid the COVID-19 Outbreak: Wuhan's Experience.** Meng L, Qiu H, Wan L, Ai Y, Xue Z, Guo Q, et al. *Anesthesiology*. 2020.
169. **Initial trauma management in advanced pregnancy.** Meroz Y, Elchalal U, Ginosar Y. *Anesthesiology clinics*. 2007;25(1):117-29, x. <http://dx.doi.org/10.1016/j.atc.2006.11.001>.
170. **Timing is everything: delayed intubation is associated with increased mortality in initially stable trauma patients.** Miraflor E, Chuang K, Miranda MA, Dryden W, Yeung L, Strumwasser A, et al. *The Journal of surgical research*. 2011;170(2):286-90. <http://dx.doi.org/10.1016/j.jss.2011.03.044>. Epub 2011 Apr 17.
171. **Newer neuromuscular blocking drugs. An overview of their clinical pharmacology and therapeutic.** Mirakhur RK. *Drugs*. 1992;44(2):182-99.
172. **Newer neuromuscular blocking drugs. An overview of their clinical pharmacology and therapeutic use.** Mirakhur RK. *Drugs*. 1992;44(2):182-99. <http://dx.doi.org/10.2165/00003495-199244020-00003>.

173. **Use of heliox delivered via high-flow nasal cannula to treat an infant with coronavirus-related respiratory infection and severe acute air-flow obstruction.** Morgan SE, Vukin K, Mosakowski S, Solano P, Stanton L, Lester L, et al. *Respiratory Care*. 2014;59(11):e166-e70.
174. **Translational gap in pediatric septic shock management: an ESPNIC perspective.** Morin L, Kneyber M, Jansen NJG, Peters MJ, Javouhey E, Nadel S, et al. *Annals of intensive care*. 2019;9(1):73. <http://dx.doi.org/10.1186/s13613-019-0545-4>.
175. **Alfentanil in an anaesthetic technique for penetrating eye injuries.** Morton NS, Hamilton WF. *Anaesthesia*. 1986;41(11):1148-51. <http://dx.doi.org/10.1111/j.1365-2044.1986.tb12969.x>.
176. **Microbial contamination in burn patients undergoing urgent intubation as part of their early airway management.** Mosier MJ, Gamelli RL, Halerz MM, Silver G. *Journal of burn care & research : official publication of the American Burn Association*. 2008;29(2):304-10. <http://dx.doi.org/10.1097/BCR.0b013e318166daa5>.
177. **Report of middle east respiratory syndrome coronavirus (MERSCoV) infection in four patients with hematological malignancies treated at king fahad medical City, Riyadh, Saudi Arabia.** Motabi IH, Zaidi SZA, Ibrahim MH, Tailor IK, Alshehry NF, AlGhamdi MS, et al. *Blood*. 2016;128(22).
178. **SARS in a hospital visitor and her intensivist [5].** Mukhopadhyay A, Tambyah PA, Singh KS, Lim TK, Lee KH. *Journal of Hospital Infection*. 2004;56(3):249-50.
179. **Trauma in pregnancy: assessment, management, and prevention.** Murphy NJ, Quinlan JD. *Am Fam Physician*. 2014;90(10):717-22.
180. **Acute encephalopathy with callosal, Subcortical and thalamic lesions.** Nakano Y, Monden Y, Mizuguchi M, Nagashima M, Koike Y, Gunji Y, et al. *Neurology Asia*. 2015;20(1):85-9.
181. **Managing Ebola: Lessons Learned from the SARS Epidemic.** Nanji KC, Orser BA. *Anesthesia and Analgesia*. 2015;121(3):834-5.
182. **Early Intubation vs. Supportive Care in Management of Severe Blunt Chest Trauma; a Randomized Trial Study.** Nasr-Esfahani M, Boroumand AB, Kolahdouzan M. *Arch Acad Emerg Med*. 2019;7(1):35.
183. **Pulmonary edema as a complication of pericardial drainage.** Naunheim KS, Wood LD, Little AG. *Surgery, gynecology & obstetrics*. 1987;165(2):165-6.
184. **Noninvasive ventilation for patients with acute lung injury or acute respiratory distress syndrome.** Nava S, Schreiber A, Domenighetti G. *Respiratory Care*. 2011;56(10):1583-8.
185. **Outbreak of Middle East Respiratory Syndrome-Coronavirus Causes High Fatality After Cardiac Operations.** Nazer RI. *Annals of Thoracic Surgery*. 2017;104(2):e127-e9.
186. **Predictors of noninvasive ventilation failure in critically ill obese patients: a brief narrative review.** Nicolini A, Lemyze M, Esquinas A, Barlascini C, Cavalleri MA. *Advances in respiratory medicine*. 2017;85(5):264-70. <http://dx.doi.org/10.5603/ARM.a2017.0044>. Epub 2017 Oct 30.
187. **SARS safety and science.** Nicolle L. *Canadian Journal of Anesthesia*. 2003;50(10):983-8.
188. **Cluster of cases of severe acute respiratory syndrome among Toronto healthcare workers after implementation of infection control precautions: A case series.** Ofner-Agostini M, Gravel D, McDonald LC, Lem M, Sarwal S, McGeer A, et al. *Infection Control and Hospital Epidemiology*. 2006;27(5):473-8.

189. **A family cluster of middle east respiratory syndrome coronavirus infections related to a likely unrecognized asymptomatic or mild case.** Omrani AS, Matin MA, Haddad Q, Al-Nakhli D, Memish ZA, Albarrak AM. *International Journal of Infectious Diseases*. 2013;17(9):e668-e72.
190. **Indications of early intubation for patients with inhalation injury.** Onishi S, Osuka A, Kuroki Y, Ueyama M. *Acute medicine & surgery*. 2017;4(3):278-85. <http://dx.doi.org/10.1002/ams2.269>. eCollection 2017 Jul.
191. **Recommendations for Endotracheal Intubation of COVID-19 Patients.** Orser BA. *Anesthesia and analgesia*. 2020.
192. **Prehospital intubation and SARS.** Ovens HJ. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2004;170(1):18-9; author reply 20.
193. **Post-exposure prophylaxis for Middle East respiratory syndrome in healthcare workers.** Park SY, Lee JS, Son JS, Ko JH, Peck KR, Jung Y, et al. *Journal of Hospital Infection*. 2019;101(1):42-6.
194. **Coronavirus Infections-More Than Just the Common Cold.** Paules CI, Marston HD, Fauci AS. *JAMA - Journal of the American Medical Association*. 2020;323(8):707-8.
195. **Investigation of the influencing factors on severe acute respiratory syndrome among health care workers.** Pei LY, Gao ZC, Yang Z, Wei DG, Wang SX, Ji JM, et al. *Beijing da xue xue bao Yi xue ban = Journal of Peking University Health sciences*. 2006;38(3):271-5.
196. **Infection control and anesthesia: Lessons learned from the Toronto SARS outbreak.** Peng PWH, Wong DT, Bevan D, Gardam M. *Canadian Journal of Anesthesia*. 2003;50(10):989-97.
197. **Coronavirus OC43-induced acute respiratory distress syndrome.** Pennington K, Nolan M, Moraes AGD, Escalante P. *Critical Care Medicine*. 2016;44(12):520.
198. **Can focused trauma education initiatives reduce mortality or improve resource utilization in a low-resource setting?** Petroze RT, Byiringiro JC, Ntakiyiruta G, Briggs SM, Deckelbaum DL, Razek T, et al. *World J Surg*. 2015;39(4):926-33. <http://dx.doi.org/10.1007/s00268-014-2899-y>.
199. **The management of flail chest.** Pettiford BL, Luketich JD, Landreneau RJ. *Thoracic surgery clinics*. 2007;17(1):25-33. <http://dx.doi.org/10.1016/j.thorsurg.2007.02.005>.
200. **[The behavior of intracranial pressure under spontaneous respiration or artificial respiration in hemorrhagic shock during volume substitution].** Pfenninger E, Grunert A, Kilian J. *Der Anaesthesist*. 1986;35(8):485-90.
201. **[Rapid onset of the action of vecuronium by administration of a precurarizing dose].** Piotrowski R. *Der Anaesthesist*. 1986;35(8):473-7.
202. **[Out-of-hospital treatment in case of drowning].** Popovic V, Gvozdenovic L, Ivanov I, Milic S. *Medicinski preglad*. 2011;64(1):64-7. <http://dx.doi.org/10.2298/mpns1102064p>.
203. **Intracerebral hemorrhage specific intensity of care quality metrics.** Qureshi AI. *Neurocrit Care*. 2011;14(2):291-317. <http://dx.doi.org/10.1007/s12028-010-9453-z>.
204. **Acute Neuromuscular Respiratory Failure.** Rabinstein AA. *Continuum (Minneapolis, Minn)*. 2015;21(5):1324-45. <http://dx.doi.org/10.1212/CON.0000000000000218>.
205. **Risk factors for SARS transmission from patients requiring intubation: A multicentre investigation in Toronto, Canada.** Rouboud J, Shigayeva A, McGeer A, Bontovics E, Chapman M, Gravel D, et al. *PLoS ONE*. 2010;5(5).

206. **Tongue swelling in the recovery room: a case report and discussion of postoperative angioedema.** Reed LK, Meng J, Joshi GP. *Journal of clinical anesthesia*. 2006;18(3):226-9. <http://dx.doi.org/10.1016/j.jclinane.2005.08.019>.
207. **Review of clinical experience in handling phosgene exposure cases.** Regan RA. *Toxicology and industrial health*. 1985;1(2):69-72. <http://dx.doi.org/10.1177/074823378500100207>.
208. **Prehospital care, importance of early intervention on outcome.** Regel G, Stalp M, Lehmann U, Seekamp A. *Acta anaesthesiologica Scandinavica Supplementum*. 1997;110:71-6. <http://dx.doi.org/10.1111/j.1399-6576.1997.tb05508.x>.
209. **Rattlesnake envenomation to the face of an infant.** Richardson WH, 3rd, Barry JD, Tong TC, Williams SR, Clark RF. *Pediatric emergency care*. 2005;21(3):173-6.
210. **Predictors and Outcomes of Early Intubation in Infants Born at 28-36 Weeks of Gestation Receiving Noninvasive Respiratory Support.** Roberts CT, Owen LS, Froisland DH, Doyle LW, Davis PG, Manley BJ. *The Journal of pediatrics*. 2020;216:109-16.e1. <http://dx.doi.org/10.1016/j.jpeds.2019.09.026>. Epub 2019 Oct 11.
211. **More than one-third of intubations in patients transferred to burn centers are unnecessary.** Romanowski K, Palmieri TL, Sen S, Greenhalgh DG. *Journal of Burn Care and Research*. 2014;35:S64.
212. **More Than One Third of Intubations in Patients Transferred to Burn Centers are Unnecessary: Proposed Guidelines for Appropriate Intubation of the Burn Patient.** Romanowski KS, Palmieri TL, Sen S, Greenhalgh DG. *Journal of burn care & research : official publication of the American Burn Association*. 2016;37(5):e409-14. <http://dx.doi.org/10.1097/BCR.0000000000000288>.
213. **Acute liver failure and the brain: a look through the crystal ball.** Ryan JM, Tranah T, Mityr RR, Wendon JA, Shawcross DL. *Metabolic brain disease*. 2013;28(1):7-10. <http://dx.doi.org/10.1007/s11011-012-9363-1>. Epub 2012 Dec 4.
214. **Angiotensin-converting enzyme (ACE) inhibitors and angio-oedema.** Sabroe RA, Black AK. *The British journal of dermatology*. 1997;136(2):153-8.
215. **Acute febrile respiratory illness in the ICU: Reducing disease transmission.** Sandrock C, Stollenwerk N. *Chest*. 2008;133(5):1221-31.
216. **Illness in intensive care staff after brief exposure to severe acute respiratory syndrome.** Scales DC, Green K, Chan AK, Poutanen SM, Foster D, Nowak K, et al. *Emerging Infectious Diseases*. 2003;9(10):1205-10.
217. **Prehospital intubation and SARS.** Schabas RE. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2004;170(1):18; author reply 20.
218. **Prehospital intubation and SARS [5].** Schabas RE, Ovens HJ, Urszenyi SL, Hutcheon DJ, Burgess RJ, Verbeek PR, et al. *Canadian Medical Association Journal*. 2004;170(1):18-20.
219. **[Strychnine poisoning].** Scheffold N, Heinz B, Albrecht H, Pickert A, Cyran J. *Deutsche medizinische Wochenschrift (1946)*. 2004;129(42):2236-8. <http://dx.doi.org/10.1055/s-2004-831869>.
220. **Does early intubation at the site of the accident reduce post-traumatic respiratory complications?** Schmitz JE, Ahnefeld FW, Grunert A. *Notfall Medizin*. 1982;8(7):892-900.
221. **Respiratory protection during paediatric cardiopulmonary resuscitation.** Schumacher J, Gray SA, Michel S, Alcock R, Brinker A. *European Journal of Anaesthesiology*. 2011;28:150.

222. **Current level of prehospital care in severe head injury--potential for improvement.** Sefrin P. *Acta neurochirurgica Supplementum*. 1993;57:141-4. http://dx.doi.org/10.1007/978-3-7091-9266-5_20.
223. **Is the emergency patient's prognosis affected by early intubation?** Sefrin P, Braun KF. *Notfall Medizin*. 1981;7(1):1324-32.
224. **[Emergency diagnosis and emergency care in trauma resuscitation].** Seifert J, Laun R, Ekkernkamp A. *Kongressband Deutsche Gesellschaft für Chirurgie Kongress*. 2001;118:341-3.
225. **Airborne transmission and precautions: Facts and myths.** Seto WH. *Journal of Hospital Infection*. 2015;89(4):225-8.
226. **Factors associated with critical-care healthcare workers' adherence to recommended barrier precautions during the Toronto severe acute respiratory syndrome outbreak.** Shigayeva A, Green K, Raboud JM, Henry B, Simor AE, Vearncombe M, et al. *Infection Control and Hospital Epidemiology*. 2007;28(11):1275-83.
227. **Management of lung contusion.** Shin B, McAslan TC, Hankins JR, Ayella RJ, Cowley RA. *The American surgeon*. 1979;45(3):168-75.
228. **Differences in Return of Spontaneous Circulation in Early vs Late Endotracheal Intubation among Patients in Hospital Cardiac Arrest.** Shrestha BK, Sharma A, Gyawali PK. *Journal of Nepal Health Research Council*. 2018;15(3):286-9. <http://dx.doi.org/10.3126/jnhrc.v15i3.18857>.
229. **Persistent Extreme Hyperextension of the Fetal Neck: Clinical and Neuroimaging Findings.** Shrot S, Johnson CT, Golden WC, Baschat AA, Bullard JE, Tekes A, et al. *Journal of neuroimaging : official journal of the American Society of Neuroimaging*. 2018;28(3):278-82. <http://dx.doi.org/10.1111/jon.12499>. Epub 2018 Feb 5.
230. **Early intubation in the management of trauma patients: indications and outcomes in 1,000 consecutive patients.** Sise MJ, Shackford SR, Sise CB, Sack DI, Paci GM, Yale RS, et al. *The Journal of trauma*. 2009;66(1):32-9; discussion 9-40. <http://dx.doi.org/10.1097/TA.0b013e318191bb0c>.
231. **Development of a standard treatment protocol for severe acute respiratory syndrome.** So LKY, Lau ACW, Yam LYC, Cheung TMT, Poon E, Yung RWH, et al. *Lancet*. 2003;361(9369):1615-7.
232. **Rabies encephalitis and extra-neural manifestations in a patient bitten by a domestic cat.** Soler-Rangel S, Jiménez-Restrepo N, Nariño D, Rosselli D. *Revista do Instituto de Medicina Tropical de Sao Paulo*. 2020;62.
233. **Safety of umbilical cord milking in very preterm neonates: a randomized controlled study.** Song SY, Kim Y, Kang BH, Yoo HJ, Lee M. *Obstetrics & gynecology science*. 2017;60(6):527-34. <http://dx.doi.org/10.5468/ogs.2017.60.6.527>. Epub 2017 Oct 11.
234. **The Italian coronavirus disease 2019 outbreak: recommendations from clinical practice.** Sorbello M, El-Boghdady K, Di Giacinto I, Cataldo R, Esposito C, Falcetta S, et al. *Anaesthesia*. 2020.
235. **Severe burn injuries: acute and long-term treatment.** Spanholtz TA, Theodorou P, Amini P, Spilker G. *Deutsches Arzteblatt international*. 2009;106(38):607-13. <http://dx.doi.org/10.3238/arztebl.2009.0607>. Epub 2009 Sep 18.
236. **New and emerging infectious diseases.** Spicuzza L, Spicuzza A, La Rosa M, Polosa R, Di Maria G. *Allergy and Asthma Proceedings*. 2007;28(1):28-34.
237. **[Preclinical management of patients with intracerebral hemorrhage].** Spiss CK, Werba A, Illievich U. *Acta medica Austriaca*. 1992;19(1):14-6.

238. **[Early intubation of lacrimal duct in traumatic and operative lower eyelid loss and medial canthal region defects, with simultaneous reconstruction dressed by application of self constructed battlefield ophthalmic dressing]**. Stankiewicz A, Witkowski W, Rojycki R, Szymanski K. *Klinika oczna*. 2006;108(1):78-81.
239. **Early surfactant administration with brief ventilation vs. selective surfactant and continued mechanical ventilation for preterm infants with or at risk for respiratory distress syndrome**. Stevens TP, Harrington EW, Blennow M, Soll RF. *The Cochrane database of systematic reviews*. 2007(4):Cd003063. <http://dx.doi.org/10.1002/14651858.CD003063.pub3>.
240. **Emergency management of cardiac injuries**. Stewart CE. *Emergency medical services*. 2002;31(9):71-3, 5-9, 100; quiz 1.
241. **Novel Coronavirus 2019 (2019-nCoV) Infection: Part II - Respiratory Support in the Pediatric Intensive Care Unit in Resource-limited Settings**. Sundaram M, Ravikumar N, Bansal A, Nallasamy K, Basavaraja GV, Lodha R, et al. *Indian Pediatr*. 2020.
242. **Acute respiratory failure in patients with Guillain-Barre syndrome and myasthenic crisis treated with plasmapheresis in the intensive care unit**. Szczeklik W, Jankowski M, Wegrzyn W, Krolikowski W, Zwolinska G, Mitka I, et al. *Pol Arch Med Wewn*. 2008;118(4):239-42.
243. **Guidelines for preventing health-care--associated pneumonia, 2003: recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee**. Tablan OC, Anderson LJ, Besser R, Bridges C, Hajjeh R. *MMWR Recommendations and reports : Morbidity and mortality weekly report Recommendations and reports / Centers for Disease Control*. 2004;53:1-36.
244. **[Anesthesiologic problems and specifics in the management of severe pelvic injuries]**. Taeger K. *Der Unfallchirurg*. 1992;95(4):185-8.
245. **Airway management during a mass casualty event**. Talmor D. *Respiratory Care*. 2008;53(2):226-31.
246. **Bronchoscopy during SARS: Perspectives from a non-SARS designated hospital**. Tan HL, Lo PLC, Eng CTP. *Journal of Bronchology*. 2006;13(4):223-5.
247. **Effect of rosuvastatin on amnesia and disorientation after traumatic brain injury (NCT003229758)**. Tapia-Perez J, Sanchez-Aguilar M, Torres-Corzo JG, Gordillo-Moscoso A, Martinez-Perez P, Madeville P, et al. *J Neurotrauma*. 2008;25(8):1011-7. <http://dx.doi.org/10.1089/neu.2008.0554>.
248. **A Quality Improvement Initiative to Reduce the Need for Mechanical Ventilation in Extremely Low Gestational Age Neonates**. Templin L, Grosse C, Andres V, Robert CD, Fayol L, Simeoni U, et al. *American journal of perinatology*. 2017;34(8):759-64. <http://dx.doi.org/10.1055/s-0037-1598106>. Epub 2017 Jan 31.
249. **Reducing mortality in near-hanging patients with a novel early management protocol**. Tharmarajah M, Ijaz H, Vallabhai M, Jena NN, LeSaux M, Smith JP, et al. *The American journal of emergency medicine*. 2018;36(11):2050-3. <http://dx.doi.org/10.1016/j.ajem.2018.08.003>. Epub 2018 Aug 4.
250. **PaCO₂/ETCO₂ gradient: early indicator of thrombolysis efficacy in a massive pulmonary embolism**. Thys F, Elamly A, Marion E, Roeseler J, Janssens P, El Gariani A, et al. *Resuscitation*. 2001;49(1):105-8. [http://dx.doi.org/10.1016/s0300-9572\(00\)00339-7](http://dx.doi.org/10.1016/s0300-9572(00)00339-7).
251. **Practical aspects of advanced paediatric cardiopulmonary resuscitation**. Tibballs J. *Australian paediatric journal*. 1988;24(4):228-34. <http://dx.doi.org/10.1111/j.1440-1754.1988.tb01346.x>.
252. **Using a CO₂ detector to confirm endotracheal intubation in SARS patients [10]**. Ting CK, Liu HT, Chen

- KY, Liu CK, Tsou MY, Chan KH, et al. Canadian Journal of Anesthesia. 2005;52(4):446-7.
253. **Characteristics and acute outcomes of ICU patients with initial presentation of seizure.** Tobochnik S, Gutierrez C, Jacobson MP. Seizure. 2015;26:94-7. <http://dx.doi.org/10.1016/j.seizure.2015.01.016>. Epub 2015 Feb 4.
254. **Aerosol generating procedures (AGP) and risk of transmission of acute respiratory diseases (ARD): A systematic review.** Tran K, Cimon K, Severn M, Pessoa-Silva C, Conly J. BMC Proceedings. 2011;5.
255. **Aerosol generating procedures and risk of transmission of acute respiratory infections to healthcare workers: A systematic review.** Tran K, Cimon K, Severn M, Pessoa-Silva CL, Conly J. PLoS ONE. 2012;7(4).
256. **Early intubation and MAS.** Traverse LD. Pediatrics. 1991;87(2):269.
257. **[Thoracic trauma].** Trupka A, Nast-Kolb D, Schweiberer L. Der Unfallchirurg. 1998;101(4):244-58. <http://dx.doi.org/10.1007/s001130050265>.
258. **Early intubation in severely injured patients.** Trupka A, Waydhas C, Nast-Kolb D, Schweiberer L. European journal of emergency medicine : official journal of the European Society for Emergency Medicine. 1994;1(1):1-8. <http://dx.doi.org/10.1097/00063110-199403000-00002>.
259. **[Effect of early intubation on the reduction of post-traumatic organ failure].** Trupka A, Waydhas C, Nast-Kolb D, Schweiberer L. Der Unfallchirurg. 1995;98(3):111-7.
260. **[Burn trauma. Part 1: pathophysiology, preclinical care and emergency room management].** Trupkovic T, Giessler G. Der Anaesthetist. 2008;57(9):898-907. <http://dx.doi.org/10.1007/s00101-008-1428-5>.
261. **Prehospital intubation and SARS.** Urszenyi SL. CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne. 2004;170(1):19; author reply 20.
262. **Intubation after cervical spinal cord injury: to be done selectively or routinely?** Velmahos GC, Toutouzas K, Chan L, Tillou A, Rhee P, Murray J, et al. The American surgeon. 2003;69(10):891-4.
263. **Influence of flail chest on outcome among patients with severe thoracic cage trauma.** Velmahos GC, Vassiliu P, Chan LS, Murray JA, Berne TV, Demetriades D. International surgery. 2002;87(4):240-4.
264. **Life-threatening overdose with lamotrigine, citalopram, and chlorpheniramine.** Venkatraman N, O'Neil D, Hall AP. Journal of postgraduate medicine. 2008;54(4):316-7. <http://dx.doi.org/10.4103/0022-3859.43516>.
265. **Should paramedics intubate patients with SARS-like symptoms?** Verbeek PR, Schwartz B, Burgess RJ. Canadian Medical Association Journal. 2003;169(4):299-300.
266. **Initial evaluation and management of the critical burn patient.** Vivo C, Galeiras R, del Caz MD. Medicina intensiva. 2016;40(1):49-59. <http://dx.doi.org/10.1016/j.medin.2015.11.010>. Epub 2015 Dec 24.
267. **Management of sepsis and septic shock in infants and children.** von Rosenstiel N, von Rosenstiel I, Adam D. Paediatric drugs. 2001;3(1):9-27. <http://dx.doi.org/10.2165/00128072-200103010-00002>.
268. **Clinical Description of a Completed Outbreak of SARS in Vietnam February-May 2003.** Vu HT, Leitmeyer KC, Le DH, Miller MJ, Nguyen QH, Uyeki TM, et al. Emerging Infectious Diseases. 2004;10(2):334-8.
269. **[A contribution of multidetector computed tomography to indications for chest wall stabilisation in multiple rib fractures].** Vyhnanek F, Skala P, Skrabalova D. Acta Chir Orthop Traumatol Cech. 2011;78(3):258-61.
270. **[Severe oropharyngeal angioedema caused by ACE inhibitor. A case report].** Waldfahrer F, Leuwer A,

Krause J, Iro H. Hno. 1995;43(1):35-8.

271. **A correlation between the severity of lung lesions on radiographs and clinical findings in patients with severe acute respiratory syndrome.** Wan YL, Tsay PK, Cheung YC, Chiang PC, Wang CH, Tsai YH, et al. Korean Journal of Radiology. 2007;8(6):466-74.

272. **Respiratory support for severe acute respiratory syndrome: Integration of efficacy and safety.** Wang C, Cao ZX. Chinese Medical Journal. 2005;118(17):1411-2.

273. **Timing of endotracheal intubation in children with fulminant enterovirus 71 infection.** Wang J, Chen S, Yen W, Liu C, Huang C, Wu J. Pediatric Critical Care Medicine. 2014;15(4):164.

274. **Timing of endotracheal intubation in patients with fulminant enterovirus 71 infection.** Wang JN, Chen SD, Chen LW, Wu JM. Pediatric Critical Care Medicine. 2018;19(6):244.

275. **Early Defervescence and SARS Recovery [1].** Wang JT, Wang JL, Fang CT, Chang SC. Emerging Infectious Diseases. 2004;10(3):544-5.

276. **Severe hypoxemia in the absence of blood loss depresses hepatocellular function and up-regulates IL-6 and PGE2.** Wang P, Ba ZF, Chaudry IH. Biochimica et biophysica acta. 1997;1361(1):42-8.
[http://dx.doi.org/10.1016/s0925-4439\(97\)00015-x](http://dx.doi.org/10.1016/s0925-4439(97)00015-x).

277. **A cluster of patients with severe acute respiratory syndrome in a chest ward in southern Taiwan.** Wang YH, Lin AS, Chao TY, Lu SN, Liu JW, Chen SS, et al. Intensive Care Medicine. 2004;30(6):1228-31.

278. **Practical recommendations for critical care and anesthesiology teams caring for novel coronavirus (2019-nCoV) patients.** Wax RS, Christian MD. Canadian Journal of Anesthesia. 2020.

279. **Post-traumatic respiratory distress syndrome.** Webb WR, Wax SD. Comprehensive therapy. 1979;5(1):19-23.

280. **Blunt trauma to the thyroid: a case report.** Weeks C, Moore FD, Jr., Ferzoco SJ, Gates J. The American surgeon. 2005;71(6):518-21.

281. **Safe tracheostomy for patients with severe acute respiratory syndrome.** Wei WI, Tuen HH, Ng RWM, Lam LK. Laryngoscope. 2003;113(10):1777-9.

282. **Envenomations: an overview of clinical toxicology for the primary care physician.** Weinstein S, Dart R, Staples A, White J. Am Fam Physician. 2009;80(8):793-802.

283. **Elective early intubation.** White JD. Anesthesiology. 1945;6:625.
<http://dx.doi.org/10.1097/00000542-194511000-00013>.

284. **Survival with an arterial pH of 6.57 following major trauma with exsanguinating haemorrhage associated with traumatic amputation.** Willcox N, Oakley P. Resuscitation. 2002;53(2):217-21.
[http://dx.doi.org/10.1016/s0300-9572\(02\)00020-5](http://dx.doi.org/10.1016/s0300-9572(02)00020-5).

285. **H1N1 infection and acute respiratory failure: Can we give non-invasive ventilation a chance?** Winck JC, Gonçalves M. Revista Portuguesa de Pneumologia. 2010;16(6):907-11.

286. **Early intubation and MAS (Reply).** Wiswell TE. Pediatrics. 1991;87(2):269.

287. **Protection protocol in intubation of suspected SARS patients [1].** Wong DT. Canadian Journal of Anesthesia. 2003;50(7):747-8.

288. **The effect of severe acute respiratory syndrome (SARS) on emergency airway management.** Wong E, Ho KK. *Resuscitation*. 2006;70(1):26-30.
289. **High-flow nasal-oxygenation-assisted fiberoptic tracheal intubation in critically ill patients with COVID-19 pneumonia: a prospective randomised controlled trial.** Wu CN, Xia LZ, Li KH, Ma WH, Yu DN, Qu B, et al. *British Journal of Anaesthesia*. 2020.
290. **Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome.** Wu VC, Huang JW, Hsueh PR, Yang YF, Tsai HB, Kan WC, et al. *American Journal of Kidney Diseases*. 2005;45(1):88-95.
291. **Human coronavirus OC43-induced acute respiratory distress syndrome.** Xiao J, Price J, Mina N. *Critical Care Medicine*. 2018;46:509.
292. **Non-invasive versus invasive mechanical ventilation for respiratory failure in severe acute respiratory syndrome.** Yam LYC, Chan AYF, Cheung TMT, Tsui ELH, Chan JCK, Wong VCW. *Chinese Medical Journal*. 2005;118(17):1413-21.
293. **SARS: Ventilatory and intensive care.** Yam LYC, Chen RC, Zhong NS. *Respirology*. 2003;8:S31-S5.
294. **A protocol for a multi-centre, doubleblinded, randomised, placebo-controlled trial on the efficacy and safety of lopinavir/ritonavir plus ribavirin in the treatment of severe acute respiratory syndrome.** Yu WC, Lai ST. *Hong Kong Medical Journal*. 2008;14(1):23-5.
295. **[Relationship between endotracheal intubation pattern and nosocomial infection of medical staff during treatment of severe acute respiratory syndrome].** Zhao DW. *Zhongguo wei zhong bing ji jiu yi xue = Chinese critical care medicine = Zhongguo weizhongbing jijiu yixue*. 2003;15(7):444.
296. **Infection control and MERS-CoV in health-care workers.** Zumla A, Hui DS. *The Lancet*. 2014;383(9932):1869-71.
297. **Expert Recommendations for Tracheal Intubation in Critically ill Patients with Noval Coronavirus Disease 2019.** Zuo MZ, Huang YG, Ma WH, Xue ZG, Zhang JQ, Gong YH, et al. *Chinese medical sciences journal = Chung-kuo i hsueh k'o hsueh tsa chih*. 2020.